



State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
DIESEL, GAS & PROPANE**
Use this document to bid both non-lift and lift buses for 61–77 capacity.

Vendor: RWC Group

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Seating Capacity	71 passenger based upon an average center-to-center seat spacing of at least 27.5".	Capacity w/o lift <u>71</u> Capacity w/lift <u>60+1</u>		
Alternator	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Diesel	Gas	Propane
		Mfr. <u>Leece-Neville</u>	Mfr. <u>N/A</u>	Mfr. <u>Leece-Neville</u>
		Max. amps output w/o lift or A.C. <u>240</u>	Max. amps output w/o lift or A.C. _____	Max. amps output w/o lift or A.C. <u>240</u>
		Max. amps output w/lift or A.C. <u>240</u>	Max. amps output w/lift or A.C. <u>N/A</u>	Max. amps output w/lift or A.C. <u>240</u>
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. <u>Bergstrom</u>		
Axle—Front	9,000 lb. minimum.	Diesel	Gas	Propane
		Mfr. <u>Meritor/Dana</u>	Mfr. <u>N/A</u>	Mfr. <u>Meritor/Dana</u>
		Capacity <u>10,000</u>	Capacity _____	Capacity <u>10,000</u>
Axle—Rear	19,000 lb. minimum.	Diesel	Gas	Propane
		Mfr. <u>Dana Spicer</u>	Mfr. <u>N/A</u>	Mfr. <u>Dana Spicer</u>
		Capacity <u>19,800</u>	Capacity _____	Capacity <u>19,800</u>
Axle Oil Seals	Front and rear oil bath.	Diesel	Gas	Propane
		Mfr. <u>Conmet Preset</u>	Mfr. <u>N/A</u>	Mfr. <u>Conmet Preset</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Diesel	Gas	Propane
		Mfr. <u>Dana Spicer</u>	Mfr. <u>N/A</u>	Mfr. <u>Dana Spicer</u>
		Model no. <u>5.29</u>	Model no. _____	Model no. <u>5.57</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/> Diameter <u>7 Inch</u>	Other: <input type="checkbox"/> Square inches _____	

ITEM		STATE-SUPPORTED SPECIFICATIONS			VENDOR SPECIFICALLY IDENTIFY ITEM BID		
		Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.			Price of items bid will establish the state cost.		
Battery(ies)	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift.	Diesel		Gas		Propane	
	1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Size/group w/o lift <u>31</u> CCA <u>1900</u>	Size/group w/o lift <u>N/A</u> CCA _____	Size/group w/o lift <u>N/A</u> CCA _____	Size/group w/o lift <u>31</u> CCA <u>1900</u>	Size/group w/o lift <u>31</u> CCA <u>1900</u>	Size/group w/o lift <u>31</u> CCA <u>1900</u>
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.			<input type="checkbox"/> Swing out		<input checked="" type="checkbox"/> Roll out	
Brakes	Air: Drum or Disc. Refer to Washington State School Bus Specifications Manual.			Disc Front <input type="checkbox"/>	Rear <input type="checkbox"/>		
				Drum Front <input checked="" type="checkbox"/>	Rear <input checked="" type="checkbox"/>		
				Size Front <u>16.5"x5"</u>	Rear <u>16.5"x7"</u>		
Door, Service	Power operated.			<input checked="" type="checkbox"/> Air		<input type="checkbox"/> Folding	
				<input type="checkbox"/> Electric		<input checked="" type="checkbox"/> Split, Outward opening	
				<input type="checkbox"/> Other		<input type="checkbox"/> Other	
Engine	Diesel, Gas and Propane—210 H.P. minimum.	Diesel		Gas		Propane	
		Engine mfr. <u>Cummins</u>		Engine mfr. <u>N/A</u>		Engine mfr. <u>PSI</u>	
		Model or liters <u>B6.7</u>		Model or liters _____		Model or liters <u>8.8L</u>	
		Net torque <u>520</u> @ <u>1600</u> R.P.M		Net torque _____ @ _____ R.P.M		Net torque <u>565</u> @ <u>1600</u> R.P.M	
		Net H.P. <u>220</u> @ <u>2400</u> R.P.M		Net H.P. _____ @ _____ R.P.M		Net H.P. <u>270</u> @ <u>2600</u> R.P.M	
Engine Heater	Engine manufacturer's recommended in-block heater.			Watts <u>750 D/ 1000 P</u>		Volts <u>120</u>	
				Mfr. <u>Phillips</u>			
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.			Mfr. <u>Borg Warner</u>		<input type="checkbox"/> Electronic	
				<input checked="" type="checkbox"/> Fan clutch		<input type="checkbox"/> Shutters	
Fuel Tank	Diesel—100 gallon minimum. Gas and Propane—60 gallon minimum.	Diesel		Gas		Propane	
		Capacity <u>100</u>		Capacity <u>N/A</u>		Capacity <u>69.2</u>	

State Price Quote Specification TYPE C77—BID AS 71 PASSENGER, DIESEL, GAS & PROPANE Use this document to bid both non-lift and lift buses for 61–77 capacity.		Vendor: <u>RWC Group</u>
ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. <u>90,000</u> Center B.T.U. <u>50,000</u> Rear B.T.U. <u>50,000</u> Total B.T.U. <u>190,000</u>
Hood	Tilt.	<input checked="" type="checkbox"/> Fiberglass <input type="checkbox"/> Metal
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain _____
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>Adayo</u> Model No. <u>HA1102D623A</u>
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>354.89</u> w/lift <u>354.89</u> Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>28.09</u> w/lift <u>27.56</u>
Steering Wheel	Tilt and telescoping column.	Check if as specified <input checked="" type="checkbox"/>
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>Koroseal</u>
Tires	6 first quality, radial ply. No low profile tires.	Mfr. <u>Continental</u> Size <u>11R22.5</u> Load range <u>H</u>
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>2.88</u>

State Price Quote Specification		Vendor: <u>RWC Group</u>	
TYPE C77—BID AS 71 PASSENGER, DIESEL, GAS & PROPANE			
Use this document to bid both non-lift and lift buses for 61–77 capacity.			
ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Transmission	Diesel and Propane: Automatic—Allison, PTS 2500 or equal. Gas: Automatic— manufacturer's standard compatible with H.P. and torque rating of engine bid.	Diesel	Gas
		Mfr. <u>Allison</u>	Mfr. <u>N/A</u>
		Model no. <u>2500 6spd</u>	Model no. <u> </u>
		Net input <u>620</u>	Net input <u> </u>
		Propane	
		Mfr. <u>Allison</u>	
		Model no. <u>2500 6spd</u>	Model no. <u>2500 6spd</u>
		Net input <u>620</u>	Net input <u>620</u>
		Net input H.P. <u>300</u>	Net input H.P. <u>300</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>ICOM</u>	
		Model No. <u>F-5011</u>	
Wheels	6 to be compatible with tire size.	Size <u>22.5</u>	
		Rim width <u>8.25</u>	
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY			
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>Braun Gen2</u>	
		Model No. <u>NL919FIB</u>	
Wheelchair/ Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u>	
		Model No. <u>Q-8100-A1-SC</u>	
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY			
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified <input checked="" type="checkbox"/>	
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified <input checked="" type="checkbox"/>	
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>	

State Price Quote Specification		Vendor: <u>RWC Group</u>
TYPE C77—BID AS 71 PASSENGER, DIESEL, GAS & PROPANE		
Use this document to bid both non-lift and lift buses for 61–77 capacity.		
ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input checked="" type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input checked="" type="checkbox"/>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2022-2023

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE C77— BID AS 71 PASSENGER (DIESEL)**

VENDOR'S COMPANY NAME RWC Group	REPRESENTATIVE'S NAME Tom Hartman	TELEPHONE NUMBER 602-377-4401
ADDRESS 600 North 75 th Avenue Phoenix, AZ 85043	Estimated delivery date to school district from time purchase order is received: 180 Days ARO _____	
	Firm where engine and chassis can be serviced or repaired and parts obtained: Any IC or International Dealer _____	
	Firm where body can be serviced or repaired and parts obtained: RWC Group (4 locations in WA) _____	

BODY

MAKE IC Corporation	Warranty: Years <u>5</u> Miles <u>Unlimit</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>354.89</u> w/lift 354.89_	Equipped seating capacity: w/o lift <u>71</u> w/lift <u>60+1</u>
MODEL PB105	YEAR 2024	Seat color: <u>Gray</u> Floor color: <u>Black</u>	Overall vehicle length (inches): w/o lift <u>463.9</u> w/lift <u>463.9</u>

CHASSIS

ENGINE

MAKE IC Corporation	Warranty: Years <u>5</u> Miles <u>Unlimit</u>	MANUFACTURER Cummins	Torque: <u>520</u> @ <u>1600</u> RPM H.P.: <u>220</u> @ <u>2400</u> RPM
MODEL PB105	YEAR 2024	Wheel base: <u>276</u>	MODEL B6.7
TRANSMISSION		Warranty: Years <u>5</u> Miles <u>100K</u>	YEAR 2023
MANUFACTURER Allison	Speeds forward: <u>6</u>	Battery type/grp: <u>31</u> <u>31</u>	C.I.D. or Liters: <u>6.7L</u>
MODEL 2500	Warranty: Years <u>7</u> Miles <u>Unlimit</u>	Number of cylinders: <u>6</u> Inline <u>X</u> V-type _____	Fuel type: <u>Diesel</u>
		Total CCA: <u>1900</u> <u>1900</u>	Number batteries: <u>2</u> <u>2</u>

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Diesel Bid—w/o lift \$ 128,542

Diesel Bid—w/lift \$ 133,896

VENDOR REPRESENTATIVE'S SIGNATURE Tom Hartman	DATE <u>8-17-22</u>
---	------------------------



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2022-2023

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 684-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE C77— BID AS 71 PASSENGER (GAS)**

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS	Estimated delivery date to school district from time purchase order is received: _____	
	Firm where engine and chassis can be serviced or repaired and parts obtained: _____	
	Firm where body can be serviced or repaired and parts obtained: _____	

BODY

MAKE	Warranty: Years _____	Inside measurement from rear of	Equipped seating capacity:
MODEL	Miles _____	stepwell to appropriate point at	w/o lift _____ w/lift _____
YEAR		rear of passenger seating area:	
	Seat color: _____	w/o lift _____ w/lift _____	Overall vehicle length (inches):
	Floor color: _____		w/o lift _____ w/lift _____

CHASSIS

ENGINE

MAKE	Warranty: Years _____	MANUFACTURER	Torque: _____ @ _____ RPM
	Miles _____		H.P.: _____ @ _____ RPM
MODEL	Wheel base: _____	MODEL	C.I.D. or Liters: _____
YEAR		YEAR	Fuel type: _____
TRANSMISSION		Warranty: Years _____	Battery type/grp: _____
MANUFACTURER	Speeds forward: _____	Miles _____	Number batteries: _____
MODEL	Warranty: Years _____	Number of cylinders: _____	Total CCA: _____
	Miles _____	Inline _____ V-type _____	

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Gas Bid—w/o lift \$ N/A

Gas Bid—w/lift \$ N/A

VENDOR REPRESENTATIVE'S SIGNATURE
Tom Hartman

DATE
8-17-22



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2022-2023

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE C77—BID AS 71 PASSENGER (PROPANE)**

VENDOR'S COMPANY NAME RWC Group		REPRESENTATIVE'S NAME Tom Hartman	TELEPHONE NUMBER 602-377-4401
ADDRESS 600 North 75 th Avenue Phoenix, AZ 85043		Estimated delivery date to school district from time purchase order is received: 180 Days ARO _____	
		Firm where engine and chassis can be serviced or repaired and parts obtained: Any IC or International Dealer _____	
		Firm where body can be serviced or repaired and parts obtained: RWC Group (4 locations in WA) _____	

BODY

MAKE IC Corporation	Warranty: Years <u>5</u> Miles <u>Unlimit</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>354.89</u> w/lift <u>354.89</u>	Equipped seating capacity: w/o lift <u>71</u> w/lift <u>60+1</u>
MODEL PB105	YEAR 2024	Seat color: <u>Gray</u> Floor color: <u>Black</u>	Overall vehicle length (inches): w/o lift <u>463.9</u> w/lift <u>463.9</u>

CHASSIS

ENGINE

MAKE IC Corporation	Warranty: Years <u>5</u> Miles <u>Unlimit</u>	MANUFACTURER PSI	Torque: <u>565</u> @ <u>1600</u> RPM H.P.: <u>270</u> @ <u>2600</u> RPM
MODEL PB105	YEAR 2024	Wheel base: <u>276</u>	MODEL 8.8 LPG
TRANSMISSION		Warranty: Years <u>5</u> Miles <u>Unlimit</u>	YEAR 2023
MANUFACTURER Allison	Speeds forward: <u>6</u>	C.I.D. or Liters: <u>8.8L</u> Fuel type: <u>Propane</u>	
MODEL 2500	Warranty: Years <u>7</u> Miles <u>Unlimit</u>	Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>	Battery type/grp: <u>31</u> <u>31</u> Number batteries: <u>2</u> <u>2</u> Total CCA: <u>1900</u> <u>1900</u>

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ 146,196

Propane Bid—w/lift \$ 151,550

VENDOR REPRESENTATIVE'S SIGNATURE Tom Hartman	DATE 8-17-22
---	-----------------

	<p>State Price Quote Specification</p> <p>DISTRICT-SUPPORTED OPTIONS</p> <p><input type="checkbox"/> C60 <input checked="" type="checkbox"/> C77 <input type="checkbox"/> D60 <input type="checkbox"/> D84</p> <p>Use this document to bid both non-lift and lift buses.</p>	<p>Vendor: <u>RWC Group</u></p> <hr/>
--	---	---------------------------------------

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>44</u>	
		Cost \$ <u>24,870</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>TransAir</u>	
		Cost \$ <u>10,800</u>	
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. _____	
<input type="checkbox"/> CNG		<input type="checkbox"/> CNG Cost \$ <u>N/A</u>	
<input checked="" type="checkbox"/> Electric		<input checked="" type="checkbox"/> Electric Cost \$ <u>see 71 Electric Category</u>	
Alternator	Available options.	Cost \$ <u>982</u> Capacity <u>325</u>	
		Cost \$ _____ Capacity _____	
		Cost \$ _____ Capacity _____	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>Included</u>	
		Type D: Cost \$ <u>272</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>Ecco-SA-917-87 112d</u>	
		Cost \$ <u>123</u>	
Brakes	4-wheel hydraulic disk brake.	Cost \$ <u>700</u>	Deduct \$ _____
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>3,500</u>	Disc Deduct \$ <u>N/A</u>
		Drum Cost \$ <u>N/A</u>	Drum Deduct \$ <u>N/A</u>
Color	Exterior white roof.	Cost \$ <u>776</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>718</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air	Air
		Mfr. <u>Magnum</u>	Mfr. <u>National</u>
		Cost \$ <u>225</u>	Cost \$ <u>470</u>
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. <u>Fogmaker</u>	
		Cost \$ <u>3,681</u>	
Floor Color	Nonstandard color.	Cost \$ <u>419</u>	

State Price Quote Specification		Vendor: <u>RWC Group</u>	
DISTRICT-SUPPORTED OPTIONS			
<input type="checkbox"/> C60 <input checked="" type="checkbox"/> C77 <input type="checkbox"/> D60 <input type="checkbox"/> D84			
Use this document to bid both non-lift and lift buses.			
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Fuel Tank	Larger fuel capacity (CNG only).	Size: <u>N/A</u>	Cost \$ <u> </u>
Fuel Tank	Larger fuel capacity (Diesel only).	Size: <u>N/A</u>	Cost \$ <u> </u>
Fuel Tank	Larger fuel capacity (Propane only).	Size: <u>N/A</u>	Cost \$ <u> </u>
Headlights	Halogen.	Cost \$ <u>Standard</u>	
Headlights	L.E.D.	Cost \$ <u>N/A</u>	
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>Webasto</u>	Model: <u>Pro 90</u>
		Cost \$ <u>4,936</u>	
Noise Reduction	Exceeding minimum specifications.	Driver compartment	Cost \$ <u>159</u>
		Engine compartment	Cost \$ <u>333</u>
		Full acoustical headliner	Cost \$ <u>Included</u>
Retarder	Manufacturer's standard.	Driveline <input checked="" type="checkbox"/>	Cost \$ <u>13,720</u>
		Exhaust <input type="checkbox"/>	Cost \$ <u>N/A</u>
		Transmission <input type="checkbox"/>	Cost \$ <u>N/A</u>
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ <u>1,050</u>	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ <u>24,870</u>	
		Capacity <u>44</u>	
		3 by 2 Cost \$ <u>N/A</u>	
		Capacity <u>N/A</u>	
		3 by 3 Cost \$ <u>25,200</u>	
		Capacity <u>72</u>	

State Price Quote Specification		Vendor: <u>RWC Group</u>	
DISTRICT-SUPPORTED OPTIONS			
<input type="checkbox"/> C60 <input checked="" type="checkbox"/> C77 <input type="checkbox"/> D60 <input type="checkbox"/> D84			
Use this document to bid both non-lift and lift buses.			
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Storage Compartments	Largest available for unit bid.	Left-side <u>28.5</u> cubic feet.	
		Cost \$ <u>2,150</u>	
		Right-side <u>28.5</u> cubic feet.	
		Cost \$ <u>2,150</u>	
		Push-thru <u>N/A</u> cubic feet.	
		Cost \$ <u>N/A</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>Ecco</u>	
		Model No. <u>6550C</u>	
		Cost \$ <u>217</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>IC</u>	
		Model No. <u>Leave No Student Behind</u>	
		Cost \$ <u>Included</u>	
Suspension	Air ride (Air brake system only).	Front	Rear
		Cost \$ <u>N/A</u>	Cost \$ <u>1,233</u>
Toolbox	Interior, manufacturer standard.	Cost \$ <u>50</u>	Deduct \$ <u>N/A</u>
Traction Device	Automatic chains.	Mfr. <u>On Spot</u>	
		Cost \$ <u>3,716</u>	
Traction Device	Sanders.	Capacity <u>10 Gal</u>	
		Cost \$ <u>3,824</u>	
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. <u>Allison</u>	
		Model No. <u>3000</u>	
		Cost \$ <u>5,388</u>	
Vehicle Securement System	Must meet state specification.	Mfr. <u>SBS</u>	Cost \$ <u>1,018</u>
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>Seon</u>	
		Model No. <u>TH4</u>	
		Cost \$ <u>3,644</u>	How many cameras <u>3</u>

State Price Quote Specification		Vendor: <u>RWC Group</u>	
DISTRICT-SUPPORTED OPTIONS			
<input type="checkbox"/> C60 <input checked="" type="checkbox"/> C77 <input type="checkbox"/> D60 <input type="checkbox"/> D84 Use this document to bid both non-lift and lift buses.			
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr. <u>Seon</u>	Mfr. <u>Seon</u>
		Model No. <u>TH4</u>	Model No. <u>TH4</u>
		Cost \$ <u>2,877</u>	Cost \$ <u>889</u>
Warning Light Monitor	16 light monitoring system.	How many cameras <u>1</u>	How many cameras <u>1</u>
		Incandescent	LED Lights
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Cost \$ <u>191</u>	Cost \$ <u>386</u>
		Mfr. <u>Q-Straint</u>	
		Model No. <u>Q-811-A1-SC</u>	
Windows	Laminated passenger-compartment side or rear glass.	Cost per station \$ <u>1,150</u>	
		Side Cost \$ <u>1,095</u>	
		Rear Cost \$ <u>147</u>	
Windows	Tinted.	Both Cost \$ <u>1,242</u>	
		Cost \$ <u>547</u>	
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>555</u>	