



State Price Quote Specification  
**TYPE C77—BID AS 71 PASSENGER,  
ELECTRIC**

Vendor: \_\_\_\_\_  
\_\_\_\_\_

Use this document to bid both non-lift and lift buses for 61–77 capacity.

<b>ITEM</b>	<b>STATE-SUPPORTED SPECIFICATIONS</b> Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	<b>VENDOR SPECIFICALLY IDENTIFY ITEM BID</b> Price of items bid will establish the state cost.
Seating Capacity	71 passenger based upon an average center-to-center seat spacing of at least 27.5".	Capacity w/o lift _____ Capacity w/lift _____
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. _____
Axle—Front	9,000 lb. minimum.	Mfr. _____ Capacity _____
Axle—Rear	19,000 lb. minimum.	Mfr. _____ Capacity _____
Axle Oil Seals	Front and rear oil bath.	Mfr. _____
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Mfr. _____ Capacity _____
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input type="checkbox"/> Diameter _____ Other: <input type="checkbox"/> Square inches _____
Battery(ies) Low Voltage	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift. 1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Number of batteries _____ CCA _____
Battery(ies) Propulsion	Battery propulsion must meet a minimum of 130 kWh.	Number of batteries _____ kWh _____

State Price Quote Specification  
**TYPE C77—BID AS 71 PASSENGER,  
 ELECTRIC**

Vendor: \_\_\_\_\_

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.	<input type="checkbox"/> Swing out	<input type="checkbox"/> Roll out
Brakes	Air: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Disc Front <input type="checkbox"/>	Rear <input type="checkbox"/>
		Drum Front <input type="checkbox"/>	Rear <input type="checkbox"/>
		Size Front _____	Rear _____
Door, Service	Power operated.	<input type="checkbox"/> Air <input type="checkbox"/> Electric <input type="checkbox"/> Other	<input type="checkbox"/> Folding <input type="checkbox"/> Split, Outward opening <input type="checkbox"/> Other
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors.	Front B.T.U. _____ Center B.T.U. _____ Rear B.T.U. _____ Total B.T.U. _____	
Hood	Tilt.	<input type="checkbox"/> Fiberglass	<input type="checkbox"/> Metal
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input type="checkbox"/> If not, explain _____	
Motor	190 H.P. minimum.	Engine Mfr. _____ Model _____ Net torque _____ @ _____ R.P.M. Net H.P. _____ @ _____ R.P.M.	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. _____ Model No. _____	

State Price Quote Specification  
**TYPE C77—BID AS 71 PASSENGER,  
 ELECTRIC**

Vendor: \_\_\_\_\_  
 \_\_\_\_\_

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____  Mfg.'s C/C seat measurement of vehicle (inches): w/o lift _____ w/lift _____
Steering Wheel	Tilt and telescoping column.	Check if as specified <input type="checkbox"/>
Step Tread	Studded or pebbled top tread covering.	Mfr. _____
Tires	6 first quality, radial ply. No low profile tires.	Mfr. _____ Size _____ Load range _____
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) _____
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. _____ Model No. _____
Wheels	6 to be compatible with tire size.	Size _____ Rim width _____
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. _____ Model No. _____
Wheelchair/ Occupant Tie-down System—Installed	Must meet state specification.	Mfr. _____ Model No. _____

State Price Quote Specification  
**TYPE C77—BID AS 71 PASSENGER,  
 ELECTRIC**

Vendor: \_\_\_\_\_  
 \_\_\_\_\_

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
<b>ADDITIONAL REQUIREMENTS—CHASSIS AND BODY</b>		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified <input type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified <input type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> <li>• Chassis lubrication.</li> <li>• Check fluid levels: verify all are at recommended full levels.</li> <li>• Cooling system protected at -20°F.</li> <li>• Interior and exterior will be clean (including glass).</li> <li>• All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery.</li> <li>• All components and accessories will be installed and operational at time of delivery.</li> </ul>	Check if as specified <input type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input type="checkbox"/>



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2021-2022

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION  
TYPE C77— BID AS 71 PASSENGER ELECTRIC**

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS	Estimated delivery date to school district from time purchase order is received: _____ _____	
	Firm where engine and chassis can be serviced or repaired and parts obtained: _____ _____	
	Firm where body can be serviced or repaired and parts obtained: _____ _____	

BODY				
MAKE	Warranty: Years _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____	
MODEL	Miles _____		Overall vehicle length (inches): w/o lift _____ w/lift _____	
	Seat color: _____			
	Floor color: _____			

CHASSIS		MOTOR		
MAKE	Warranty: Years _____	MANUFACTURER		Torque: _____ @ _____ RPM
	Miles _____			H.P.: _____ @ _____ RPM
MODEL	YEAR	Wheel base: _____	MODEL	YEAR
				C.I.D. or Liters: _____
				Fuel type: _____

BATTERIES			
12 Volt	Propulsion	Warranty: Years _____	
Battery type/grp: _____	Number batteries: _____	Miles _____	
Number batteries: _____	Total kWh: _____		
Total CCA: _____			

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Electric Bid—w/o lift \$ _____	Electric Bid—w/lift \$ _____
VENDOR REPRESENTATIVE'S SIGNATURE <i>David Jones</i>	DATE

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

Vendor: \_\_\_\_\_

**C77**    **D84 – ELECTRIC**

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	<b>VENDOR SPECIFICALLY IDENTIFY ITEM BID</b> Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity _____ Cost \$ _____	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. _____ Cost \$ _____	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ _____ Type D: Cost \$ _____	
Back-up Alarm	Must meet state specification.	Mfr. _____ Cost \$ _____	
Brakes	4-wheel hydraulic disk brake.	Cost \$ _____	Deduct \$ _____
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ _____ Drum Cost \$ _____	Disc Deduct \$ _____ Drum Deduct \$ _____
Color	Exterior white roof.	Cost \$ _____	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ _____	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	<b>Non-Air</b>	<b>Air</b>
		Mfr. _____	Mfr. _____
		Cost \$ _____	Cost \$ _____
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. _____ Cost \$ _____	
Floor Color	Nonstandard color.	Cost \$ _____	
Headlights	Halogen.	Cost \$ _____	
Headlights	L.E.D.	Cost \$ _____	

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

Vendor: \_\_\_\_\_

C77    D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: _____ Model: _____ Cost \$ _____
Noise Reduction	Exceeding minimum specifications.	Driver compartment Cost \$ _____ Engine compartment Cost \$ _____ Full acoustical headliner Cost \$ _____
Retarder	Manufacturer's standard.	Driveline <input type="checkbox"/> Cost \$ _____ Exhaust <input type="checkbox"/> Cost \$ _____ Transmission <input type="checkbox"/> Cost \$ _____
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ _____
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ _____ Capacity _____ 3 by 2 Cost \$ _____ Capacity _____ 3 by 3 Cost \$ _____ Capacity _____
Storage Compartments	Largest available for unit bid.	Left-side _____ cubic feet. Cost \$ _____ Right-side _____ cubic feet. Cost \$ _____ Push-thru _____ cubic feet. Cost \$ _____
Strobe Light	Exterior roof mounted white strobe light.	Mfr. _____ Model No. _____ Cost \$ _____

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

Vendor: \_\_\_\_\_  
 \_\_\_\_\_

C77  D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.											
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. _____ Model No. _____ Cost \$ _____											
Suspension	Air ride (Air brake system only).	<table border="1"> <tr> <th data-bbox="1304 532 1633 573"><i>Front</i></th> <th data-bbox="1633 532 1944 573"><i>Rear</i></th> </tr> <tr> <td data-bbox="1304 573 1633 613">Cost \$ _____</td> <td data-bbox="1633 573 1944 613">Cost \$ _____</td> </tr> </table>		<i>Front</i>	<i>Rear</i>	Cost \$ _____	Cost \$ _____						
<i>Front</i>	<i>Rear</i>												
Cost \$ _____	Cost \$ _____												
Toolbox	Interior, manufacturer standard.	Cost \$ _____ Deduct \$ _____											
Traction Device	Automatic chains.	Mfr. _____ Cost \$ _____											
Traction Device	Sanders.	Capacity _____ Cost \$ _____											
Vehicle Securement System	Must meet state specification.	Mfr. _____	Cost \$ _____										
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. _____ Model No. _____ Cost \$ _____ How many cameras _____											
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	<table border="1"> <tr> <th data-bbox="1304 1027 1598 1060"><i>Stand Alone System</i></th> <th data-bbox="1598 1027 1944 1060"><i>Added to Interior System</i></th> </tr> <tr> <td data-bbox="1304 1060 1598 1101">Mfr. _____</td> <td data-bbox="1598 1060 1944 1101">Mfr. _____</td> </tr> <tr> <td data-bbox="1304 1101 1598 1141">Model No. _____</td> <td data-bbox="1598 1101 1944 1141">Model No. _____</td> </tr> <tr> <td data-bbox="1304 1141 1598 1182">Cost \$ _____</td> <td data-bbox="1598 1141 1944 1182">Cost \$ _____</td> </tr> <tr> <td data-bbox="1304 1182 1598 1222">How many cameras _____</td> <td data-bbox="1598 1182 1944 1222">How many cameras _____</td> </tr> </table>		<i>Stand Alone System</i>	<i>Added to Interior System</i>	Mfr. _____	Mfr. _____	Model No. _____	Model No. _____	Cost \$ _____	Cost \$ _____	How many cameras _____	How many cameras _____
<i>Stand Alone System</i>	<i>Added to Interior System</i>												
Mfr. _____	Mfr. _____												
Model No. _____	Model No. _____												
Cost \$ _____	Cost \$ _____												
How many cameras _____	How many cameras _____												
Warning Light Monitor	16 light monitoring system.	<table border="1"> <tr> <th data-bbox="1304 1222 1598 1255"><i>Incandescent</i></th> <th data-bbox="1598 1222 1944 1255"><i>LED Lights</i></th> </tr> <tr> <td data-bbox="1304 1255 1598 1295">Cost \$ _____</td> <td data-bbox="1598 1255 1944 1295">Cost \$ _____</td> </tr> </table>		<i>Incandescent</i>	<i>LED Lights</i>	Cost \$ _____	Cost \$ _____						
<i>Incandescent</i>	<i>LED Lights</i>												
Cost \$ _____	Cost \$ _____												



State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

C77  D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

Vendor: \_\_\_\_\_

\_\_\_\_\_

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	<b>VENDOR SPECIFICALLY IDENTIFY ITEM BID</b> Price of items bid will establish the district cost.
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. _____ Model No. _____ Cost per station \$ _____
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ _____ Rear Cost \$ _____ Both Cost \$ _____
Windows	Tinted.	Cost \$ _____
Windows	Thermal pane, left of driver and service door.	Cost \$ _____