



State Price Quote Specification
TYPE A—ELECTRIC
Use this document to bid both non-lift and lift buses.

Vendor: _____
SCHETKY NW SALES INC
Mfr.: THOMAS BUILT BUSES

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Seating Capacity	Maximum passenger capacity based upon an average center-to-center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Capacity w/o lift <u>24</u> Capacity w/lift <u>19</u>
Axle—Front	Manufacturer's recommendation.	Mfr. <u>FORD</u> Capacity <u>5,000LB</u>
Axle—Rear	Manufacturer's recommendation.	Mfr. <u>FORD</u> Capacity <u>9600LB</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Mfr. <u>FORD</u> RATIO <u>4.56</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input type="checkbox"/> Diameter _____ Other: <input checked="" type="checkbox"/> Square inches <u>22</u>
Battery(ies) Low Voltage	535 CCA 12-volt minimum w/o lift. 1070 CCA 12-volt minimum w/lift.	Number of batteries <u>2</u> CCA <u>1500</u>
Battery(ies) Propulsion	Battery propulsion must meet a minimum of 80 kWh.	Number of batteries <u>1</u> kWh <u>125</u>

		PART I (cont.)
State Price Quote Specification TYPE A— ELECTRIC Use this document to bid both non-lift and lift buses.		Vendor: _____ SCHETKY NW SALES INC Mfr. THOMAS BUILT BUSES

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Disc Front <input checked="" type="checkbox"/> Rear <input checked="" type="checkbox"/> Drum Front <input type="checkbox"/> Rear <input type="checkbox"/> Size Front OEM _____ Rear OEM _____
Doors, Service	Power operated.	<input type="checkbox"/> Air <input type="checkbox"/> Folding <input checked="" type="checkbox"/> Electric <input checked="" type="checkbox"/> Split, Outward Opening <input type="checkbox"/> Other _____
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Front B.T.U. 25,000 _____ Rear B.T.U. 50,000 _____ Total B.T.U. 75,000 _____
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain _____
Motor	160 H.P. minimum.	Engine Mfr. PROTERRA Model H SERIES Net torque 790 @ N/A R.P.M. Net H.P. 241 @ N/A R.P.M.
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. DELPHI Model No. DEA700
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift 166.1 w/lift 166.1 Mfg.'s C/C seat measurement of vehicle (inches): w/o lift 28.75 w/lift 28.75

PART I (cont.)

State Price Quote Specification
TYPE A— ELECTRIC
 Use this document to bid both non-lift and lift buses.

Vendor: _____
 SCHETKY NW SALES INC
 Mfr.: THOMAS BUILT BUSES

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Steering Wheel	Tilt.	Check if as specified <input checked="" type="checkbox"/>
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>KOROSEAL</u>
Tires	6 first quality, radial ply.	Mfr. <u>OEM</u>
		Size <u>LT225/75R16E</u>
		Load range <u>E</u>
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>3.42</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>KENWOOD</u>
		Model No. <u>TK-7302HVK</u>
Wheels	6 to be compatible with tire size.	Size <u>16</u>
		Rim width <u>6.5</u>
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>BRAUN</u> Model No. <u>NCL919FIB</u>
Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>SURE-LOK</u> Model No. <u>FF627S-4C-3</u>

		State Price Quote Specification TYPE A— ELECTRIC Use this document to bid both non-lift and lift buses.	PART I (cont.) Vendor: _____ SCHETKY NW SALES INC Mfr.: THOMAS BUILT BUSES
--	--	---	--

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified <input checked="" type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified <input checked="" type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input checked="" type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input checked="" type="checkbox"/>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2022-2023

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE A—ELECTRIC

VENDOR'S COMPANY NAME SCHETKY NW SALES INC	REPRESENTATIVE'S NAME DAVID SCHETKY	TELEPHONE NUMBER 800-255-8341
ADDRESS 8430 NE KILLINGSWORTH ST PORTLAND, OR 97220	Estimated delivery date to school district from time purchase order is received: 240-260 DAYS ARO _____	
	Firm where engine and chassis can be serviced or repaired, and parts obtained: _____ SCHETKY NW SALES INC	
	Firm where body can be serviced or repaired, and parts obtained: _____ SCHETKY NW SALES INC	

BODY

MAKE THOMAS BUILT BUSES	Warranty: Years <u>1</u> Miles UNL	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>166.1</u> w/lift <u>166.1</u>	Equipped seating capacity: w/o lift <u>24</u> w/lift <u>19</u>
MODEL 051MS	YEAR 2023-2024	Seat color: <u>GRAY</u> Floor color: <u>BLACK</u>	Overall vehicle length (inches): w/o lift <u>260.3</u> w/lift <u>260.3</u>

CHASSIS

MOTOR


MAKE FORD	Warranty: Years <u>3</u> Miles <u>36K</u>	MANUFACTURER PROTERRA	Torque: <u>790</u> @ <u>N/A</u> RPM H.P.: <u>241</u> @ <u>N/A</u> RPM
MODEL E450	YEAR 2023-2024	Wheelbase: <u>158</u>	Fuel type: <u>N/A</u>
BATTERIES		Warranty: Years <u>5</u>	
12 Volt Propulsion			
Battery type/grp: <u>65</u> <u>750</u>	Number batteries: <u>1</u>	Miles <u>60,000</u>	
Number batteries: <u>2</u>	Total KWH: <u>127</u>		
Total CCA: <u>1500</u>			

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Electric Bid—w/o lift \$ 287,166.00

Electric Bid—w/lift \$ 292,667.00

VENDOR REPRESENTATIVE'S SIGNATURE 	DATE <u>8/9/2022</u>
--	-------------------------

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Use this document to bid both non-lift and lift buses.

Vendor: _____
 SCHEPKY NW SALES INC
 Mfr.: THOMAS BUILT BUSES

CHASSIS		
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Small A	Type A bus—10,000 lbs. or under GVWR chassis.	Deduct <u>N/A</u> Mfr. <u>N/A</u> Capacity w/o lift <u>N/A</u> Dual Wheel <u>N/A</u> Single Wheel <u>N/A</u>
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>CARRIER AC-5W13 68K BTU</u> Cost \$ <u>5,500.00</u>
Back-up Alarm	Must meet state specification.	Mfr. <u>THOMAS</u> Cost \$ <u>145.00</u>
Color	Exterior white roof.	Cost \$ <u>675.00</u>
Steering Wheel	Tilt and telescoping column.	Cost \$ <u>INCLUDED</u>
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>THOMAS</u> Model No. <u>B357605000</u> Cost \$ <u>226.00</u>
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>CHECKMATE</u> Model No. <u>B200105000</u> Cost \$ <u>375.00</u>
Toolbox	Interior, manufacturer standard.	Cost \$ <u>65.00</u> Deduct \$ <u>N/A</u>

		State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A Use this document to bid both non-lift and lift buses.	PART II (cont.) Vendor: _____ SCHETKY NW SALES INC Mfr.: THOMAS BUILT BUSES
--	--	--	---

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>AMERICAN BUS VIDEO</u>	
		Model No. <u>RSD4MX-4</u>	
		Cost \$ <u>2,600.00</u>	How many cameras <u>4</u>
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr. <u>AMER BUS VIDEO</u>	Mfr. <u>AMER BUS VIDEO</u>
		Model No. <u>RSD4HD-1</u>	Model No. <u>SACA 12MM</u>
		Cost \$ <u>1,860.00</u>	Cost \$ <u>550.00</u>
		How many cameras <u>1</u>	How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$ <u>N/A</u>	Cost \$ <u>750.00</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>SURE-LOK</u>	
		Model No. <u>FF627S-4C-3</u>	
		Cost per station \$ <u>960.00</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>890.00</u>	
		Rear Cost \$ <u>INCLUDED W/SIDE OPTION</u>	
		Both Cost \$ <u>890.00</u>	
Windows	Tinted.	Cost \$ <u>475.00</u>	