

State Price Quote Specification
**TYPE D—84 PASSENGER
ELECTRIC**

Vendor: RWC Group

Use this document to bid both non-lift and lift buses for 61 – 84 capacity.

ITEM	SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Seating Capacity	84 passenger maximum design capacity seated for 78 passenger.	Capacity w/o lift <u>78</u> Capacity w/lift <u>66+1</u>
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. <u>RoadPro</u>
Axle—Front	13,200 lb. minimum total suspension GVWR.	Mfr. <u>Dana</u> Capacity <u>14,330</u>
Axle—Rear	23,000 lb. minimum total suspension GVWR.	Mfr. <u>Dana</u> Capacity <u>28,660</u>
Axle Oil Seals	Front and rear oil bath.	Mfr. <u>GreenPower Motor Company</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Ratio <u>5.625</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/> Diameter <u>4 Inch</u> Other: <input type="checkbox"/> Square inches _____
Battery(ies)	1400 CCA 12 volt to be mounted in body battery compartment.	Number of batteries <u>2</u> CCA <u>1900</u>
Battery(ies) Propulsion	Battery propulsion must meet a minimum of 130 kWh.	Number of batteries <u>6</u> kWh <u>193.56</u>
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.	<input type="checkbox"/> Swing out <input checked="" type="checkbox"/> Roll out
Brakes	Air: Drum or Disc. If Drum, minimum 16.5" x 6" front, minimum 16.5" x 8" rear. Refer to Washington State School Bus Specifications Manual.	Disc Front <input checked="" type="checkbox"/> Rear <input checked="" type="checkbox"/> Drum Front <input type="checkbox"/> Rear <input type="checkbox"/> Size Front <u>16.93"</u> Rear <u>16.93"</u>
Door, Service	Power operated.	<input type="checkbox"/> Folding <input type="checkbox"/> Other <input type="checkbox"/> Roll out <input checked="" type="checkbox"/> Split, Outward opening

State Price Quote Specification TYPE D—84 PASSENGER ELECTRIC		Vendor: <u>RWC Group</u>
Use this document to bid both non-lift and lift buses for 61 – 84 capacity.		
ITEM	SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the district cost.
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Mfr. <u>Recaro</u>
Motor	190 H.P. minimum, located in the rear.	Engine mfr. <u>Dana</u> Model or liters <u>TM4 TZ488XSPE351WH</u> Net torque <u>3,500 Nm</u> @ <u>400</u> R.P.M Net H.P. <u>350 kW</u> @ <u>900</u> R.P.M
Heaters	Heaters Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors.	Front B.T.U. <u>3,412</u> Center B.T.U. <u>10,236</u> Rear B.T.U. <u>10,236</u> Total B.T.U. <u>23,884</u>
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain _____
P.A. System	AM/FM/PA radio with 4 interior and 1 exterior speakers.	Mfr. <u>Jensen</u> Model No. <u>JHD1630B</u>
Seat Spacing	78 passenger based upon manufacturer's maximum seat spacing.	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: <u>407</u> inches Mfg.'s C/C seat measurement: <u>27.5</u> inches
Steering Wheel	Tilt and telescoping column.	Check if as specified <input checked="" type="checkbox"/>
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>SafeFleet</u>
Tires	6 first quality, radial ply. No low profile tires.	Mfr. <u>Goodyear</u> Size <u>12R22.5x9</u> Load range <u>H</u>

		State Price Quote Specification TYPE D—84 PASSENGER ELECTRIC	Vendor: RWC Group _____

Use this document to bid both non-lift and lift buses for 61 – 84 capacity.

ITEM	SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the district cost.
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>.93</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. Motorola _____ Model No. CM300d _____
Wheels	6 to be compatible with tire size.	Size <u>22.5"</u> Rim width <u>8.25"</u>
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>Braun</u> _____ Model No. <u>NCL1000</u> _____
Wheelchair/ Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u> _____ Model No. <u>QRT-360</u> _____

		State Price Quote Specification TYPE D—84 PASSENGER ELECTRIC Use this document to bid both non-lift and lift buses for 61 – 84 capacity.	Vendor: <u>RWC Group</u> <hr/>
--	--	--	-----------------------------------

ITEM	SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the district cost.
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified <input checked="" type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified <input checked="" type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input checked="" type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input checked="" type="checkbox"/>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2022-2023

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE D—84 PASSENGER—ELECTRIC

VENDOR'S COMPANY NAME RWC Group ADDRESS 600 North 75 th Avenue Phoenix, AZ 85043	REPRESENTATIVE'S NAME Tom Hartman Estimated delivery date to school district from time purchase order is received: 300 Days ARO _____ Firm where engine and chassis can be serviced or repaired and parts obtained: _____ RWC Group (4 locations in WA) Firm where body can be serviced or repaired and parts obtained: RWC Group (4 locations in WA) _____	TELEPHONE NUMBER 602-377-4401
--	---	---

BODY				
MAKE GreenPower	Warranty: Years <u>3</u> Miles <u>Unlimit</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>407</u> w/lift <u>351</u>	Equipped seating capacity: w/o lift <u>78</u> w/lift <u>66+1</u>	
MODEL BEAST	YEAR <u>2022</u>	Seat color: <u>Gray</u> Floor color: <u>Gray</u>	Overall vehicle length (inches): w/o lift <u>480</u> w/lift <u>480</u>	

CHASSIS		MOTOR		
MAKE GreenPower	Warranty: Years <u>2</u> Miles <u>24k</u>	MANUFACTURER Dana	Torque: <u>3500</u> @ <u>400</u> RPM	
MODEL BEAST	YEAR <u>2022</u>	Wheel base: <u>240</u> "	MODEL TM4	YEAR <u>2022</u>
BATTERIES		Warranty: Years <u>5</u>		
12 Volt Propulsion				
Battery type/grp: <u>Wet</u> <u>31</u>	Number batteries: <u>6</u>	Miles <u>100k</u>		
Number batteries: <u>2</u>	Total kWh: <u>193.56</u>			
Total CCA: <u>1900</u>				

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Bid—w/o lift \$ <u>399,993</u>	Bid—w/lift \$ <u>417,588</u>
VENDOR REPRESENTATIVE'S SIGNATURE Tom Hartman	DATE 8-17-22

State Price Quote Specification		Vendor: <u>RWC Group</u>	
DISTRICT-SUPPORTED OPTIONS			
<input type="checkbox"/> C77 <input checked="" type="checkbox"/> D84 – ELECTRIC			
Use this document to bid both non-lift and lift buses.			
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>56</u>	
		Cost \$ <u>31,327</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>CoolTek</u>	
		Cost \$ <u>17,142</u>	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>N/A</u>	
		Type D: Cost \$ <u>Standard</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>GreenPower</u>	
		Cost \$ <u>Standard</u>	
Brakes	4-wheel hydraulic disk brake.	Cost \$ <u>N/A</u>	Deduct \$ <u>N/A</u>
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>Standard</u>	Disc Deduct \$ <u>N/A</u>
		Drum Cost \$ <u>N/A</u>	Drum Deduct \$ <u>N/A</u>
Color	Exterior white roof.	Cost \$ <u>Standard</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>888</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air	Air
		Mfr. <u>N/A</u>	Mfr. <u>Recaro</u>
		Cost \$ <u>N/A</u>	Cost \$ <u>Standard</u>
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. <u>GreenPower</u>	
		Cost \$ <u>6,533</u>	
Floor Color	Nonstandard color.	Cost \$ <u>N/A</u>	
Headlights	Halogen.	Cost \$ <u>N/A</u>	
Headlights	L.E.D.	Cost \$ <u>Standard</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
 C77 D84 – ELECTRIC
 Use this document to bid both non-lift and lift buses.

Vendor: RWC Group

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>N/A</u> Model: <u>N/A</u> Cost \$ <u>N/A</u>
Noise Reduction	Exceeding minimum specifications.	Driver compartment Cost \$ <u>N/A</u> Engine compartment Cost \$ <u>N/A</u> Full acoustical headliner Cost \$ <u>N/A</u>
Retarder	Manufacturer's standard.	Driveline <input type="checkbox"/> Cost \$ <u>N/A</u> Exhaust <input type="checkbox"/> Cost \$ <u>N/A</u> Transmission <input type="checkbox"/> Cost \$ <u>N/A</u>
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ <u>896</u>
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ <u>27,470</u> Capacity <u>56</u> 3 by 2 Cost \$ <u>27,934</u> Capacity <u>70</u> 3 by 3 Cost \$ <u>28,399</u> Capacity <u>84</u>
Storage Compartments	Largest available for unit bid.	Left-side <u>N/A</u> cubic feet. Cost \$ <u>N/A</u> Right-side <u>N/A</u> cubic feet. Cost \$ <u>N/A</u> Push-thru <u>185</u> cubic feet. Cost \$ <u>Standard</u>
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>Petersen</u> Model No. <u>792c</u> Cost \$ <u>512</u>

	<p>State Price Quote Specification</p> <p>DISTRICT-SUPPORTED OPTIONS</p> <p><input type="checkbox"/> C77 <input checked="" type="checkbox"/> D84 – ELECTRIC</p> <p>Use this document to bid both non-lift and lift buses.</p>	<p>Vendor: <u>RWC Group</u></p> <hr/>
--	--	---------------------------------------

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>Child Check Mate</u>	
		Model No. <u>EP1</u>	
		Cost \$ <u>703</u>	
Suspension	Air ride (Air brake system only).	Front	Rear
		Cost \$ <u>Standard</u>	Cost \$ <u>Standard</u>
Toolbox	Interior, manufacturer standard.	Cost \$ <u>324</u>	Deduct \$ <u>N/A</u>
Traction Device	Automatic chains.	Mfr. <u>On Spot</u>	
		Cost \$ <u>4,763</u>	
Traction Device	Sanders.	Capacity <u>N/A</u>	
		Cost \$ <u>N/A</u>	
Vehicle Securement System	Must meet state specification.	Mfr. <u>N/A</u>	Cost \$ <u>N/A</u>
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>Gatekeeper</u>	
		Model No. <u>G4-Y58 DVR</u>	
		Cost \$ <u>3,963</u>	How many cameras <u>4</u>
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr. <u>Getekeeper</u>	Mfr. <u>Gatekeeper</u>
		Model No. <u>TXM12IP</u>	Model No. <u>44763.3756</u>
		Cost \$ <u>2,667</u>	Cost \$ <u>768</u>
		How many cameras <u>1</u>	How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$ <u>N/A</u>	Cost \$ <u>1,086</u>

<p>State Price Quote Specification</p> <p>DISTRICT-SUPPORTED OPTIONS</p> <p><input type="checkbox"/> C77 <input checked="" type="checkbox"/> D84 – ELECTRIC</p> <p>Use this document to bid both non-lift and lift buses.</p>		<p>Vendor: <u>RWC Group</u></p> <hr/>
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u>
		Model No. <u>QRT-360</u>
		Cost per station \$ <u>2,171</u>
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>1,683</u>
		Rear Cost \$ <u>357</u>
		Both Cost \$ <u>2,040</u>
Windows	Tinted.	Cost \$ <u>Standard</u>
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>892</u>