



State Price Quote Specification
TYPE A— DIESEL, GAS & PROPANE

Vendor: BRYSON
 SALES & SERVICE
 Mfr.: MICRO BIRD

Use this document to bid both non-lift and lift, gas, diesel and propane buses.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Seating Capacity	Maximum passenger capacity based upon an average center-to-center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Gas	Diesel	Propane
		Capacity w/o lift <u>22</u> Capacity w/lift <u>13</u>	Capacity w/o lift <u>N/A</u> Capacity w/lift <u>N/A</u>	Capacity w/o lift <u>28</u> Capacity w/lift <u>19</u>
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.		Mfr. <u>DELCO / FORD</u> Amps output w/o lift or A.C. <u>220 / 155</u> Amps output w/lift or A.C. <u>220 / 155</u>	
Auxiliary Automatic Transmission Cooler	10,000 lb. Hayden or equal.	Gas	Diesel	Propane
		Mfr. <u>GM</u> Lbs. rating <u>10,000</u>	Mfr. <u>N/A</u> Lbs. rating <u>N/A</u>	Mfr. <u>FORD</u> Lbs. rating <u>10,000</u>
Axle—Front	Manufacturer's recommendation.	Gas	Diesel	Propane
		Mfr. <u>GM</u> Capacity <u>4,300</u> Indepen. suspens. <input checked="" type="checkbox"/>	Mfr. <u>N/A</u> Lbs. rating <u>N/A</u> Indepen. suspens. <input type="checkbox"/>	Mfr. <u>FORD</u> Lbs. rating <u>5,000</u> Indepen. suspens. <input checked="" type="checkbox"/>
Axle—Rear	Manufacturer's recommendation.	Gas	Diesel	Propane
		Mfr. <u>GM</u> Capacity <u>8,600</u>	Mfr. <u>N/A</u> Capacity <u>N/A</u>	Mfr. <u>FORD</u> Capacity <u>9,600</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Gas	Diesel	Propane
		Ratio <u>3.73</u>	Ratio <u>N/A</u>	Ratio <u>4.56</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.		Round: <input checked="" type="checkbox"/> Diameter <u>4"</u> Other: <input type="checkbox"/> Square inches _____	

State Price Quote Specification

TYPE A— DIESEL, GAS & PROPANE

Use this document to bid both non-lift and lift, gas, diesel and propane buses.

Vendor: BRYSON _____
 SALES & SERVICE _____
 Mfr.: MICRO BIRD _____

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.																																					
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift. 1070 CCA 12 volt minimum for diesel or any bus w/lift.		<table border="1"> <tr> <th data-bbox="1289 435 1661 496"><i>Gas/Propane w/o lift</i></th> <th data-bbox="1661 435 1971 496"><i>Diesel or any bus w/lift</i></th> </tr> <tr> <td data-bbox="1289 496 1661 553">CCA <u>GAS1540/LPG1500</u></td> <td data-bbox="1661 496 1971 553">CCA <u>DIESEL N/A</u></td> </tr> </table>		<i>Gas/Propane w/o lift</i>	<i>Diesel or any bus w/lift</i>	CCA <u>GAS1540/LPG1500</u>	CCA <u>DIESEL N/A</u>																																
<i>Gas/Propane w/o lift</i>	<i>Diesel or any bus w/lift</i>																																							
CCA <u>GAS1540/LPG1500</u>	CCA <u>DIESEL N/A</u>																																							
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	<table border="1"> <tr> <th colspan="2" data-bbox="932 553 1289 594"><i>Gas</i></th> </tr> <tr> <td data-bbox="932 594 1045 634">Front Disc</td> <td data-bbox="1045 594 1289 634"><input checked="" type="checkbox"/></td> </tr> <tr> <td data-bbox="932 634 1045 675">Drum</td> <td data-bbox="1045 634 1289 675"><input type="checkbox"/></td> </tr> <tr> <td data-bbox="932 675 1045 716">Rear Disc</td> <td data-bbox="1045 675 1289 716"><input checked="" type="checkbox"/></td> </tr> <tr> <td data-bbox="932 716 1045 756">Drum</td> <td data-bbox="1045 716 1289 756"><input type="checkbox"/></td> </tr> <tr> <td colspan="2" data-bbox="932 756 1289 792">Drum Size <u>MFG STD</u></td> </tr> </table>	<i>Gas</i>		Front Disc	<input checked="" type="checkbox"/>	Drum	<input type="checkbox"/>	Rear Disc	<input checked="" type="checkbox"/>	Drum	<input type="checkbox"/>	Drum Size <u>MFG STD</u>		<table border="1"> <tr> <th colspan="2" data-bbox="1289 553 1640 594"><i>Diesel</i></th> </tr> <tr> <td data-bbox="1289 594 1402 634">Front Disc</td> <td data-bbox="1402 594 1640 634"><input type="checkbox"/></td> </tr> <tr> <td data-bbox="1289 634 1402 675">Drum</td> <td data-bbox="1402 634 1640 675"><input type="checkbox"/></td> </tr> <tr> <td data-bbox="1289 675 1402 716">Rear Disc</td> <td data-bbox="1402 675 1640 716"><input type="checkbox"/></td> </tr> <tr> <td data-bbox="1289 716 1402 756">Drum</td> <td data-bbox="1402 716 1640 756"><input type="checkbox"/></td> </tr> <tr> <td colspan="2" data-bbox="1289 756 1640 792">Drum Size <u>N/A</u></td> </tr> </table>	<i>Diesel</i>		Front Disc	<input type="checkbox"/>	Drum	<input type="checkbox"/>	Rear Disc	<input type="checkbox"/>	Drum	<input type="checkbox"/>	Drum Size <u>N/A</u>		<table border="1"> <tr> <th colspan="2" data-bbox="1640 553 1971 594"><i>Propane</i></th> </tr> <tr> <td data-bbox="1640 594 1753 634">Front Disc</td> <td data-bbox="1753 594 1971 634"><input checked="" type="checkbox"/></td> </tr> <tr> <td data-bbox="1640 634 1753 675">Drum</td> <td data-bbox="1753 634 1971 675"><input type="checkbox"/></td> </tr> <tr> <td data-bbox="1640 675 1753 716">Rear Disc</td> <td data-bbox="1753 675 1971 716"><input checked="" type="checkbox"/></td> </tr> <tr> <td data-bbox="1640 716 1753 756">Drum</td> <td data-bbox="1753 716 1971 756"><input type="checkbox"/></td> </tr> <tr> <td colspan="2" data-bbox="1640 756 1971 792">Drum Size <u>MFG STD</u></td> </tr> </table>	<i>Propane</i>		Front Disc	<input checked="" type="checkbox"/>	Drum	<input type="checkbox"/>	Rear Disc	<input checked="" type="checkbox"/>	Drum	<input type="checkbox"/>	Drum Size <u>MFG STD</u>	
<i>Gas</i>																																								
Front Disc	<input checked="" type="checkbox"/>																																							
Drum	<input type="checkbox"/>																																							
Rear Disc	<input checked="" type="checkbox"/>																																							
Drum	<input type="checkbox"/>																																							
Drum Size <u>MFG STD</u>																																								
<i>Diesel</i>																																								
Front Disc	<input type="checkbox"/>																																							
Drum	<input type="checkbox"/>																																							
Rear Disc	<input type="checkbox"/>																																							
Drum	<input type="checkbox"/>																																							
Drum Size <u>N/A</u>																																								
<i>Propane</i>																																								
Front Disc	<input checked="" type="checkbox"/>																																							
Drum	<input type="checkbox"/>																																							
Rear Disc	<input checked="" type="checkbox"/>																																							
Drum	<input type="checkbox"/>																																							
Drum Size <u>MFG STD</u>																																								
Doors, Service	Power operated.		<input type="checkbox"/> Air <input type="checkbox"/> Folding <input type="checkbox"/> Electric <input checked="" type="checkbox"/> Split, Outward Opening <input type="checkbox"/> Other _____																																					
Engine	Gas and Propane—3.5 liters minimum. Diesel—130 H.P. minimum.	<table border="1"> <tr> <th colspan="2" data-bbox="932 870 1289 911"><i>Gas</i></th> </tr> <tr> <td data-bbox="932 911 1234 951">Engine mfr. <u>GM</u></td> <td data-bbox="1234 911 1289 951"></td> </tr> <tr> <td data-bbox="932 951 1234 1019">Liters <u>6.6L</u></td> <td data-bbox="1234 951 1289 1019"></td> </tr> </table>	<i>Gas</i>		Engine mfr. <u>GM</u>		Liters <u>6.6L</u>		<table border="1"> <tr> <th colspan="2" data-bbox="1289 870 1640 911"><i>Diesel</i></th> </tr> <tr> <td data-bbox="1289 911 1640 951">Engine mfr. <u>N/A</u></td> <td data-bbox="1640 911 1971 951"></td> </tr> <tr> <td data-bbox="1289 951 1640 1019">H.P. <u>N/A</u></td> <td data-bbox="1640 951 1971 1019"></td> </tr> </table>	<i>Diesel</i>		Engine mfr. <u>N/A</u>		H.P. <u>N/A</u>		<table border="1"> <tr> <th colspan="2" data-bbox="1640 870 1971 911"><i>Propane</i></th> </tr> <tr> <td data-bbox="1640 911 1971 951">Engine mfr. <u>FORD</u></td> <td data-bbox="1971 911 1971 951"></td> </tr> <tr> <td data-bbox="1640 951 1971 1019">Liters <u>7.3L</u></td> <td data-bbox="1971 951 1971 1019"></td> </tr> </table>	<i>Propane</i>		Engine mfr. <u>FORD</u>		Liters <u>7.3L</u>																			
<i>Gas</i>																																								
Engine mfr. <u>GM</u>																																								
Liters <u>6.6L</u>																																								
<i>Diesel</i>																																								
Engine mfr. <u>N/A</u>																																								
H.P. <u>N/A</u>																																								
<i>Propane</i>																																								
Engine mfr. <u>FORD</u>																																								
Liters <u>7.3L</u>																																								
Engine Heater	Diesel only—engine manufacturer's recommended in-block heater.		Watts <u>N/A</u> Volts <u>N/A</u> Mfr. <u>N/A</u>																																					
Fuel Tank	Gas and Diesel—25 gallon minimum. Propane—largest available.		<table border="1"> <tr> <th data-bbox="1289 1097 1661 1130"><i>Gas/Diesel</i></th> <th data-bbox="1661 1097 1971 1130"><i>Propane</i></th> </tr> <tr> <td data-bbox="1289 1130 1661 1188">Capacity <u>GAS33/DSLN/A</u></td> <td data-bbox="1661 1130 1971 1188">Capacity <u>40</u></td> </tr> </table>		<i>Gas/Diesel</i>	<i>Propane</i>	Capacity <u>GAS33/DSLN/A</u>	Capacity <u>40</u>																																
<i>Gas/Diesel</i>	<i>Propane</i>																																							
Capacity <u>GAS33/DSLN/A</u>	Capacity <u>40</u>																																							
Hand Throttle	Diesel only—locking type, electronic, or immediate acting electric fast idle.		<input type="checkbox"/> Vernier <input type="checkbox"/> Electric <input type="checkbox"/> T type <input checked="" type="checkbox"/> Electronic																																					
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.		Rear B.T.U. w/o lift <u>42,000</u> Rear B.T.U. w/lift <u>42,000</u>																																					
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.		Check if as specified <input checked="" type="checkbox"/> If not, explain _____																																					

State Price Quote Specification

TYPE A— DIESEL, GAS & PROPANE

Use this document to bid both non-lift and lift, gas, diesel and propane buses.

Vendor: BRYSONSALES & SERVICEMfr.: MICRO BIRD

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.		Mfr. <u>MITO</u> Model No. <u>07-SPF-210408</u>		
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".		Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>135"</u> w/lift <u>135"</u> Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>27.5"</u> w/lift <u>30"</u>		
Steering Wheel	Tilt.		Check if as specified <input checked="" type="checkbox"/>		
Step Tread	Studded or pebbled top tread covering.		Mfr. <u>SMI</u>		
Tires	6 first quality, radial ply.		Mfr. <u>ONE OF FIVE MAJOR BRANDS</u> Size <u>LT 255 75R 16E</u> Load range <u>D</u>		
Toolbox	Exterior, manufacturer standard.		Size (cubic feet) <u>1.2</u>		
Transmission	Automatic—manufacturer's standard compatible with H.P. and torque rating of engine bid.	Gas	Diesel	Propane	
		Mfr. <u>GM</u> Model no. <u>6L90</u>	Mfr. <u>N/A</u> Model no. <u>N/A</u>	Mfr. <u>FORD</u> Model no. <u>6R80</u>	
Two-way Communications	45-watt, VHF, mil. spec.		Mfr. <u>KENWOOD</u> Model No. <u>TK7302</u>		
Wheels	6 to be compatible with tire size.		Size <u>16"</u> Rim width <u>6"</u>		

State Price Quote Specification

TYPE A— DIESEL, GAS & PROPANE

Use this document to bid both non-lift and lift, gas, diesel and propane buses.

Vendor: BRYSON

SALES & SERVICE

Mfr.: MICRO BIRD

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. BRAUN Model No. CENTURY
Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. Q-STRAINT Model No. QRT DELUXE SLIDE & CLICK
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified <input type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified <input type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input type="checkbox"/>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2021-2022

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE A—DIESEL**

VENDOR'S COMPANY NAME BRYSON SALES & SERVICE OF WASHINGTON, INC.		REPRESENTATIVE'S NAME BRANDON BRYSON	TELEPHONE NUMBER 425-953-2820
ADDRESS 2407 GIBSON RD. EVERETT, WA 98204		Estimated delivery date to school district from time purchase order is received: _____ 150 - 210 DAYS ARO	
		Firm where engine and chassis can be serviced or repaired and parts obtained: _____ BRYSON SALES & SERVICE OF WASHINGTON, INC.	
		Firm where body can be serviced or repaired and parts obtained: _____ BRYSON SALES & SERVICE OF WASHINGTON, INC.	

BODY			
MAKE N/A	Warranty: Years <u>N/A</u> Miles <u>N/A</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>N/A</u> w/lift <u>N/A</u>	Equipped seating capacity: w/o lift <u>N/A</u> w/lift <u>N/A</u>
MODEL N/A	YEAR N/A	Seat color: <u>N/A</u> Floor color: <u>N/A</u>	Overall vehicle length (inches): w/o lift <u>N/A</u> w/lift <u>N/A</u>

CHASSIS		ENGINE	
MAKE N/A	Warranty: Years <u>N/A</u> Miles <u>N/A</u>	MANUFACTURER N/A	Torque: <u>N/A</u> @ <u>N/A</u> RPM H.P.: <u>N/A</u> @ <u>N/A</u> RPM
MODEL N/A	YEAR N/A	Wheel base: <u>N/A</u>	Fuel type: <u>N/A</u>
TRANSMISSION		Warranty: Years <u>N/A</u> Miles <u>N/A</u>	Battery type/grp: <u>N/A</u> <u>N/A</u>
MANUFACTURER N/A	Speeds forward: <u>N/A</u>	Number of cylinders: <u>N/A</u> Inline <u>N/A</u> V-type <u>N/A</u>	Number batteries: <u>N/A</u> <u>N/A</u>
MODEL N/A	Warranty: Years <u>N/A</u> Miles <u>N/A</u>		Total CCA: <u>N/A</u> <u>N/A</u>

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Diesel Bid—w/o lift \$ <u>NO BID</u>	Diesel Bid—w/lift \$ <u>NO BID</u>
VENDOR REPRESENTATIVE'S SIGNATURE	DATE



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2021-2022

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—GAS

VENDOR'S COMPANY NAME BRYSON SALES & SERVICE OF WASHINGTON, INC.	REPRESENTATIVE'S NAME BRANDON BRYSON	TELEPHONE NUMBER 425-953-2820
ADDRESS 2407 GIBSON RD. EVERETT, WA 98204	Estimated delivery date to school district from time purchase order is received: _____ 150 - 210 DAYS ARO	
	Firm where engine and chassis can be serviced or repaired and parts obtained: _____ BRYSON SALES & SERVICE OF WASHINGTON, INC.	
	Firm where body can be serviced or repaired and parts obtained: _____ BRYSON SALES & SERVICE OF WASHINGTON, INC.	

BODY			
MAKE MICRO BIRD		Warranty: Years <u>1</u> Miles <u>12,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>153.75"</u> w/lift <u>153.75"</u>
MODEL G5	YEAR 2022	Seat color: <u>BRN</u> Floor color: <u>GRY</u>	Equipped seating capacity: w/o lift <u>22</u> w/lift <u>16</u> Overall vehicle length (inches): w/o lift <u>262"</u> w/lift <u>262"</u>

CHASSIS		ENGINE	
MAKE GM		Warranty: Years <u>3</u> Miles <u>36,000</u>	MANUFACTURER GM Torque: <u>464</u> @ <u>4000</u> RPM H.P.: <u>401</u> @ <u>5200</u> RPM
MODEL 12,300	YEAR 2022	Wheel base: <u>139"</u>	MODEL 6.6L V8 YEAR 2022 Liters: <u>6.6L</u> Fuel type: <u>GAS</u>
TRANSMISSION		Warranty: Years <u>3</u> Miles <u>36,000</u>	Battery type/grp: <u>MAINT</u> <u>FREE</u> Number batteries: <u>2</u> _____ Total CCA: <u>1540</u> _____
MANUFACTURER GM		Speeds forward: <u>6</u>	Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>
MODEL 6L90		Warranty: Years <u>3</u> Miles <u>36,000</u>	

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Gas Bid—w/o lift \$ <u>68,593.00</u>	Gas Bid—w/lift \$ <u>72,826.00</u>
VENDOR REPRESENTATIVE'S SIGNATURE	DATE



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2021-2022

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—PROPANE

VENDOR'S COMPANY NAME BRYSON SALES & SERVICE OF WASHINGTON, INC.	REPRESENTATIVE'S NAME BRANDON BRYSON	TELEPHONE NUMBER 425-953-2820
ADDRESS 2407 GIBSON RD. EVERETT, WA 98204	Estimated delivery date to school district from time purchase order is received: _____ 150 - 210 DAYS ARO	
	Firm where engine and chassis can be serviced or repaired and parts obtained: _____ BRYSON SALES & SERVICE OF WASHINGTON, INC.	
	Firm where body can be serviced or repaired and parts obtained: _____ BRYSON SALES & SERVICE OF WASHINGTON, INC.	

BODY			
MAKE MICRO BIRD		Warranty: Years <u>1</u> Miles <u>12,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>153.75"</u> w/lift <u>153.75"</u>
MODEL G5	YEAR 2023	Seat color: <u>BRN</u> Floor color: <u>GRY</u>	Equipped seating capacity: w/o lift <u>28</u> w/lift <u>19</u> Overall vehicle length (inches): w/o lift <u>253"</u> w/lift <u>253"</u>

CHASSIS	ENGINE
MAKE FORD	Warranty: Years <u>5</u> Miles <u>60,000</u>
MODEL E450 / 14500	MANUFACTURER FORD
YEAR 2023	Torque: <u>468</u> @ <u>3900</u> RPM H.P.: <u>350</u> @ <u>3900</u> RPM
Wheel base: <u>158"</u>	MODEL 7.3L
	YEAR 2023
	Liters: <u>7.3L</u> Fuel type: <u>LPG</u>
TRANSMISSION	BATTERY
MANUFACTURER FORD	Warranty: Years <u>5</u> Miles <u>60,000</u>
MODEL 6R80	Battery type/grp: <u>MAINT</u> <u>FREE</u>
Speeds forward: <u>6</u>	Number batteries: <u>2</u>
Warranty: Years <u>5</u> Miles <u>60,000</u>	Total CCA: <u>1500</u>
	Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>

QUOTED PRICE
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).
Propane Bid—w/o lift \$ <u>93,697.00</u>
Propane Bid—w/lift \$ <u>98,056.00</u>
VENDOR REPRESENTATIVE'S SIGNATURE _____
DATE _____

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Vendor: BRYSON
 SALES & SERVICE
 Mfr.: MICRO BIRD

Use this document to bid both non-lift and lift, gas, diesel and propane buses.

CHASSIS			
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
		<i>Gas</i>	<i>Diesel</i>
		<i>Propane</i>	
Small A	Type A bus—10,000 lbs or under GVWR chassis.	Deduct <u>4,138.00</u> Mfr. <u>FORD T-SERIES</u> Capacity w/o lift <u>14</u> Dual Wheel <input type="checkbox"/> Single Wheel <input checked="" type="checkbox"/>	Deduct <u>N/A</u> Mfr. <u>N/A</u> Capacity w/o lift <u>N/A</u> Dual Wheel <input type="checkbox"/> Single Wheel <input type="checkbox"/>
			Deduct <u>N/A</u> Mfr. <u>N/A</u> Capacity w/o lift <u>N/A</u> Dual Wheel <input type="checkbox"/> Single Wheel <input type="checkbox"/>
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>VALEO</u> Cost \$ <u>2,610.00</u>	
Alternate Fuel <input type="checkbox"/> CNG <input checked="" type="checkbox"/> Electric	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. <u>MICRO BIRD</u> <input type="checkbox"/> CNG Cost \$ <u>N/A</u> <input checked="" type="checkbox"/> Electric Cost \$ <u>REFERENCE 1394-2 TYPE A EV</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>ECCO</u> Cost \$ <u>146.00</u>	
Color	Exterior white roof.	Cost \$ <u>INCLUDED</u>	
Steering Wheel	Tilt and telescoping column.	Cost \$ <u>INCLUDED</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>ECCO</u> Model No. <u>7460 LED CLEAR LENS</u> Cost \$ <u>162.00</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>DORAN</u> Model No. <u>SLEEPING CHILD CHECK</u> Cost \$ <u>261.00</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ <u>INCLUDED</u>	Deduct \$ <u>49.00</u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

PART II (cont.)

Vendor: BRYSON
 SALES & SERVICE
 Mfr.: MICRO BIRD

Use this document to bid both non-lift and lift, gas, diesel and propane buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>SEON</u> Model No. <u>TH-4</u> Cost \$ <u>2,438.00</u> How many cameras <u>4</u>	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr. <u>SEON</u> Model No. <u>TH-4</u> Cost \$ <u>1,576.00</u> How many cameras <u>1</u>	Mfr. <u>SEON</u> Model No. <u>TH-4</u> Cost \$ <u>427.00</u> How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$ <u>567.00</u>	Cost \$ <u>567.00</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u> Model No. <u>SLIDE & CLICK</u> Cost per station \$ <u>931.00</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>1,022.00</u>	
		Rear Cost \$ <u>499.00</u>	
		Both Cost \$ <u>1,521.00</u>	
Windows	Tinted.	Cost \$ <u>INCLUDED</u>	