

#### State Price Quote Specification

### TYPE A— GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

	PART I
Vendor: Northwest Bus	Sales
Mfr.: Endera	
wii <u>⊏nuera</u>	

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.		LLY IDENTIFY ITEM BID I establish the state cost.
Seating Capacity	Maximum passenger capacity based upon an average center-to-	Gas	Propane
	center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Capacity w/o lift 24	Capacity w/o lift N/A
	<b>.</b>	Capacity w/lift 18+1	Capacity w/lift N/A
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer	Mfr. GM	
	recommended capacity.	Amps output w/o lift or A.0	C. <u>220</u>
		Amps output w/lift or A.C.	220
Auxiliary Automatic	10,000 lb. Hayden or equal.	Gas	Propane
Transmission Cooler		Mfr. GM	Mfr.
		Lbs. rating <u>10,000</u>	Lbs. rating
Axle—Front	Manufacturer's recommendation.	Gas	Propane
		Mfr. <u>GM</u>	Mfr
		Lbs. rating <u>4,300</u>	Lbs. rating
	_	Indepen. suspens.	Indepen. suspens.
Axle—Rear	Manufacturer's recommendation.	Gas	Propane
		Mfr. GM	Mfr
		Capacity 8,600	Capacity
Axle Ratio	Must comply with power and gradeability formula. Refer to	Gas	Propane
	Washington State School Bus Specifications Manual.	Ratio <u>3.73:1</u>	Ratio
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: ⊠ Diameter Other: □ Square inc	<u> </u>

	PART I (cont.)
--	----------------

#### State Price Quote Specification

#### **TYPE A—GAS & PROPANE**

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: Northwest Bus Sales
Mfr · Endera

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift.	Gas/Propane w/o lift	Any bus w/lift	
	1070 CCA 12 volt minimum for any bus w/lift.		CCA <u>Dual 770 CCA</u>	
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Gas	Propane	
	Specifications Manual.	Front Disc ⊠	Front Disc □	
		Drum □	Drum □	
		Rear Disc ⊠	Rear Disc 🗆	
		Drum □	Drum 🗆	
		Drum Size	Drum Size	
Doors, Service	Power operated.	☐ Air ☐ Folding ☐ Split, Outward Opening	⊠ Electric □ Other	
Engine	Gas and Propane—3.5 liters minimum.	Gas	Propane	
		Engine mfr. GM	Engine mfr	
		H.P. <u>401</u>	Liters	
Fuel Tank	Gas—25 gallon minimum.	Gas	Propane	
	Propane—largest available.	Capacity <u>33 Gallon</u>	Capacity	
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift <u>50,000</u> Rear B.T.U. w/lift <u>50,000</u>		
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ⊠ If not, explain		

		PART I (cont.)
	State Price Quote Specification	Vendor: Northwest Bus Sales
	TYPE A—GAS & PROPANE	Mfr.: Endera
	Use this document to bid both non-lift and lift, gas and propane buses.	

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BI	
	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	Price of items bid will establish the state cost.	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. Jensen	
		Model No. JPA600	
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift 158" w/lift 188"	
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift 28" w/lift 28"	
Steering Wheel	Tilt.	Check if as specified ⊠	
Step Tread	Studded or pebbled top tread covering.	Mfr. Profusion	
Tires 6 first quality, radial ply. Mfr. OEI		Mfr. OEM	
		Size <u>LT225/75R16</u>	
		Load range <u>E</u>	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) 1.65	
Transmission	Automatic—manufacturer's standard compatible with H.P. and	Gas Propane	
	torque rating of engine bid.	Mfr. <u>GM</u> Mfr	
		Model no. 6L90 Model no.	
Two-way	45-watt, VHF, mil. spec.	Mfr.	
Communications		Model No.	
Wheels	6 to be compatible with tire size.	Size <u>16"</u>	
		Rim width 6.5"	

	PART I (cont.)
State Price Quote Specification	Vendor: Northwest Bus Sales
TYPE A—GAS & PROPANE Use this document to bid both non-lift and lift, gas and propane buses.	Mfr.: <u>Endera</u>

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	Price of items bid will establish the state cost.	
	SPECIAL NEEDS REQUIREMENTS—CHASSIS AND B	SODY	
Wheelchair	Must meet state specification. Platform shall be a minimum of	Mfr. Braun	
Lift—Installed	32" x 52".	Model No. NCL919IB	
Wheelchair/Occupa	Must meet state specification.	Mfr. <u>Q'Straint</u>	
nt Tie-down System—Installed		Model No. QRT 360 Slide N' Click	
	ADDITIONAL REQUIREMENTS—CHASSIS AND BO	DY	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified ⊠	
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified ⊠	
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ⊠	
Service and Cleaning	Cleaning and service by vendor prior to delivery will include:  Chassis lubrication.  Check fluid levels: verify all are at recommended full levels.  Cooling system protected at -20°F.  Interior and exterior will be clean (including glass).  All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery.  All components and accessories will be installed and operational at time of delivery.	Check if as specified ⊠	
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ⊠	



STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

## VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—GAS

VENDOR'S COMPANY NAME Northwest Bus Sales Inc.		REPRESENTATIVE'S NAME ROB GOOISby	TELEPHONE NUMBER 206-445-8591
Northwest Bus Sales, Inc.  ADDRESS 33207 Pacific Hwy. S. Federal Way, WA 98003		Estimated delivery date to school district from Estimated 300 days ARO  Firm where engine and chassis can be servited Any Chevy Dealer  Firm where body can be serviced or repaired Northwest Bus Sales, Inc.	m time purchase order is received:

BODY				
MAKE	Warranty: Years 5	Inside measurement from rear of	Equipped seating capacity:	
Endera	Miles 100,000	stepwell to appropriate point at	w/o lift <u>24</u> w/lift <u>18+1</u>	
MODEL YEAR		rear of passenger seating area:		
<b>O-Series</b> 2023	Seat color: Gray	w/o lift 158" w/lift 188"	Overall vehicle length (inches):	
	Floor color: Black		w/o lift 266" w/lift 296"	

CHASSIS		ENGINE		
Chevrolet		Warranty: Years 3 Miles <u>36k</u>	MANUFACTURER General Motors	Torque: <u>464</u> @ <u>4,000</u> RPM H.P.: <u>401</u> @ <u>5,200</u> RPM
MODEL Express Cutaway	YEAR 2023	Wheel base: 159"	MODEL YEAR L8T 2023	Liters: <u>6.6</u> Fuel type: <u>Gas</u>
	TRANSMISSION		Warranty: Years <u>5</u>	Battery type/grp: <u>12V</u> <u>12V</u>
MANUFACTURER General Motors		Speeds forward: 6	Miles 60k	Number batteries: 2 2
6L90		Warranty: Years <u>5</u> Miles <u>60k</u>	Number of cylinders: <u>8</u> Inline V-type <u>X</u>	Total CCA: <u>1540</u> <u>1540</u>

QUOTED PRICE  Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).					
Gas Bid—w/o lift \$ 97,602					
VENDOR REPRESENTATIVE'S SIGNATURE	DATE				
	<del></del>				



STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

	VEHIC	LE DATA S		OFFICIAL PRICE PROPANE	QUOTATIO	ON		
VENDOR'S COMPANY NAME Northwest Bus Sales, Inc. ADDRESS			REPRESENTATIVE'S Rob Goolsby	NAME			PHONE NUMBER -445-8591	
33207 Pacific Hwy. S. Federal Way, Wa 98003		Estimated delivery date to school district from time purchase order is received: No Bid  Firm where engine and chassis can be serviced or repaired and parts obtained: No Bid						
				dy can be serviced or rep		-		
			BODY	,				
MAKE	YEAR	Warranty:	Years Miles	Inside measurement fro stepwell to appropriate		Equipped s	eating capa	city:
MODEL	YEAR	Seat color: Floor color:		rear of passenger seat w/o lift	ing area: w/lift	Overall veh	icle length (i w/lift	inches):
MAKE	CHASSIS	14/	\ <u>'</u>	MANUFACTURER	ENC	SINE		
WARE		•	Years Miles	MANUFACTURER		Torque: H.P.:	@	RPM RPM
MODEL	YEAR	Wheel base	::	MODEL	YEAR	Liters: Fuel type:		
	TRANSMISSION			Warranty: Years		Battery type/gi	p:	
MANUFACTURER MODEL		Speeds forv		Miles	<u>-</u>	Number batter	ies:	
MODEL			Years Miles	Number of cylinders: Inline V-typ		Total CCA:		
			QUOTED P	RICE				
Quoted price is based upon p	payment within 30 day	s after deliver			ax).			
Propane Bid—w/o lift \$ No Bi	<u>d</u>	Propane Bid–	-w/lift \$ <u>No Bid</u>					
VENDOR REPRESENTATIVE'S SIGNATURE				DATE				

# State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A Use this document to bid both non-lift and lift, gas and propane buses.

	CHASSIS			
ITEM	Vendor must meet or exceed these specifications.	VENDOR SPECIFICALLY IDENTIFY ITEM BID  Price of items bid will establish the district cost.		
Small A	Item bid shall be specified in column to right.  Type A bus—10,000 lbs or under GVWR chassis.	Price of Items bid Will Gas		
	Type A bus—10,000 lbs of under GVVVR chassis.	Deduct N/A	Propane Deduct N/A	
		Mfr.	Mfr	
		Capacity w/o lift	Capacity w/o lift	
		Dual Wheel	Dual Wheel □	
		Single Wheel □	Single Wheel □	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>TransAir TA45F3</u>		
		Cost \$ 4,265		
Alternate Fuel	Must comply with power and gradeability formula. Refer to	Mfr		
□ CNG	Washington State School Bus Specifications manual. Must	☐ CNG Cost \$		
⊠ Electric	- comply with all of the requirements of FMVSS No. 305.	⊠ Electric Cost \$ See Separate Submission for EV		
Back-up Alarm	Must meet state specification.	Mfr. Standard		
-		Cost \$		
Color	Exterior white roof.	Cost \$ Standard		
Steering Wheel	Tilt and telescoping column.	Cost \$ Tilt Standard, telescoping not available		
Strobe Light	Exterior roof mounted white strobe light.	Mfr. Sound Off Signal or Equivalent		
		Model No. 3107LCC or Equivalent		
		Cost \$ 195		
Student Protection	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. Child Checkmate		
System—Installed		Model No. EP1+		
		Cost \$ <u>125</u>		
Toolbox	Interior, manufacturer standard.	Cost \$ 180	Deduct \$	

ndor: No
1001. <u>110</u>
.: <u>Ende</u>

	PART II (cont.)
Vendo	r: Northwest Bus Sales
Mfr.:	Endera

ITEM	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost				
Video Camera	g,		Mfr. Rosco			
Systems—Installed	compartment with more than two cameras.	Model No. <u>DVXC-4</u>				
		Cost \$ \$1,995	How many cameras <u>3</u>			
Video Camera	Must meet state specification.	Stand Alone System	Added to Interior System			
Systems—Stop Sign Camera—Installed		Mfr. Seon	Mfr. <u>Seon</u>			
		Model No. DH4	Model No. DH4			
		Cost \$ 2700	Cost \$ 3996			
		How many cameras <u>1</u>	How many cameras <u>4</u>			
Warning Light	16 light monitoring system.	Incandescent	LED Lights			
Monitor		Cost \$	Cost \$ <u>560</u>			
Additional	Must meet state specification.	Mfr. <u>Q'Straint</u>				
Wheelchair/Occupa		Model No. QRT 360 Slide N' Click				
nt Tie-down System—Installed		Cost per station \$ 985				
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>225</u>				
		Rear Cost \$ 180				
		Both Cost \$ 405				
Windows	Tinted.	Cost \$ Standard				