PART I

Vendor:



State Price Quote Specification

TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE

Use this document to bid both non-lift and lift buses for 35-60 capacity.

ITEM	Vendor must meet o	DRTED SPECIFICATIONS or exceed these specifications. specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.				
Seating Capacity	48 passenger based upon a spacing of at least 27.5".	n average center-to-center seat			Capacity w/o lift Capacity w/lift		
		Diesel		Gas	Propane		
	240 amp minimum. Lift-	Mfr.	Mfr.	_	Mfr		
Alternator	conditioned. Manufacturer	Max. amps output w/o lift or A.C.	Max.	amps output w/o lift or	Max. amps output w/o lift or A.C.		
recommended capacity.	Max. amps output w/lift or A.C.	Max.	amps output w/lift or	Max. amps output w/lift or A.C.			
Auxiliary Fans	2 fans, 6" maximum, mounte service door.	ed to right and left windshield an	Mfr				
		Diesel		Gas	Propane		
Axle—Front	8,000 lb. minimum.	Mfr M			Mfr.		
		Capacity	Capacity		Capacity		
		Diesel		Gas	Propane		
Axle—Rear	17,500 lb. minimum.	Mfr	Mfr.		Mfr		
		Capacity	Capa	city	Capacity		
Axle Oil Seals	Front and rear oil bath.	Diesel		Gas	Propane		
Axie Oli Geals		Mfr	Mfr		Mfr		
	Must comply with power	Diesel		Gas	Propane		
Axle Ratio	and grade-ability formula. Refer to Washington State	Mfr.	Mfr.		Mfr.		
School Bus Specifications Manual.	Model no		l no	Model no			
Back-up Lights		be LED (Light Emitting Diode). Bus Specification's Manual.	Refer	Round: Diamete Other: Square	er inches		

Vendor:

State Price Quote Specification

TYPE C60—BID AS 48 PASSENGER, **DIESEL, GAS & PROPANE** Use this document to bid both non-lift and lift buses for 35–60 capacity.

ITEM	Vendor m	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.					VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.			
	Item bio	d shall be s	specified in		it.		Gas			
	4000 004 40 11			Diesel			Gas		Propa	ne
Battery(ies)	battery compartment w/o CCA			oup w/o lift Size/g CCA		ze/group CA	o w/o lift	Si Ci	Size/group w/o lift CCA	
Dattery(ies)				up w/lift Size/g CCA _		ze/group CA	/group w/lift		Size/group w/lift CCA	
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.					Swing out				
Brakes	Hydraulic disc. Refer to Washington State School Bus Specifications Manual.				Size	Size Front Rear				
Door, Service	Power operated.					Air Electric Other		☐ Folding ☐ Split, Outv ☐ Other	vard opening	
	Diesel and		Diesel		Ga	Gas		Propane	9	
	Propane—180	Engine n	Engine mfr		Engine mfr		Engine mfr			
Engine	H.P. minimum.				Model or	Model or liters		Model or liters		
Ligine	Gas—210 H.P.	Net torqu	ıe @	R.P.M	Net torque	e(@ R.P.M		rque @ _	
	minimum.	Net H.P.	@	R.P.M	Net H.P.		R.P.M		.P @	
Engine Heater	Engine manufactur	er's recom	imended in	-block heater.			tts		Volts	
Engine Temperature	To be controlled el	ectronically	y, by fan cli	utch/drive, or s	hutters.	Mfr	Fan clutch		Elect	
		o "		Die	sel		Gas			oane
Fuel Tank	Diesel and Gas—6 Propane—largest a		inimum.	Capacity						

Vendor:_____

State Price Quote Specification

TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE

Use this document to bid both non-lift and lift buses for 35–60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. Center B.T.U. Rear B.T.U. Total B.T.U.
Hood	Tilt.	☐ Fiberglass
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified If not, explain
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr Model No
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift w/lift Mfg.'s C/C seat measurement of vehicle (inches): w/o lift w/lift
Steering Wheel	Tilt and telescoping column.	Check if as specified
Step Tread	Studded or pebbled top tread covering.	Mfr
Tires	6 first quality, radial ply. No low profile tires.	Mfr Size Load range
Toolbox	Exterior, manufacturer standard.	Size (cubic feet)

Vendor: _____

State Price Quote Specification TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE

Use this document to bid both non-lift and lift buses for 35-60 capacity.

ITEM	Vendor must meet o	ORTED SPECIFICATIONS or exceed these specification specified in column to right	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.			
	Diesel and Propane:	Diesel		Gas	Propane	
	Automatic—Allison, PTS	Mfr.	Mfr.		Mfr	
Transmission	2500 or equal. Gas: Automatic—	Model no.		el no	Model no	
Transmission	manufacturer's standard	Net input		nput	Net input	
	compatible with H.P. and torque rating of engine bid.	Net input H.P.	Net i	nput H.P	Net input H.P	
Two-way				Mfr		
Communications	45-watt, VHF, mil. spec.			Model No		
Wheele	6 to be competible with tire o	izo		Size		
Wheels	6 to be compatible with tire s	ize.		Rim width		
	SPECIAL NEEDS R	EQUIREMENTS—CHAS	SSIS AND	BODY		
Wheelchair	Must meet state specification	n. Platform shall be a minim	num of	Mfr		
Lift—Installed	32" x 52".			Model No		
Wheelchair/				Mfr.		
Occupant Tie- down System— Installed	Must meet state specification	Ι.				

Vendor: _____

State Price Quote Specification

TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE

Use this document to bid both non-lift and lift buses for 35–60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	1
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified
Service and Cleaning	 Cleaning and service by vendor prior to delivery will include: Chassis lubrication. Check fluid levels: verify all are at recommended full levels. Cooling system protected at -20°F. Interior and exterior will be clean (including glass). All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery. All components and accessories will be installed and operational at time of delivery. 	Check if as specified
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified



Washington Office of Superintendent of PUBLIC INSTRUCTION 2021-2022

STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C60—BID AS 48 PASSENGER (DIESEL)

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER				
ADDRESS	Estimated delivery date to school district from time purchase order is received:					
	Firm where engine and chassis can be serviced or repaired and parts obtained:					
	Firm where body can be serviced or repaired and parts obtained:					

			BODY		
MAKE		Warranty:	Years	Inside measurement from rear of	Equipped seating capacity:
			Miles	stepwell to appropriate point at	w/o lift w/lift
MODEL	YEAR			rear of passenger seating area:	
		Seat color:		w/o lift w/lift	Overall vehicle length (inches):
		Floor color:	: <u> </u>		w/o lift w/lift

	CHASSIS			ENG	GINE	
MAKE		Warranty: Years Miles	MANUFACTURER		Torque: @ H.P.: @	RPM RPM
MODEL	YEAR	Wheel base:	MODEL	YEAR	C.I.D. or Liters:	
					Fuel type:	
	TRANSMISSION		Warranty: Years		Battery type/grp:	
MANUFACTURER		Speeds forward:	Miles	_	Number batteries:	
MODEL		Warranty: Years	Number of cylinders:		Total CCA:	
2500PTS		Miles	Inline V-ty		<u> </u>	

QUOTED PRICE								
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).								
Diesel Bid—w/o lift \$	Diesel Bid—w/lift \$							
VENDOR REPRESENTATIVE'S SIGNATURE David Jones	DATE							

FORM SPI 1394-3 (Rev. 7/21)

Washington Office of Superintendent of PUBLIC INSTRUCTION 2021-2022 STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C60—BID AS 48 PASSENGER (GAS)

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER			
ADDRESS	Estimated delivery date to school district from time purchase order is received:				
	Firm where engine and chassis can be serviced or repaired and parts obtained:				
	Firm where body can be serviced or repaired and parts obtained:				

BODY								
MAKE		,	Years Miles	Inside measurement from rear of stepwell to appropriate point at	Equipped seating capacity: w/o lift w/lift			
MODEL	YEAR			rear of passenger seating area:	w/o int w/int			
		Seat color:		w/o lift w/lift	Overall vehicle length (inches):			
		Floor color:			w/o lift w/lift			

	CHASSIS			EN	GINE	
MAKE		Warranty: Years Miles	MANUFACTURER		Torque: @ RP H.P.: @ RP	
MODEL	YEAR	Wheel base:	MODEL	YEAR	C.I.D. or Liters: Fuel type:	
	TRANSMISSION		Warranty: Years		Battery type/grp:	
MANUFACTURER		Speeds forward:	Miles		Number batteries:	
MODEL		Warranty: Years Miles	Number of cylinders: Inline V-ty	уре	Total CCA:	

QUOTED PRICE				
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).				
Gas Bid—w/o lift \$ Gas Bid—w/lift \$				
Vendor representative's signature David Jones				



Washington Office of Superintendent of PUBLIC INSTRUCTION PUBLIC INSTRUCTION 2021-2022

STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C60—BID AS 48 PASSENGER (PROPANE)

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS Estimated delivery date to school district from time purchase order Firm where engine and chassis can be serviced or repaired and pa		der is received:
		d parts obtained:
	Firm where body can be serviced or repaired and parts obtaine	d:

BODY					
MAKE		Warranty:	Years	Inside measurement from rear of	Equipped seating capacity:
			Miles	stepwell to appropriate point at	w/o lift w/lift
MODEL	YEAR				
				rear of passenger seating area:	
		Seat color:		w/o lift w/lift	Overall vehicle length (inches):
		Floor color:	:		w/o lift w/lift

	CHASSIS			ENG	GINE	
MAKE		Warranty: Years Miles	MANUFACTURER		Torque: @ H.P.: @	_ RPM _ RPM
MODEL	YEAR	Wheel base:	MODEL YE	AR	C.I.D. or Liters: Fuel type:	
	TRANSMISSION		Warranty: Years		Battery type/grp:	
MANUFACTURER		Speeds forward:	Miles		Number batteries:	
MODEL		Warranty: Years Miles	Number of cylinders: Inline V-type		Total CCA:	

QUOTED PRICE					
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).					
Propane Bid—w/o lift \$	Propane Bid—w/lift \$				
VENDOR REPRESENTATIVE'S SIGNATURE	DATE				
VENDOR REPRESENTATIVE'S SIGNATURE DATE					

FORM SPI 1394-3 (Rev. 7/21)

PART II

Vendor: _____

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS C60 C77 D60 D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.		
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity Cost \$		
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr Cost \$		
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr CNG Cost \$		
Alternator	Available options.	Cost \$ Capacity Cost \$ Capacity Cost \$ Capacity		
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ Type D: Cost \$		
Back-up Alarm	Must meet state specification.	Mfr Cost \$		
Brakes	4-wheel hydraulic disk brake.	Cost \$	Deduct \$	
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ Drum Cost \$		
Color	Exterior white roof.	Cost \$		
Door Locks	Vandal lock system on all exterior doors.	Cost \$		
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air	Air	
		Mfr Cost \$	Mfr	
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr Cost \$		

Vendor: _____

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS C60 C77 D60 D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.		
Floor Color	Nonstandard color.	Cost \$		
Fuel Tank	Larger fuel capacity (CNG only).	Size: Cost \$		
Fuel Tank	Larger fuel capacity (Diesel only).	Size: Cost \$		
Fuel Tank	Larger fuel capacity (Propane only).	Size: Cost \$		
Headlights	Halogen.	Cost \$		
Headlights	L.E.D.	Cost \$		
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: Cost \$		
Noise Reduction	Exceeding minimum specifications.	Driver compartmentCost \$Engine compartmentCost \$Full acoustical headlinerCost \$		
Retarder	Manufacturer's standard.	Driveline Cost \$ Exhaust Cost \$ Transmission Cost \$		
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$		
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ Capacity 3 by 2 Cost \$ Capacity 3 by 3 Cost \$ Capacity		

Vendor: _____

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS C60 C77 D60 D84 Use this document to bid both non-lift and lift buses.

VENDOR SPECIFICALLY IDENTIFY ITEM BID Vendor must meet or exceed these specifications. ITEM Item bid shall be specified in column to right. Price of items bid will establish the district cost. Left-side cubic feet. Cost \$ _____ Right-side _____ cubic feet. Storage Largest available for unit bid. Compartments Cost \$ _____ Push-thru _____ cubic feet. Cost \$ _____ Mfr._____ Model No. _____ Strobe Light Exterior roof mounted white strobe light. Cost \$ _____ Mfr. Electronic system to insure driver post-trip inspection of Student Protection Model No. System-Installed passenger compartment. Cost \$ Front Rear Suspension Air ride (Air brake system only). Cost \$ Cost \$ _____ Cost \$ _____ Toolbox Interior, manufacturer standard. Deduct \$ Mfr. _____ **Traction Device** Automatic chains. Cost \$ _____ Capacity Traction Device Sanders. Cost \$ _____ Mfr. Model No. _____ Transmission Automatic—Allison, PTS 3000 or equal. Cost \$ _____ Vehicle Securement Cost \$ _____ Mfr. _____ Must meet state specification. System

Vendor: _____

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS C60 C77 D60 D84 Use this decument to hid both non lift and lift buses

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.		
		Mfr		
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Model No.		
Cystems installed	compartment with more than two cameras.	Cost \$		
		Stand Alone System	Added to Interior System	
Video Camera		Mfr	Mfr	
Systems—Stop Sign	Must meet state specification.	Model No	Model No	
Camera—Installed		Cost \$		
		How many cameras		
	10 light monitoring evotors	Incandescent	LED Lights	
Warning Light Monitor	16 light monitoring system.	Cost \$	Cost \$	
Additional			·	
Wheelchair/Occupant	Must meet state specification.	Model No		
Tie-down System— Installed		Cost per station \$		
		Side Cost \$		
Windows	Laminated passenger-compartment side or rear glass.	Rear Cost \$		
		Both Cost \$		
Windows	Tinted.	Cost \$		
Windows	Thermal pane, left of driver and service door.	Cost \$		