



State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
DIESEL, GAS & PROPANE**

Vendor: _____

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Seating Capacity	71 passenger based upon an average center-to-center seat spacing of at least 27.5".	Capacity w/o lift _____ Capacity w/lift _____		
Alternator	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Diesel	Gas	Propane
		Mfr. _____ Max. amps output w/o lift or A.C. _____ Max. amps output w/lift or A.C. _____	Mfr. _____ Max. amps output w/o lift or A.C. _____ Max. amps output w/lift or A.C. _____	Mfr. _____ Max. amps output w/o lift or A.C. _____ Max. amps output w/lift or A.C. _____
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. _____		
Axle—Front	9,000 lb. minimum.	Diesel	Gas	Propane
		Mfr. _____ Capacity _____	Mfr. _____ Capacity _____	Mfr. _____ Capacity _____
Axle—Rear	19,000 lb. minimum.	Diesel	Gas	Propane
		Mfr. _____ Capacity _____	Mfr. _____ Capacity _____	Mfr. _____ Capacity _____
Axle Oil Seals	Front and rear oil bath.	Diesel	Gas	Propane
		Mfr. _____	Mfr. _____	Mfr. _____
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Diesel	Gas	Propane
		Mfr. _____ Model no. _____	Mfr. _____ Model no. _____	Mfr. _____ Model no. _____
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input type="checkbox"/> Diameter _____ Other: <input type="checkbox"/> Square inches _____		

Vendor: _____

State Price Quote Specification
TYPE C77—BID AS 71 PASSENGER,
DIESEL, GAS & PROPANE

Use this document to bid both non-lift and lift buses for 61–77 capacity.

STATE-SUPPORTED SPECIFICATIONS				
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Battery(ies)	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift.	Diesel	Gas	Propane
	1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Size/group w/o lift _____ CCA _____ Size/group w/lift _____ CCA _____	Size/group w/o lift _____ CCA _____ Size/group w/lift _____ CCA _____	Size/group w/o lift _____ CCA _____ Size/group w/lift _____ CCA _____
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.		<input type="checkbox"/> Swing out	<input type="checkbox"/> Roll out
Brakes	Air: Drum or Disc. Refer to Washington State School Bus Specifications Manual.		Disc Front <input type="checkbox"/> Rear <input type="checkbox"/> Drum Front <input type="checkbox"/> Rear <input type="checkbox"/> Size Front _____ Rear _____	
Door, Service	Power operated.		<input type="checkbox"/> Air <input type="checkbox"/> Electric <input type="checkbox"/> Other	<input type="checkbox"/> Folding <input type="checkbox"/> Split, Outward opening <input type="checkbox"/> Other
Engine	Diesel, Gas and Propane—210 H.P. minimum.	Diesel	Gas	Propane
		Engine mfr. _____ Model or liters _____ Net torque ____ @ ____ R.P.M Net H.P. ____ @ ____ R.P.M	Engine mfr. _____ Model or liters _____ Net torque ____ @ ____ R.P.M Net H.P. ____ @ ____ R.P.M	Engine mfr. _____ Model or liters _____ Net torque ____ @ ____ R.P.M Net H.P. ____ @ ____ R.P.M
Engine Heater	Engine manufacturer's recommended in-block heater.		Watts _____ Volts _____ Mfr. _____	
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.		Mfr. _____ <input type="checkbox"/> Electronic <input type="checkbox"/> Fan clutch <input type="checkbox"/> Shutters	
Fuel Tank	Diesel—100 gallon minimum. Gas and Propane—60 gallon minimum.	Diesel	Gas	Propane
		Capacity _____	Capacity _____	Capacity _____

State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
 DIESEL, GAS & PROPANE**

Vendor: _____

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. _____ Center B.T.U. _____ Rear B.T.U. _____ Total B.T.U. _____
Hood	Tilt.	<input type="checkbox"/> Fiberglass <input type="checkbox"/> Metal
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input type="checkbox"/> If not, explain _____ _____
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. _____ Model No. _____
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____ Mfg.'s C/C seat measurement of vehicle (inches): w/o lift _____ w/lift _____
Steering Wheel	Tilt and telescoping column.	Check if as specified <input type="checkbox"/>
Step Tread	Studded or pebbled top tread covering.	Mfr. _____
Tires	6 first quality, radial ply. No low profile tires.	Mfr. _____ Size _____ Load range _____
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) _____

State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
 DIESEL, GAS & PROPANE**

Vendor: _____

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Transmission	Diesel and Propane: Automatic—Allison, PTS 2500 or equal. Gas: Automatic— manufacturer's standard compatible with H.P. and torque rating of engine bid.	<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
		Mfr. _____	Mfr. _____	Mfr. _____
		Model no. _____	Model no. _____	Model no. _____
		Net input _____	Net input _____	Net input _____
		Net input H.P. _____	Net input H.P. _____	Net input H.P. _____
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. _____ Model No. _____		
Wheels	6 to be compatible with tire size.	Size _____ Rim width _____		
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY				
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. _____ Model No. _____		
Wheelchair/ Occupant Tie-down System—Installed	Must meet state specification.	Mfr. _____ Model No. _____		
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY				
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified <input type="checkbox"/>		
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified <input type="checkbox"/>		
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input type="checkbox"/>		

Vendor: _____

State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input type="checkbox"/>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2021-2022

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE C77— BID AS 71 PASSENGER (DIESEL)**

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS	Estimated delivery date to school district from time purchase order is received: _____ _____	
	Firm where engine and chassis can be serviced or repaired and parts obtained: _____ _____	
	Firm where body can be serviced or repaired and parts obtained: _____ _____	

BODY				
MAKE	Warranty: Years _____ Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____	
MODEL	YEAR	Seat color: _____ Floor color: _____	Overall vehicle length (inches): w/o lift _____ w/lift _____	

CHASSIS		ENGINE		
MAKE	Warranty: Years _____ Miles _____	MANUFACTURER		Torque: _____ @ _____ RPM H.P.: _____ @ _____ RPM
MODEL	YEAR	Wheel base: _____	MODEL	YEAR
TRANSMISSION		Warranty: Years _____ Miles _____	C.I.D. or Liters: _____ Fuel type: _____	
MANUFACTURER	Speeds forward: _____	Number of cylinders: _____ Inline _____ V-type _____		Battery type/grp: _____
MODEL	Warranty: Years _____ Miles _____	Total CCA: _____		Number batteries: _____

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Diesel Bid—w/o lift \$ _____	Diesel Bid—w/lift \$ _____
VENDOR REPRESENTATIVE'S SIGNATURE <i>David Jones</i>	DATE



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2021-2022

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C77— BID AS 71 PASSENGER (GAS)

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS	Estimated delivery date to school district from time purchase order is received: _____ _____ Firm where engine and chassis can be serviced or repaired and parts obtained: _____ _____ Firm where body can be serviced or repaired and parts obtained: _____ _____	

BODY				
MAKE		Warranty: Years _____ Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____
MODEL	YEAR	Seat color: _____ Floor color: _____		Overall vehicle length (inches): w/o lift _____ w/lift _____

CHASSIS		ENGINE		
MAKE		Warranty: Years _____ Miles _____	MANUFACTURER	
MODEL	YEAR	Wheel base: _____	MODEL	YEAR
		Speeds forward: _____	Torque: _____ @ _____ RPM H.P.: _____ @ _____ RPM	
TRANSMISSION		Warranty: Years _____ Miles _____		
MANUFACTURER		Warranty: Years _____ Miles _____	C.I.D. or Liters: _____ Fuel type: _____	
MODEL		Number of cylinders: _____ Inline _____ V-type _____	Battery type/grp: _____ Number batteries: _____ Total CCA: _____	

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Gas Bid—w/o lift \$ _____	Gas Bid—w/lift \$ _____
VENDOR REPRESENTATIVE'S SIGNATURE <i>David Jones</i>	DATE



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2021-2022

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE C77—BID AS 71 PASSENGER (PROPANE)**

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS	Estimated delivery date to school district from time purchase order is received: _____ Firm where engine and chassis can be serviced or repaired and parts obtained: _____ Firm where body can be serviced or repaired and parts obtained: _____	

BODY				
MAKE	Warranty: Years _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____	
MODEL	Miles _____		Overall vehicle length (inches): w/o lift _____ w/lift _____	
YEAR	Seat color: _____			
	Floor color: _____			

CHASSIS		ENGINE		
MAKE	Warranty: Years _____	MANUFACTURER		Torque: _____ @ _____ RPM
MODEL	Miles _____	MODEL	YEAR	H.P.: _____ @ _____ RPM
	Wheel base: _____			C.I.D. or Liters: _____
TRANSMISSION		Warranty: Years _____		Battery type/grp: _____
MANUFACTURER	Speeds forward: _____	Miles _____		Number batteries: _____
MODEL	Warranty: Years _____	Number of cylinders: _____		Total CCA: _____
	Miles _____	Inline _____ V-type _____		

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Propane Bid—w/o lift \$ _____	Propane Bid—w/lift \$ _____
VENDOR REPRESENTATIVE'S SIGNATURE <i>David Jones</i>	DATE

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: _____

C60 **C77** **D60** **D84**

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity _____ Cost \$ _____	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. _____ Cost \$ _____	
Alternate Fuel <input type="checkbox"/> CNG <input type="checkbox"/> Electric	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. _____ <input type="checkbox"/> CNG Cost \$ _____ <input type="checkbox"/> Electric Cost \$ _____	
Alternator	Available options.	Cost \$ _____ Capacity _____ Cost \$ _____ Capacity _____ Cost \$ _____ Capacity _____	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ _____ Type D: Cost \$ _____	
Back-up Alarm	Must meet state specification.	Mfr. _____ Cost \$ _____	
Brakes	4-wheel hydraulic disk brake.	Cost \$ _____	Deduct \$ _____
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ _____ Drum Cost \$ _____	Disc Deduct \$ _____ Drum Deduct \$ _____
Color	Exterior white roof.	Cost \$ _____	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ _____	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air	Air
		Mfr. _____	Mfr. _____
		Cost \$ _____	Cost \$ _____
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. _____ Cost \$ _____	
Floor Color	Nonstandard color.	Cost \$ _____	

Vendor: _____

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
 C60 C77 D60 D84
 Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Fuel Tank	Larger fuel capacity (CNG only).	Size: _____	Cost \$ _____
Fuel Tank	Larger fuel capacity (Diesel only).	Size: _____	Cost \$ _____
Fuel Tank	Larger fuel capacity (Propane only).	Size: _____	Cost \$ _____
Headlights	Halogen.	Cost \$ _____	
Headlights	L.E.D.	Cost \$ _____	
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: _____	Model: _____
		Cost \$ _____	
Noise Reduction	Exceeding minimum specifications.	Driver compartment	Cost \$ _____
		Engine compartment	Cost \$ _____
		Full acoustical headliner	Cost \$ _____
Retarder	Manufacturer's standard.	Driveline <input type="checkbox"/>	Cost \$ _____
		Exhaust <input type="checkbox"/>	Cost \$ _____
		Transmission <input type="checkbox"/>	Cost \$ _____
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ _____	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ _____	Capacity _____
		3 by 2 Cost \$ _____	Capacity _____
		3 by 3 Cost \$ _____	Capacity _____

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: _____

C60 C77 D60 D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Storage Compartments	Largest available for unit bid.	Left-side _____ cubic feet. Cost \$ _____	Right-side _____ cubic feet. Cost \$ _____
		Push-thru _____ cubic feet. Cost \$ _____	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. _____ Model No. _____ Cost \$ _____	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. _____ Model No. _____ Cost \$ _____	
Suspension	Air ride (Air brake system only).	Front	Rear
		Cost \$ _____	Cost \$ _____
Toolbox	Interior, manufacturer standard.	Cost \$ _____	Deduct \$ _____
Traction Device	Automatic chains.	Mfr. _____ Cost \$ _____	
Traction Device	Sanders.	Capacity _____ Cost \$ _____	
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. _____ Model No. _____ Cost \$ _____	
Vehicle Securement System	Must meet state specification.	Mfr. _____	Cost \$ _____
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. _____ Model No. _____ Cost \$ _____	How many cameras _____

Vendor: _____

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
 C60 C77 D60 D84
 Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	<i>Stand Alone System</i>	<i>Added to Interior System</i>
		Mfr. _____ Model No. _____ Cost \$ _____ How many cameras ____	Mfr. _____ Model No. _____ Cost \$ _____ How many cameras ____
Warning Light Monitor	16 light monitoring system.	<i>Incandescent</i>	<i>LED Lights</i>
		Cost \$ _____	Cost \$ _____
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. _____ Model No. _____ Cost per station \$ _____	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ _____ Rear Cost \$ _____ Both Cost \$ _____	
Windows	Tinted.	Cost \$ _____	
Windows	Thermal pane, left of driver and service door.	Cost \$ _____	