Vendor:_____



State Price Quote Specification TYPE D60—BID AS 48 PASSENGER

Use this document to bid both non-lift and lift buses for 35-60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Seating Capacity	48 passenger based upon an average center-to-center seat spacing of	Capacity w/o lift	
Sealing Capacity	at least 27.5".	Capacity w/lift	
		Mfr	
Alternator	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Amps output w/o lift or A.C	
		Amps output w/lift or A.C	
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr	
And English		Mfr	
Axle—Front	10,000 lb. minimum.	Capacity	
		Mfr	
Axle—Rear	19,000 lb. minimum.	Capacity	
Axle Oil Seals	Front and rear oil bath.	Mfr	
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Ratio	
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: Diameter Other: Square inches	
	1200 CCA 12 volt minimum to be mounted in body battery		
	compartment w/o lift.	Size/group w/o lift CCA	
Battery(ies)	1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Size/group w/lift CCA	
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.	Swing out Roll out	
Brakes	Hydraulic disc. Refer to Washington State School Bus Specifications Manual.	Size Front Rear	

PART I (cont.)

Vendor:

State Price Quote Specification TYPE D60—BID AS 48 PASSENGER

Use this document to bid both non-lift and lift buses for 35-60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Door, Service	Power operated.	Air Folding Electric Split, Outward opening Other Other	
Engine	Diesel—180 H.P. minimum.	Engine mfr.	
Engine Heater	Engine manufacturer's recommended in-block heater.	Watts Volts Mfr	
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.	Mfr. Mfr. Electronic Fan clutch	
Fuel Tank	60 gallon minimum.	Capacity	
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. Center B.T.U. Rear B.T.U. Total B.T.U.	
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights– 7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Total B.T.U. Check if as specified If not, explain	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr Model No	
Seat Spacing	To permit specified passenger capacity based on an average center- to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift w/lift Mfg.'s C/C seat measurement of vehicle (inches): w/o lift w/lift	

PART I (cont.)

Vendor:

State Price Quote Specification TYPE D60—BID AS 48 PASSENGER

Use this document to bid both non-lift and lift buses for 35-60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Steering Wheel	Tilt and telescoping column.	Check if as specified	
Step Tread	Studded or pebbled top tread covering.	Mfr	
Tires	6 first quality, radial ply. No low profile tires.	Mfr Size Load range	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet)	
Transmission	Automatic—Allison, PTS 2500 or equal.	Mfr Model no Net input torque Net input H.P	
Two-way Communications	45-watt, VHF, mil. spec.	Mfr Model No	
Wheels	6 to be compatible with tire size.	Size Rim width	

PART I (cont.)

Vendor: _____

State Price Quote Specification TYPE D60—BID AS 48 PASSENGER

Use this document to bid both non-lift and lift buses for 35–60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
	SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY	
Wheelchair	Must meet state specification. Platform shall be a minimum of 32" x	Mfr
Lift—Installed	52".	Model No
Wheelchair/		Mfr
Occupant Tie-down System—Installed	Must meet state specification.	Model No
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified
Service and Cleaning	 Cleaning and service by vendor prior to delivery will include: Chassis lubrication. Check fluid levels: verify all are at recommended full levels. Cooling system protected at -20°F. Interior and exterior will be clean (including glass). All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery. All components and accessories will be installed and operational at time of delivery. 	Check if as specified
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified



Washington Office of Superintendent of PUBLIC INSTRUCTION 2021-2022 STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE D60—BID AS 48 PASSENGER

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER	
ADDRESS	Estimated delivery date to school district from time purchase order is received:		
	Firm where engine and chassis can be serviced or repaired and parts obtained:		
Firm where body can be serviced or repaired and parts obtained:		l:	

BODY						
MAKE		Warranty: Years Miles	Inside measurement from rear of stepwell to appropriate point at	Equipped seating capacity: w/o lift w/lift		
MODEL	YEAR		rear of passenger seating area:	w/o int w/int		
		Seat color: Floor color:	w/o lift w/lift	Overall vehicle length (inches): w/o lift w/lift		

CHASSIS				EN	GINE	
MAKE		Warranty: Years Miles	MANUFACTURER		Torque: @ RPM H.P.: @ RPM	
MODEL	YEAR	Wheel base:	MODEL	YEAR	C.I.D. or Liters: Fuel type:	
	TRANSMISSION		Warranty: Years		Battery type/grp:	_
MANUFACTURER		Speeds forward:	Miles		Number batteries:	-
MODEL		Warranty: Years Miles	Number of cylinders: Inline V-ty	 ype	Total CCA:	-

QUOTED PRICE				
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).				
Bid—w/o lift \$ Bid—w/lift \$				
VENDOR REPRESENTATIVE'S SIGNATURE DATE				
VENDOR REPRESENTATIVE'S SKONATURE DATE				

PART II

Vendor:

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS C60 C77 D60 D84 Use this desument to hid both non-life and life buots

	Vendor must meet or exceed these specifications.	VENDOR SPECIFIC	CALLY IDENTIFY ITEM BID	
ITEM	Item bid shall be specified in column to right.	Price of items bid will establish the district cos		
Activity Securement	2-passenger position seats with lap-shoulder belts in all passenger	Passenger Capacity Cost \$		
Seating	positions.			
Air Conditioning	To cool passenger compartment as required in the Washington State	Mfr.		
-	School Bus Specifications manual.	Cost \$		
Alternate Fuel	Must comply with power and gradeability formula. Refer to			
	Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.			
			Capacity	
Alternator	Available options.	Cost \$ Cost \$		
Alternator	Available options.	Cost \$		
		Type C: Cost \$		
Anti-spray Device	Rubber fender extenders.	Type D: Cost \$		
Rock up Alorm	Must most state aposition			
Back-up Alarm	Must meet state specification.	Cost \$		
Brakes	4-wheel hydraulic disk brake.	Cost \$		
Brakes	Air, Drum or Disc. Refer to Washington State School Bus	Disc Cost \$	Disc Deduct \$	
DIAKES	Specifications manual.	Drum Cost \$	Drum Deduct \$	
Color	Exterior white roof.	Cost \$		
Door Locks	Vandal lock system on all exterior doors.	Cost \$		
		Non-Air	Air	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Mfr.	Mfr	
		Cost \$	Cost \$	
Fire Suppression	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression	Mfr		
System	system of appropriate size to be installed according to manufacturer recommendation.	Cost \$		
Floor Color	Nonstandard color.		Cost \$	

PART II (cont.)

Vendor: _____

State Price Quote Specification **DISTRICT-SUPPORTED OPTIONS** C60 C77 D60 **D84**

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BII Price of items bid will establish the district cost		
Fuel Tank	Larger fuel capacity (CNG only).	Size: Cost \$		
Fuel Tank	Larger fuel capacity (Diesel only).	Size: Cost \$		
Fuel Tank	Larger fuel capacity (Propane only).	Size: Cost \$		
Headlights	Halogen.	Cost \$		
Headlights	L.E.D.	Cost \$		
Heater (Auxiliary	Auxiliary fuel-fired heating systems. Refer to Washington State	Brand: Model:		
water)	School Bus Specifications Manual, page 27.	Cost \$		
		Driver compartment Cost \$		
Noise Reduction	Exceeding minimum specifications.	Engine compartment Cost \$		
		Full acoustical headliner Cost \$		
		Driveline Cost \$		
Retarder	Manufacturer's standard.	Exhaust 🗌 Cost \$		
		Transmission Cost \$		
Seat Belt Ready Seat	3-passenger position seat with belts.	Cost \$		
		2 by 2 Cost \$		
	Identical, non-lift bus with lap-shoulder seat belt system installed in all	Capacity		
O the O the		3 by 2 Cost \$		
Seating System	positions.	Capacity		
		3 by 3 Cost \$		
		Capacity		

PART II (cont.)

Vendor:

State Price Quote Specification **DISTRICT-SUPPORTED OPTIONS** C60 C77 **D60 D84**

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		CALLY IDENTIFY ITEM BID will establish the district cost.	
		Left-side cubic f		
01		Cost \$	cubic feet.	
Storage Compartments	Largest available for unit bid.			
Compartments		Cost \$ cubic feet.		
		Cost \$	Cost \$	
• • • • • • •				
Strobe Light	Exterior roof mounted white strobe light.	Model No		
		Cost \$		
Student Protection	Electronic system to insure driver post-trip inspection of passenger	Mfr		
System—Installed	compartment.	Model No		
,		Cost \$		
Suspension	Air ride (Air brake system only).	Front		
ouspension		Cost \$	Cost \$	
Toolbox	Interior, manufacturer standard.	Cost \$	Deduct \$	
Traction Device	Automatic chains.	Mfr		
Traction Device	Automatic chains.	Cost \$		
Testin Desire	Que las	Capacity		
Traction Device	Sanders.	Cost \$		
		Mfr.		
Transmission	Automatic—Allison, PTS 3000 or equal.	Model No		
Vehicle Securement System	Must meet state specification.	Mfr		

PART II (cont.)

Vendor:

State Price Quote Specification **DISTRICT-SUPPORTED OPTIONS** C60 C77 D60 **D84**

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.			CALLY IDENTIFY ITEM BID will establish the district cost.
			Mfr.	
Video Camera	Digital audio/video system for monitoring the passenger compartment with more than two cameras.			
Systems—Installed	compartment with more than two cameras.		Cost \$	
		St	and Alone System	Added to Interior System
Video Camera		Mf	fr	_ Mfr
Systems—Stop Sign	Must meet state specification.	Mo	odel No	Model No.
Camera—Installed			ost \$	
	Ho		w many cameras	_ How many cameras
Warning Light			Incandescent	LED Lights
Monitor	16 light monitoring system.	Co	ost \$	Cost \$
Additional				-
Wheelchair/Occupant	Must meet state specification.		Model No	
Tie-down System— Installed			Cost per station \$	
			Side Cost \$	
Windows	Laminated passenger-compartment side or rear glass.	Rear Cost \$		
			Both Cost \$	
Windows	Tinted.		Cost \$	
Windows	Thermal pane, left of driver and service door.		Cost \$	