		PART I
	Vendor: RWC Group	
State Price Quote Specification		
TYPE A—FI ECTRIC	Mfr.: <u>Collins</u>	

### IYPE A—ELECTRIC Use this document to bid both non-lift and lift buses.

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Seating Capacity	Maximum passenger capacity based upon an average center-to- center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Capacity w/o lift 21  Capacity w/lift 18+1
Axle—Front	Manufacturer's recommendation.	Mfr. GM
		Capacity 4600
Axle—Rear	Manufacturer's recommendation.	Mfr. GM
		Capacity 4600
Axle Ratio	Must comply with power and gradeability formula. Refer to	Mfr. GM
	Washington State School Bus Specifications Manual.	Capacity 4.10
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round:   Diameter 4 Inch  Other:   Square inches
Battery(ies)	535 CCA 12-volt minimum w/o lift.	Number of batteries 1
Low Voltage	1070 CCA 12-volt minimum w/lift.	CCA 770 no lift/ 1070 with lift
Battery(ies)	Battery propulsion must meet a minimum of 80 kWh.	Number of batteries 4
Propulsion		kWh <u>120</u>

PART I (cont.)

# State Price Quote Specification TYPE A— ELECTRIC

PART I (COIIC.)
Vendor: RWC Group
Mfr.:Collins

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Disc         Front         ☒         Rear         ☒           Drum         Front         ☒         Rear         ☒           Size         Front         12.8         Rear         13.6		
Doors, Service	Power operated.	☐ Air ☐ Folding ☐ Electric ☐ Split, Outward Opening ☐ Other		
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Front B.T.U. 37,020 Rear B.T.U. 60,000 Total B.T.U. 97,020		
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Taillights, Turn Signals, Eight-Light System, and Dome- Light System.	Check if as specified ⊠  If not, explain		
Motor	160 H.P. minimum.	Engine Mfr. Lightning		
		Model ZEV4		
		Net torque <u>790</u> @ <u>1071</u> R.P.M.		
		Net H.P. <u>241</u> @ <u>180</u> R.P.M.		
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. GM		
		Model No. <u>OEM</u>		
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift 184 w/lift 184		
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift 28 w/lift 26		

### State Price Quote Specification

**TYPE A— ELECTRIC** 

Vendor: RWC Group	•	
Mfr.: Collins		

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Steering Wheel	Tilt.	Check if as specified ⊠	
Step Tread	Studded or pebbled top tread covering.	Mfr. Koroseal	
Tires	6 first quality, radial ply.	Mfr. General	
		Size <u>LT225/75R16</u>	
		Load range E	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) N/A	
Two-way	45-watt, VHF, mil. spec.	Mfr. ICOM	
Communications		Model No. <u>F-5011</u>	
Wheels	6 to be compatible with tire size.	Size <u>16</u>	
		Rim width 6.5	
	SPECIAL NEEDS REQUIREMENTS—CHASSIS AND B	ODY	
Wheelchair	Must meet state specification. Platform shall be a minimum of	Mfr. Braun	
Lift—Installed	32" x 52".	Model No. NCL917IB	
Wheelchair/Occupant	Must meet state specification.	Mfr. Q-Straint	
Tie-down System— Installed		Model No. <u>Q-8100-A1</u>	

#### **State Price Quote Specification**

#### **TYPE A— ELECTRIC**

Use this document to bid both non-lift and lift buses.

Vendor: RWC Group

Mfr.: Collins

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
	ADDITIONAL REQUIREMENTS—CHASSIS AND BOD	ΟΥ
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified ⊠
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified ⊠
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ⊠
Service and Cleaning	<ul> <li>Cleaning and service by vendor prior to delivery will include:</li> <li>Chassis lubrication.</li> <li>Check fluid levels: verify all are at recommended full levels.</li> <li>Cooling system protected at -20°F.</li> <li>Interior and exterior will be clean (including glass).</li> <li>All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery.</li> <li>All components and accessories will be installed and operational at time of delivery.</li> </ul>	Check if as specified ⊠
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ⊠



STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631

## VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—ELECTRIC

		ITPE	4—ELECTRIC			
VENDOR'S COMPANY NAME RWC Group		REPRESE Tom Ha	NTATIVE'S NAME Irtman		TELEPHONE NU 602-377-44	
		Estima	ed delivery date to school d	istrict from time p	urchase order is receive	d: <u>180 Days</u>
Phoenix, AZ 85043		ARO				
		Firm w	nere engine and chassis car	n be serviced or re	epaired, and parts obtain	ed: <u>Any GM</u>
		<u>Dealer</u>				
			nere body can be serviced o	r repaired, and pa	arts obtained: <u>RWC Grou</u> p	<u>p (4 locations</u>
		in WA)				
			ODY			
MAKE Collins MODEL	YEAR	Warranty: Years <u>5</u> Miles <u>100</u>	Inside measurement	ite point at	Equipped seating ca w/o lift 21 w/lif	
DH500	2024	Seat color: <u>Gray</u> Floor color: <u>Black</u>	w/o lift <u>184</u>	w/lift <u>184</u>	Overall vehicle leng w/o lift 290 w/lif	
	0114 0010			110	TOD	
MAVE	CHASSIS	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	MANUEACTURER	МО	TOR	-1 DDM
MAKE GMC	CHASSIS	Warranty: Years <u>3</u> Miles <u>36k</u>	MANUFACTURER Lightning	МО	<b>TOR</b>   Torque: <u>790</u> @ <u>10</u>   H.P.: <u>241</u> @ <u>18</u>	
	CHASSIS  YEAR 2024	_		MO YEAR 2023	Torque: <u>790</u> @ <u>10</u>	
GMC  MODEL GA500 (ZEV4)	YEAR	Miles 36k Wheelbase: 159	Lightning	YEAR	Torque: <u>790</u> @ <u>10</u> H.P.: <u>241</u> @ <u>18</u>	
GMC  MODEL GA500 (ZEV4)  12 Volt	YEAR 2024 BATTERIES	Miles 36k Wheelbase: 159 Propulsion	MODEL ZEV4 Warranty: Years 5	YEAR 2023	Torque: <u>790</u> @ <u>10</u> H.P.: <u>241</u> @ <u>18</u>	
GMC  MODEL GA500 (ZEV4)	YEAR 2024 BATTERIES	Miles 36k Wheelbase: 159	Lightning  MODEL ZEV4	YEAR 2023	Torque: <u>790</u> @ <u>10</u> H.P.: <u>241</u> @ <u>18</u>	
GMC  MODEL GA500 (ZEV4)  12 Volt	YEAR 2024 BATTERIES	Miles 36k Wheelbase: 159  Propulsion atteries: 4	MODEL ZEV4 Warranty: Years 5	YEAR 2023	Torque: <u>790</u> @ <u>10</u> H.P.: <u>241</u> @ <u>18</u>	
GMC  MODEL GA500 (ZEV4)  12 Volt Battery type/grp: 74	YEAR 2024 BATTERIES Number ba	Miles 36k Wheelbase: 159  Propulsion atteries: 4	MODEL ZEV4 Warranty: Years 5	YEAR 2023	Torque: <u>790</u> @ <u>10</u> H.P.: <u>241</u> @ <u>18</u>	
GMC  MODEL GA500 (ZEV4)  12 Volt  Battery type/grp: 74  Number batteries: 1	YEAR 2024 BATTERIES Number ba	Miles 36k Wheelbase: 159  Propulsion atteries: 4  1: 120	Lightning  MODEL ZEV4  Warranty: Years 5  Miles 60k	YEAR 2023	Torque: <u>790</u> @ <u>10</u> H.P.: <u>241</u> @ <u>18</u>	
GMC  MODEL GA500 (ZEV4)  12 Volt  Battery type/grp: 74  Number batteries: 1	YEAR 2024  BATTERIES  Number ba Total KWH	Miles 36k Wheelbase: 159  Propulsion atteries: 4  I: 120	Lightning  MODEL ZEV4  Warranty: Years 5  Miles 604	YEAR 2023	Torque: <u>790</u> @ <u>10</u> H.P.: <u>241</u> @ <u>18</u>	
MODEL GA500 (ZEV4)  12 Volt Battery type/grp: 74  Number batteries: 1  Total CCA: 770	YEAR 2024  BATTERIES  Number ba Total KWH	Miles 36k Wheelbase: 159  Propulsion atteries: 4  I: 120	MODEL ZEV4 Warranty: Years 5 Miles 604  ED PRICE listrict (without sales tax).	YEAR 2023	Torque: <u>790</u> @ <u>10</u> H.P.: <u>241</u> @ <u>18</u>	
GMC  MODEL GA500 (ZEV4)  12 Volt  Battery type/grp: 74  Number batteries: 1  Total CCA: 770  Quoted price is based upon payme	YEAR 2024  BATTERIES  Number ba Total KWH	Miles 36k Wheelbase: 159  Propulsion atteries: 4  I: 120  QUOT er delivery to the school of	MODEL ZEV4 Warranty: Years 5 Miles 604  ED PRICE listrict (without sales tax).	YEAR 2023	Torque: <u>790</u> @ <u>10</u> H.P.: <u>241</u> @ <u>18</u>	

_	_	_	_	
μ	Δ	к	п	Ш

# State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A

Vend	dor: RWC Group	
	-	
Mfr.:	Collins	

	CHASSIS		
ITEM	Vendor must meet or exceed these specifications.	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Item bid shall be specified in column to right.	Price of items bid will establish the district cost.	
Small A	Type A bus—10,000 lbs. or under GVWR chassis.	Deduct N/A	
		Mfr. N/A	
		Capacity w/o lift N/A	
		Dual Wheel N/A	
		Single Wheel N/A	
Air Conditioning	To cool passenger compartment as required in the	Mfr. American Cooling Tech	
	Washington State School Bus Specifications manual.	Cost \$ <u>\$6,440</u>	
Back-up Alarm	Must meet state specification.	Mfr. Superior Signals	
		Cost \$ 110	
Color	Exterior white roof.	Cost \$ Standard	
Steering Wheel	Tilt and telescoping column.	Cost \$ N/A	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. Opti-Luxx	
	Model No. Beacon 4903		
		Cost \$ 194	
Student Protection	Electronic system to insure driver post-trip inspection of	Mfr. Check Mate	
System—Installed	passenger compartment.	Model No. EP1	
		Cost \$ <u>538</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ Included Deduct \$ N/A	

#### PART II (cont.)

# State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A

Vendor: RWC Group

Mfr.: Collins

ITEM	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.			
Video Camera	Digital audio/video system for monitoring the passenger	Mfr. <u>Seon</u>	Mfr. Seon		
Systems—Installed compartment with more than two camera	compartment with more than two cameras.	Model No. TH4			
		Cost \$ 3,672	How many cameras <u>3</u>		
Video Camera	Must meet state specification.	Stand Alone System	Added to Interior System		
Systems—Stop Sign		Mfr. <u>Seon</u>	Mfr. Seon		
Camera—Installed		Model No. TH4	Model No. TH4		
		Cost \$ <u>1,398</u>	Cost \$ 915		
		How many cameras <u>1</u>	How many cameras <u>1</u>		
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights		
		Cost \$ 239	Cost \$ <u>558</u>		
Additional	Must meet state specification.	Mfr. Q-Straint			
Wheelchair/Occupant		Model No. <u>Q-8100-A1</u>			
Tie-down System— Installed		Cost per station \$ 992			
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>350</u>			
		Rear Cost \$ 72			
		Both Cost \$ 422			
Windows	Tinted.	Cost \$ <u>375</u>			