

State Price Quote Specification TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE

Use this document to bid both non-lift and lift buses for 35–60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.			VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Seating Capacity		in average center-to-center seat		Capacity w/o lift <u>48</u>		
	spacing of at least 27.5".			Capacity w/lift <u>37</u>		
Alternator	240 amp minimum. Lift-	Diesel		Gas	Propane	
	equipped or air- conditioned. Manufacturer	Mfr. LEECE NEVILLE	Mfr. <u>L</u>	EECE NEVILLE	Mfr. LEECE NEVILLE	
	recommended capacity.	Max. amps output w/o lift or A.C. 240	Max. A.C. 2	amps output w/o lift or 240	Max. amps output w/o lift or A.C. 240	
		Max. amps output w/lift or A.C. 240	Max. A.C. 2	amps output w/lift or 240	Max. amps output w/lift or A.C. 240	
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door. Mfr. <u>GSS USA</u>					
Axle—Front	8,000 lb. minimum.	Diesel		Gas	Propane	
		Mfr. HENDRICKSON	Mfr. <u>H</u>	IENDRICKSON	Mfr. HENDRICKSON	
		Capacity <u>12000</u>	Capacity <u>12000</u>		Capacity <u>12000</u>	
Axle—Rear	17,500 lb. minimum.	Diesel	Gas		Propane	
		Mfr. DANA	Mfr. <u>C</u>	DANA	Mfr. DANA	
		Capacity <u>21000</u>	Capa	city <u>21000</u>	Capacity 21000	
Axle Oil Seals	Front and rear oil bath, or	Diesel		Gas	Propane	
	maintenance free sealed greased bearings.	Mfr. <u>SKF</u>	Mfr. <u>S</u>	SKF	Mfr. <u>SKF</u>	
Axle Ratio	Must comply with power	Diesel		Gas	Propane	
	and grade-ability formula. Refer to Washington State	Mfr. <u>DANA 5.29</u>	Mfr. <u>C</u>	DANA 5.29	Mfr. <u>DANA 5.29</u>	
	School Bus Specifications Manual.	Model no. <u>S21</u>	Mode	l no. <u>S21</u>	Model no. <u>S21</u>	
Back-up Lights		be LED (Light Emitting Diode). Bus Specification's Manual.	Refer	Round:⊠DiameterOther:□Square		

Vendor: <u>BRYSON</u>

State Price Quote Specification

TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE

Use this document to bid both non-lift and lift buses for 35–60 capacity.

								_		
ITEM				CIFICATIONS					LY IDENTIFY ITEM BID stablish the state cost.	
				column to righ			FILE OF ILETIS		Stabiish the state cost.	
				Diesel			Gas		Propane	
Battery(ies)	to be mounted in body battery compartment w/o		Size/group w/o lift <u>GP 31</u> Size/gr CCA <u>2100</u> CCA <u>2</u>			group w/o lift <u>GP 31</u> C		ze/group w/o lift <u>GP 31</u> CA <u>2100</u>		
lift. 1400 CCA 12 volt mi to be mounted in bod battery compartment		ody nt w/lift.						ize/group w/lift <u>GP 31</u> CA <u>2100</u>		
Battery Compartment		attery storage tray must be large enough to accommodate atteries as specified in chassis section.					Swing out		□ Roll out	
Brakes		Hydraulic disc. Refer to Washington State School Bus Size Front 70MM Specifications Manual. Size Front 70MM				M	Rear <u>70MM</u>			
Door, Service	Power operated.					Electric		 □ Folding ⊠ Split, Outward opening □ Other 		
Engine	Diesel and		Diese	1		G	Gas		Propane	
	Propane—180	Engine m	Engine mfr. CUMMINS		Engine mfr	Engine mfr. <u>FORD</u>		Engine	Engine mfr. FORD	
	H.P. minimum.	Model or	or liters B6.7L		Model or lit	ers 7	.3L	Model or liters 7.3L		
	Gas—210 H.P. minimum.	Net torqu	e <u>520</u> @	<u>1600</u> R.P.M	Net torque	<u>468</u>	@ <u>3750</u> R.P.M	Net torque <u>468</u> @ <u>3750</u> R.P		
		Net H.P.	<u>200</u> @2	<u>400</u> R.P.M	Net H.P. 33	<u>35</u> (@ <u>3750</u> R.P.M	Net H.P. <u>335</u> @ <u>3750</u> R.P.I		
Engine Heater	Engine manufactur	ers recomr	mended in-	-block heater.		W	/atts	·	Volts <u>120</u>	
						Μ	Mfr. PHILLIPS			
Engine Temperature	To be controlled ele	ectronically	ν, by fan clι	utch/drive, or s	hutters.		Mfr. HORTON			
•		0 "					Fan clutch			
Fuel Tank	Diesel and Gas—6 Propane—largest a		inimum.	Capacity <u>60 (</u>	sel Gallons	C	Gas apacity <u>60 GALLO</u>	NS	Propane Capacity <u>69 GALLONS</u>	

Vendor: <u>BRYSON</u>

State Price Quote Specification

TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE

Use this document to bid both non-lift and lift buses for 35-60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. <u>90,000 & 50,000</u> Center B.T.U. <u>50,000</u>		
	·	Rear B.T.U. <u>50,000</u> Total B.T.U. <u>240,000</u>		
Hood	Tilt.	☐ Fiberglass		
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Taillights, Turn Signals, Eight-Light System, and Dome- Light System.	Check if as specified ⊠ If not, explain		
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. MUSIC WAVE		
		Model No. MFG STD		
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>243</u> " w/lift <u>243</u> "		
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>27.5"</u> w/lift <u>27.5"</u>		
Steering Wheel	Tilt and telescoping column.	Check if as specified ⊠		
Step Tread	Studded or pebbled top tread covering.	Mfr. PROFUSION INDUSTRIES		
Tires	6 first quality, radial ply. No low profile tires.	Mfr. ONE OF FIVE MAJOR BRANDS		
		Size <u>11R 22.5</u>		
		Load range H		
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>3.16</u>		

Vendor: <u>BRYSON</u>

State Price Quote Specification TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE

Use this document to bid both non-lift and lift buses for 35-60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications.			VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.			
		specified in column to right.					
Transmission	Diesel and Propane:	Diesel		Gas	Propane		
Automatic—Allison, PTS 2500 or equal. Gas: Automatic— manufacturer's standard	Mfr. ALLISON	Mfr.	FORD	Mfr. FORD			
	Model no. <u>2500 PTS</u>	Мос	del no. <u>6R140</u>	Model no. <u>6R140</u>			
	Net input <u>660</u>	Net	input <u>800</u>	Net input 800			
	compatible with H.P. and torque rating of engine bid.	Net input H.P. <u>300</u>	Net	input H.P. <u>400</u>	Net input H.P. <u>400</u>		
Two-way	45-watt, VHF, mil. spec.			Mfr. <u>KENWOOD</u>			
Communications				Model No. NX3720HVK			
Wheels	6 to be compatible with tire s	ize.		Size <u>22.5</u>			
				Rim width 8.25			
	SPECIAL NEEDS R	EQUIREMENTS—CHASSIS	AND	BODY			
Wheelchair	· ·	. Platform shall be a minimum o	of	Mfr. BRAUN			
Lift—Installed	32" x 52".			Model No. NCL919-FIB-2	1		
Wheelchair/	Must meet state specification	l.		Mfr. <u>Q-STRAINT</u>			
Occupant Tie- down System— Installed			-	Model No. <u>Q-8106-L2</u>			

Vendor: <u>BRYSON</u>

State Price Quote Specification

TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE

Use this document to bid both non-lift and lift buses for 35-60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications.	Price of items bid will establish the state cost.
	Item bid shall be specified in column to right.	
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified ⊠
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified ⊠
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ⊠
Service and Cleaning	 Cleaning and service by vendor prior to delivery will include: Chassis lubrication. Check fluid levels: verify all are at recommended full levels. Cooling system protected at -20°F. Interior and exterior will be clean (including glass). All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. All components and accessories will be installed and operational at time of delivery. 	Check if as specified ⊠
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ⊠

Washington Office of Superintendent of PUBLIC INSTRUCTION 2023-2024	PO B0X 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631								
		-		OFFICIAL PRICI PASSENGER (DIE		ON			
VENDOR'S COMPANY NAME BRYSON SALES & SERVICE OF WAS	HINGTON, INC.		REPRESENTATIVE'S BRANDON BRY				relephone 425-953-		
ADDRESS 2407 GIBSON ROAD EVERETT, WA 98204			Estimated delivery date to school district from time purchase order is received: 150-210 Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>BRYSON</u>						
				dy can be serviced or re	epaired, and parts	s obtained: <u>I</u>	BRYSON		
MAKE BLUE BIRD MODEL BBCV 2311	year 2024	Warranty: Seat color: Floor color:	Years <u>1</u> Miles <u>12,000</u> <u>BROWN</u>	Inside measurement from rear of Equipped seating capacity:		nches):			
	CHASSIS				ENG	SINE			
MAKE BLUE BIRD		Warranty:	Years <u>1</u> Miles <u>12,000</u>	MANUFACTURER CUMMINS		Torque: <u>52</u> H.P.: <u>200</u>		<u>1600</u> 2400	RPM RPM
MODEL BBCV 2311	YEAR 2024	Wheelbase:	<u>189"</u>	MODEL B6.7L	YEAR 2024	C.I.D. or Li Fuel type: I	DSL		
MANUFACTURER ALLISON	RANSMISSION	Speeds forv	vard: <u>5</u>	Miles 100.000		Battery typ Number ba		<u>31</u> <u>3</u>	<u>31</u> <u>3</u>
MODEL 2500 PTS		Warranty:	Miles <u>UNLIM</u>	Number of cylinders: <u>(</u> Inline <u>X</u> V-type	<u>6</u> -	Total CCA:		<u>2100</u>	<u>2100</u>
Quoted price is based upon payme	ent within 30 davs afte	r delivery to t	QUOTED P the school distric						
Diesel Bid—w/o lift \$ <u>164,957.00</u>		iesel Bid—w/l	lift \$ <u>174,962.00</u>						
Diesel Bid—w/o lift \$ <u>164,957.00</u> VENDOR REPRESENTATIVE'S SIGNATURE <u>Brandon Bryson</u>		iesel Bid—w/l	lift \$ <u>174,962.00</u>	DATE 08/07/2023					

Washington Office of Superintendent of PUBLIC INSTRUCTION

2023-2024

STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C60—BID AS 48 PASSENGER (GAS)

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER		
BRYSON SALES & SERVICE OF WASHINGTON, INC.	BRANDON BRYSON	425-953-2820		
ADDRESS				
2407 GIBSON RD.	Estimated delivery date to school district from time purchase order is received: <u>150-210</u>			
EVERETT, WA 98204	Firm where engine and chassis can be serviced or repaired, and parts obtained: BRYSON			
	Firm where body can be serviced or repaired, and parts obtained: BRY	an be serviced or repaired, and parts obtained: BRYSON		
	$\frac{1}{D(1)}$			

BODY						
MAKE		Warranty: Years <u>1</u>	Inside measurement from rear of	Equipped seating capacity:		
BLUE BIRD		Miles 12,000	stepwell to appropriate point at	w/o lift 48 w/lift 37		
MODEL BBCV 2311	YEAR 2024		rear of passenger seating area:			
DDCV 2511	2024	Seat color: <u>BROWN</u>	w/o lift <u>243"</u> w/lift <u>243"</u>	Overall vehicle length (inches):		
		Floor color: <u>BLACK</u>		w/o lift 358.29 w/lift 358.29		

	CHASSIS		ENGINE			
MAKE BLUE BIRD		Warranty: Years <u>1</u> Miles <u>12.000</u>	MANUFACTURER FORD	Torque: <u>468</u> @ <u>3750</u> RPM H.P.: <u>335</u> @ <u>3750</u> RPM		
MODEL BBCV 2311	YEAR 2024	Wheelbase: <u>189"</u>	MODELYEAR7.3L2024	C.I.D. or Liters: <u>7.3L</u> Fuel type: <u>GAS</u>		
	TRANSMISSION		Warranty: Years <u>5</u>	Battery type/grp: <u>31</u> <u>31</u>		
MANUFACTURER FORD		Speeds forward: <u>6</u>	Miles <u>UNLIMITED</u>	Number batteries: <u>3</u> <u>3</u>		
MODEL 6R140		Warranty: Years <u>5</u> Miles <u>UNLIM</u>	Number of cylinders: <u>8</u> Inline V-type <u>X</u>	Total CCA: <u>2100</u> <u>2100</u>		

QUOTED PRICE					
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).					
Gas Bid—w/o lift \$ <u>168,955.00</u> Gas Bid—w/lift \$ <u>179,897.00</u>					
VENDOR REPRESENTATIVE'S SIGNATURE Brandon Bryson	DATE <u>08/07/2023</u>				



Washington Office of Superintendent of PUBLIC INSTRUCTION 2023-20234

STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C60—BID AS 48 PASSENGER (PROPANE)

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER	
BRYSON SALES & SERVICE, INC.	BRANDON BRYSON	425-953-2820	
ADDRESS			
2407 GIBSON RD.	Estimated delivery date to school district from time purchase order is received: <u>150-210</u>		
EVERETT, WA 98204	Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>BRYSON</u>		
	Firm where body can be serviced or repaired, and parts obtained: <u>BRYSON</u>		
		Bittbolt	

BODY							
MAKE		Warranty: Years 1	Inside measurement from rear of	Equipped seating capacity:			
BLUE BIRD		Miles 12,000	stepwell to appropriate point at	w/o lift 48 w/lift 37			
MODEL BBCV 2311	YEAR 2024	Wiles <u>12,000</u>	rear of passenger seating area:	W/0 III <u>10</u> W/IIII <u>57</u>			
bb() 2311	2021	Seat color: <u>BROWN</u>	w/o lift <u>243"</u> w/lift <u>243"</u>	Overall vehicle length (inches):			
		Floor color: <u>BLACK</u>		w/o lift 358.29 w/lift 358.29			

	CHASSIS			NGINE
MAKE BLUE BIRD		Warranty: Years <u>1</u> Miles <u>12,000</u>	MANUFACTURER FORD	Torque: <u>468</u> @ <u>3750</u> RPM H.P.: <u>335</u> @ <u>3750</u> RPM
MODEL BBCV 2311	YEAR 2024	Wheelbase: <u>189"</u>	MODELYEAR7.3L2024	C.I.D. or Liters: <u>7.3L</u> Fuel type: <u>PROPANE</u>
	TRANSMISSION		Warranty: Years <u>5</u>	Battery type/grp: <u>31</u> <u>31</u>
MANUFACTURER FORD		Speeds forward: 6	Miles <u>UNLIMITED</u>	Number batteries: <u>3</u> <u>3</u>
MODEL 6R140		Warranty: Years <u>5</u> Miles <u>UNLIM</u>	Number of cylinders: <u>X</u> Inline V-type X	Total CCA: <u>2100</u> <u>2100</u>

QUOTED PRICE			
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).			
Propane Bid—w/o lift \$ <u>178,195.00</u> Propane Bid—w/lift \$ <u>185,838.00</u>			
VENDOR REPRESENTATIVE'S SIGNATURE <u>Brandon Bryson</u>	DATE 08/07/2023		

PART II

Vendor: <u>BRYSON</u>

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS ⊠C60 □C77 □D60 □D84

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>30</u>	
Seating		Cost \$ <u>13,938.00</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. MCC AC-12IW1IW1122	
		Cost \$ <u>10,926.00</u>	
Alternate Fuel		Mfr. <u>N/A</u>	
	Washington State School Bus Specifications manual. Must	□ Cost \$ <u>N/A</u>	
Electric	 comply with all the requirements of FMVSS No. 305. 	Electric Cost \$ N/A	
Alternator	Available options.	Cost \$ <u>INCLUDED</u>	Capacity <u>240 AMP</u>
		Cost \$ <u>506.00</u>	Capacity <u>280 AMP</u>
		Cost \$ <u>721.00</u>	Capacity <u>325 AMP</u>
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>215.00</u>	
		Type D: Cost \$ <u>N/A</u>	
Back-up Alarm	Must meet state specification.	Mfr. ECCO VARIABLE DB	
		Cost \$ <u>230.00</u>	
Brakes	4-wheel hydraulic disk brake.	Cost \$ INCLUDED	Deduct \$ <u>0.00</u>
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>3,888.00</u>	Disc Deduct \$ <u>N/A</u>
		Drum Cost \$ <u>1,058.00</u>	Drum Deduct \$ <u>N/A</u>
Color	Exterior white roof.	Cost \$ INCLUDED	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>559.00</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air	Air
		Mfr. <u>NATIONAL</u>	Mfr. NATIONAL
		Cost \$ INCLUDED	Cost \$ <u>299.00</u>
Fire Suppression	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. AMEREX VH25 ABS FOUR NOZZLE	
System		Cost \$ <u>5,967.00</u>	

Vendor: <u>BRYSON</u>

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS ⊠C60 □C77 □D60 □D84

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.		
Floor Color	Nonstandard color.	Cost \$ <u>459.00</u>		
Fuel Tank	Larger fuel capacity (Diesel only).	Size: <u>N/A</u>	Cost \$ <u>N/A</u>	
Fuel Tank	Larger fuel capacity (Propane only).	Size: <u>N/A</u>	Cost \$ <u>N/A</u>	
Headlights	Halogen.	Cost \$ INCLUDED		
Headlights	L.E.D.	Cost \$ <u>N/A</u>		
Heater (Auxiliary	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: ESPAR	Model: <u>TTC 17,000 BTU</u>	
water)		Cost \$ <u>2,067.00</u>		
Noise Reduction	Exceeding minimum specifications.	Driver compartment	Cost \$ <u>N/A</u>	
		Engine compartment	Cost \$ <u>N/A</u>	
		Full acoustical headliner	Cost \$ <u>936.00</u>	
Retarder	Manufacturer's standard.	Driveline 🛛	Cost \$ <u>17,000.00</u>	
		Exhaust 🛛	Cost \$ <u>110.00</u>	
		Transmission	Cost \$ <u>N/A</u>	
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ <u>689.00 PER SEAT</u>		
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ <u>10,811.00</u>		
		Capacity <u>30</u>		
		3 by 2 Cost \$ <u>11,995.00</u>		
		Capacity <u>40</u>		
		3 by 3 Cost \$ <u>13,419.00</u>		
		Capacity <u>48</u>		

Vendor: <u>BRYSON</u>

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS ⊠C60 □C77 □D60 □D84

ITEM	Vendor must meet or exceed these specifications.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Storage	Item bid shall be specified in column to right. Largest available for unit bid.	Left side <u>N/A</u>	cubic feet.	
Compartments		Cost \$ N./A		
		Right-side 16	cubic feet.	
		Cost \$ <u>1,074.00</u>		
		Push-thru <u>N/A</u>	cubic feet.	
		Cost \$ N/A		
Strobe Light	Exterior roof mounted white strobe light.	Mfr. ECCO		
		Model No. 7460 LED CL	Model No. 7460 LED CLEAR LENS	
		Cost \$ <u>223.00</u>	Cost \$ <u>223.00</u>	
Student Protection	Electronic system to insure driver post-trip inspection of	Mfr. BLUE BIRD	Mfr. BLUE BIRD	
System—Installed	passenger compartment.	Model No. DA01	Model No. DA01	
		Cost \$ 284.00		
Suspension	Air ride (Air brake system only).	Front	Rear	
		Cost \$ <u>1,158.00</u>	Cost \$ <u>1,649.00</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ <u>84.00</u>	Deduct \$ <u>N/A</u>	
Traction Device	Automatic chains.	Mfr. <u>ON SPOT</u>	Mfr. ON SPOT	
		Cost \$ <u>4,899.00</u>	Cost \$ <u>4,899.00</u>	
Traction Device	Sanders.	Capacity <u>100 LBS.</u>	Capacity 100 LBS.	
		Cost \$ <u>2,909.00</u>	Cost \$ <u>2,909.00</u>	
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. <u>ALLISON</u>	Mfr. ALLISON	
		Model No. <u>3000 PTS</u>		
		Cost \$ <u>6,573.00</u>		
Vehicle Securement System	Must meet state specification.	Mfr. <u>BLUE BIRD</u>	Cost \$ <u>794.00</u>	

Vendor: <u>BRYSON</u>

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS ⊠C60 □C77 □D60 □D84

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BI Price of items bid will establish the district cos	
Video Camera	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>REI</u>	
Systems—Installed		Model No. <u>REI-HD6-600</u> W-4-500GB	
		Cost \$ 2.609	How many cameras <u>4</u>
Video Camera	Must meet state specification.	Stand Alone System	Added to Interior System
Systems—Stop Sign		Mfr. <u>REI</u>	Mfr. <u>REI</u>
Camera—Installed		Model No. <u>HD6-600W-2-</u> 500GB	Model No. <u>STD INTERIOR</u> CAMERA
		Cost \$ <u>2,487.00</u>	Cost \$ <u>315.00</u>
		How many cameras 2	How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$ <u>284.00</u>	Cost \$ <u>284.00</u>
Additional	Must meet state specification.	Mfr. Q-STRAINT	
Wheelchair/Occupant		Model No. <u>Q-8106-L2</u>	
Tie-down System— Installed		Cost per station \$ 598.00	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>3,514.00</u>	
		Rear Cost \$ <u>1,490.00</u>	
		Both Cost \$ <u>5,004.00</u>	
Windows	Tinted.	Cost \$ INCLUDED	
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>601.00</u>	