

Vendor: Northwest Bus Sales

Mfr.: Magellan

State Price Quote Specification
TYPE A— GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.	
Seating Capacity	Maximum passenger capacity based upon an average center-to-center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Gas	Propane
		Capacity w/o lift <u>24</u>	Capacity w/o lift _____
		Capacity w/lift <u>18+1</u>	Capacity w/lift _____
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Mfr. <u>GM</u>	
		Amps output w/o lift or A.C. <u>220</u>	
		Amps output w/lift or A.C. <u>220</u>	
Auxiliary Automatic Transmission Cooler	10,000 lb. Hayden or equal.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. _____
		Lbs. rating <u>10,000</u>	Lbs. rating _____
Axle—Front	Manufacturer's recommendation.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. _____
		Lbs. rating <u>4,300</u>	Lbs. rating _____
		Indepen. suspens. <input checked="" type="checkbox"/>	Indepen. suspens. <input type="checkbox"/>
Axle—Rear	Manufacturer's recommendation.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. _____
		Capacity <u>8,600</u>	Capacity _____
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Gas	Propane
		Ratio <u>3.73:1</u>	Ratio _____
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/> Diameter <u>4.6"</u> Other: <input type="checkbox"/> Square inches _____	

Vendor: Northwest Bus Sales

Mfr.: Magellan

**State Price Quote Specification
TYPE A—GAS & PROPANE**

Use this document to bid both non-lift and lift, gas and propane buses.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift. 1070 CCA 12 volt minimum for any bus w/lift.	Gas/Propane w/o lift	
		CCA <u>Dual 770 CCA</u>	CCA _____
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Gas	
		Front Disc <input checked="" type="checkbox"/>	Front Disc <input type="checkbox"/>
		Drum <input type="checkbox"/>	Drum <input type="checkbox"/>
		Rear Disc <input checked="" type="checkbox"/>	Rear Disc <input type="checkbox"/>
		Drum <input type="checkbox"/>	Drum <input type="checkbox"/>
		Drum Size _____	Drum Size _____
Doors, Service	Power operated.	<input type="checkbox"/> Air <input type="checkbox"/> Folding <input checked="" type="checkbox"/> Electric <input checked="" type="checkbox"/> Split, Outward Opening <input type="checkbox"/> Other _____	
Engine	Gas and Propane—3.5 liters minimum.	Gas	
		Engine mfr. <u>GM</u>	Engine mfr. <u>N/A</u>
		H.P. <u>401</u>	Liters <u>6.6</u>
Fuel Tank	Gas—25-gallon minimum. Propane—largest available.	Gas	
		Capacity <u>33 Gallon</u>	Capacity <u>N/A</u>
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift <u>60,000</u> Rear B.T.U. w/lift <u>60,000</u>	
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain. _____	

**State Price Quote Specification
TYPE A—GAS & PROPANE**

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: Northwest Bus Sales

Mfr.: Magellan

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>OEM w/ separate PA module</u>	
		Model No. <u>OEM w/ separate PA module</u>	
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>152"</u> w/lift <u>152"</u>	
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>33"</u> w/lift <u>29.5"</u>	
Steering Wheel	Tilt.	Check if as specified <input checked="" type="checkbox"/>	
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>ProFusion</u>	
Tires	6 first quality, radial ply.	Mfr. <u>OEM</u>	
		Size <u>LT225/75R16</u>	
		Load range <u>E</u>	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>2.85</u>	
Transmission	Automatic—manufacturer's standard compatible with H.P. and torque rating of engine bid.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. _____
		Model no. <u>6L90</u>	Model no. _____
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>Motorola</u>	
		Model No. <u>CM200D</u>	
Wheels	6 to be compatible with tire size.	Size <u>16"</u>	
		Rim width <u>6.5"</u>	

Vendor: Northwest Bus Sales

State Price Quote Specification
TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

Mfr.: Magellan

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>Braun</u> Model No. <u>NCL1000IB3351HB-2</u>
Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q'Straint</u> Model No. <u>Q-8100-A1-L</u>
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified <input checked="" type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified <input checked="" type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input checked="" type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input checked="" type="checkbox"/>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2024-2025

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—GAS

VENDOR'S COMPANY NAME Northwest Bus Sales, Inc. ADDRESS 33207 Pacific Hwy. S. Federal Way, WA 98003	REPRESENTATIVE'S NAME Rob Goolsby TELEPHONE NUMBER 253-841-9997 Estimated delivery date to school district from time purchase order is received: <u>180 days</u> <u>ARO</u> Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>Nearest Chevy Dealer</u> Firm where body can be serviced or repaired, and parts obtained: <u>Northwest Bus Sales</u>
--	--

BODY			
MAKE Magellan MODEL DH416	YEAR 2024	Warranty: Years <u>5</u> Miles <u>60k</u> Seat color: <u>Gray</u> Floor color: <u>Black</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>152"</u> w/lift <u>152"</u> Equipped seating capacity: w/o lift <u>24</u> w/lift <u>18+1</u> Overall vehicle length (inches): w/o lift <u>258"</u> w/lift <u>258"</u>

CHASSIS	ENGINE
MAKE Chevrolet MODEL Express 3500 Cutaway YEAR 2024 Wheelbase: <u>139"</u>	MANUFACTURER General Motors MODEL L8T YEAR 2024 Torque: <u>464</u> @ <u>4000</u> RPM H.P.: <u>401</u> @ <u>5200</u> RPM Liters: <u>6.6</u> Fuel type: <u>Gasoline</u>
MANUFACTURER General Motors MODEL 6L90 Speeds forward: <u>6</u> Warranty: Years <u>5</u> Miles <u>60k</u>	Battery type/grp: <u>12V</u> <u>12V</u> Number batteries: <u>2</u> <u>2</u> Total CCA: <u>1540</u> <u>1540</u> Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Gas Bid—w/o lift \$ <u>103,902</u>	Gas Bid—w/lift \$ <u>110,710</u>
VENDOR REPRESENTATIVE'S SIGNATURE <u>Rob Goolsby</u>	DATE <u>08/02/2024</u>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2024-2025

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE A—PROPANE**

VENDOR'S COMPANY NAME Northwest Bus Sales, Inc.		REPRESENTATIVE'S NAME Rob Goolsby	TELEPHONE NUMBER 206-445-8591
ADDRESS 33207 Pacific Hwy. S. Federal Way, WA 98003		Estimated delivery date to school district from time purchase order is received: No Bid _____	
		Firm where engine and chassis can be serviced or repaired, and parts obtained: _____	
		Firm where body can be serviced or repaired, and parts obtained: _____	

BODY

MAKE No Bid	Warranty: Years _____ Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____
MODEL	YEAR	Seat color: _____ Floor color: _____	Overall vehicle length (inches): w/o lift _____ w/lift _____

CHASSIS

ENGINE

MAKE	Warranty: Years _____ Miles _____	MANUFACTURER	Torque: _____ @ _____ RPM H.P.: _____ @ _____ RPM
MODEL	YEAR	Wheelbase: _____	MODEL
			YEAR
			Liters: _____ Fuel type: _____
TRANSMISSION		Warranty: Years _____ Miles _____	Battery type/grp: _____
MANUFACTURER	Speeds forward: _____	Number of cylinders: _____ Inline _____ V-type _____	Number batteries: _____
MODEL	Warranty: Years _____ Miles _____		Total CCA: _____

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ No Bid

Propane Bid—w/lift \$ No Bid

VENDOR REPRESENTATIVE'S SIGNATURE
Rob Goolsby

DATE
08/02/2024

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Vendor: Northwest Bus Sales

Mfr.: Magellan

Use this document to bid both non-lift and lift, gas and propane buses.

ITEM	CHASSIS	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Small A	Type A bus—10,000 lbs. or under GVWR chassis.	Gas	Propane
		Deduct <u>N/A</u>	Deduct <u> </u>
		Mfr. <u> </u>	Mfr. <u> </u>
		Capacity w/o lift <u> </u>	Capacity w/o lift <u> </u>
		Dual Wheel <input type="checkbox"/>	Dual Wheel <input type="checkbox"/>
		Single Wheel <input type="checkbox"/>	Single Wheel <input type="checkbox"/>
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>ACT 30k BTU</u>	
		Cost \$ <u>4,890</u>	
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. <u> </u>	
<input checked="" type="checkbox"/> Electric		<input checked="" type="checkbox"/> Electric Cost \$ <u>See submission for Electric Type-A</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>Standard</u>	
		Cost \$ <u> </u>	
Color	Exterior white roof.	Cost \$ <u>Standard</u>	
Steering Wheel	Tilt and telescoping column.	Cost \$ <u>Tilt standard, telescoping not available</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>Sound Off Signal or Equivalent</u>	
		Model No. <u>3107LCC or Equivalent</u>	
		Cost \$ <u>295</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>Child Checkmate</u>	
		Model No. <u>EP1+</u>	
		Cost \$ <u>525</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ <u>325</u>	Deduct \$ <u> </u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Use this document to bid both non-lift and lift, gas and propane buses.

PART II (cont.)

Vendor: Northwest Bus Sales

Mfr.: Magellan

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>AngelTrax</u>	
		Model No. <u>Vulcan</u>	
		Cost \$ <u>3,990</u>	How many cameras <u>3</u>
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr. <u>AngelTrax</u>	Mfr. <u>AngelTrax</u>
		Model No. <u>Vulcan</u>	Model No. <u>Vulcan</u>
		Cost \$ <u>3,990</u>	Cost \$ <u>675</u>
		How many cameras <u>3</u>	How many cameras <u>4</u>
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$ <u>N/A</u>	Cost \$ <u>595</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q'Straint</u>	
		Model No. <u>Q-8100-A1-L</u>	
		Cost per station \$ <u>1,395</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>1680, 4.5 section bus</u>	
		Rear Cost \$ <u>425</u>	
		Both Cost \$ <u>2,105, 4.5 section bus</u>	
Windows	Tinted.	Cost \$ <u>Standard</u>	