

Vendor: RWC Group

Mfr.: Collins

State Price Quote Specification
TYPE A— GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.	
Seating Capacity	Maximum passenger capacity based upon an average center-to-center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Gas	Propane
		Capacity w/o lift <u>24</u>	Capacity w/o lift <u>NA</u>
		Capacity w/lift <u>18+1</u>	Capacity w/lift <u>NA</u>
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Mfr. <u>Delco</u>	
		Amps output w/o lift or A.C. <u>220</u>	
		Amps output w/lift or A.C. <u>220</u>	
Auxiliary Automatic Transmission Cooler	10,000 lb. Hayden or equal.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>NA</u>
		Lbs. rating <u>10,000</u>	Lbs. rating <u>NA</u>
Axle—Front	Manufacturer's recommendation.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>NA</u>
		Lbs. rating <u>4,300</u>	Lbs. rating <u>NA</u>
		Indepen. suspens. <input checked="" type="checkbox"/>	Indepen. suspens. <input type="checkbox"/>
Axle—Rear	Manufacturer's recommendation.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>NA</u>
		Capacity <u>8,600</u>	Capacity <u>NA</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Gas	Propane
		Ratio <u>3.73</u>	Ratio <u>NA</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/> Diameter <u>4 Inch</u>	Other: <input type="checkbox"/> Square inches _____

Vendor: RWC Group

Mfr.: Collins

**State Price Quote Specification
TYPE A—GAS & PROPANE**

Use this document to bid both non-lift and lift, gas and propane buses.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift. 1070 CCA 12 volt minimum for any bus w/lift.	Gas/Propane w/o lift	
		CCA <u>1540</u>	Any bus w/lift CCA <u>1540</u>
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Gas	
		Front Disc <input checked="" type="checkbox"/>	Propane
		Drum <input type="checkbox"/>	Front Disc <input type="checkbox"/>
		Rear Disc <input checked="" type="checkbox"/>	Drum <input type="checkbox"/>
		Drum <input type="checkbox"/>	Rear Disc <input type="checkbox"/>
		Drum Size <u>13.6</u>	Drum Size <u>NA</u>
Doors, Service	Power operated.	<input type="checkbox"/> Air <input type="checkbox"/> Folding <input checked="" type="checkbox"/> Electric <input checked="" type="checkbox"/> Split, Outward Opening <input type="checkbox"/> Other _____	
Engine	Gas and Propane—3.5 liters minimum.	Gas	
		Engine mfr. <u>GM</u>	Propane Engine mfr. <u>NA</u>
		H.P. <u>404</u>	Liters <u>NA</u>
Fuel Tank	Gas—25-gallon minimum. Propane—largest available.	Gas	
		Capacity <u>33</u>	Propane Capacity <u>NA</u>
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift <u>60k</u> Rear B.T.U. w/lift <u>60k</u>	
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain. _____ _____ _____	

**State Price Quote Specification
TYPE A—GAS & PROPANE**

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: RWC Group

Mfr.: Collins

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>GM</u>	
		Model No. <u>OEM</u>	
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>136</u> w/lift <u>152</u>	
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>27.5</u> w/lift <u>27.5</u>	
Steering Wheel	Tilt.	Check if as specified <input checked="" type="checkbox"/>	
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>Pebbled</u>	
Tires	6 first quality, radial ply.	Mfr. <u>General</u>	
		Size <u>LT225/75R16</u>	
		Load range <u>E</u>	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>4.96</u>	
Transmission	Automatic—manufacturer's standard compatible with H.P. and torque rating of engine bid.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>NA</u>
		Model no. <u>8L90</u>	Model no. <u>NA</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>ICOM</u>	
		Model No. <u>F-5011</u>	
Wheels	6 to be compatible with tire size.	Size <u>16</u>	
		Rim width <u>6.5</u>	

State Price Quote Specification
TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: RWC GroupMfr.: Collins

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>Braun</u> Model No. <u>NCL1000IB3351HB-2</u>
Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u> Model No. <u>Q-8100-A1</u>
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified <input checked="" type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified <input checked="" type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input checked="" type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input checked="" type="checkbox"/>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2024-2025

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—GAS

VENDOR'S COMPANY NAME RWC Group ADDRESS 600 North 75 th Avenue Phoenix, AZ 85043	REPRESENTATIVE'S NAME Tom Hartman Estimated delivery date to school district from time purchase order is received: <u>180 Days</u> <u>ARO</u> Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>Any GM</u> <u>Dealer</u> Firm where body can be serviced or repaired, and parts obtained: <u>RWC Group (7 locations in</u> <u>WA)</u>	TELEPHONE NUMBER 602-377-4401
--	---	---

BODY

MAKE Collins		Warranty: Years <u>5</u> Miles <u>100k</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>136</u> w/lift <u>152</u>	Equipped seating capacity: w/o lift <u>24</u> w/lift <u>18+1</u> Overall vehicle length (inches): w/o lift <u>242</u> w/lift <u>258</u>
MODEL DH400	YEAR 2025	Seat color: <u>Gray</u> Floor color: <u>Black</u>		

CHASSIS

ENGINE

MAKE Chevrolet		Warranty: Years <u>3</u> Miles <u>36k</u>	MANUFACTURER GM	Torque: <u>464</u> @ <u>4000</u> RPM H.P.: <u>404</u> @ <u>5200</u> RPM
MODEL G3500	YEAR 2025	Wheelbase: <u>139</u>	MODEL SFI V8	YEAR 2024
TRANSMISSION			WARRANTY	
MANUFACTURER Chevrolet	Speeds forward: <u>8</u>		Years <u>5</u> Miles <u>100k</u>	
MODEL 8L90	Warranty: Years <u>5</u> Miles <u>60k</u>		Battery type/grp: <u>74</u> <u>74</u> Number batteries: <u>2</u> <u>2</u> Total CCA: <u>1540</u> <u>1540</u>	
			Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>	

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Gas Bid—w/o lift \$ 122,270

Gas Bid—w/lift \$ 132,624

VENDOR REPRESENTATIVE'S SIGNATURE <u>Tom Hartman</u>	DATE <u>8-5-24</u>
---	-----------------------



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2024-2025

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—PROPANE

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS	Estimated delivery date to school district from time purchase order is received: _____	
	Firm where engine and chassis can be serviced or repaired, and parts obtained: _____	
	Firm where body can be serviced or repaired, and parts obtained: _____	

BODY

MAKE	Warranty: Years _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____
MODEL	Miles _____	Seat color: _____	Overall vehicle length (inches): w/o lift _____ w/lift _____
YEAR	Floor color: _____		

CHASSIS

ENGINE

MAKE	Warranty: Years _____	MANUFACTURER	Torque: _____ @ _____ RPM
MODEL	Miles _____	MODEL	H.P.: _____ @ _____ RPM
YEAR	Wheelbase: _____	YEAR	Liters: _____
TRANSMISSION		Warranty: Years _____	Fuel type: _____
MANUFACTURER	Speeds forward: _____	Miles _____	Battery type/grp: _____
MODEL	Warranty: Years _____	Number of cylinders: _____	Number batteries: _____
	Miles _____	Inline _____ V-type _____	Total CCA: _____

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ N/A

Propane Bid—w/lift \$ N/A

VENDOR REPRESENTATIVE'S SIGNATURE
Tom Hartman

DATE
8-5-24

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Vendor: RWC GroupMfr.: Collins

Use this document to bid both non-lift and lift, gas and propane buses.

ITEM	CHASSIS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the district cost.	
Small A	Type A bus—10,000 lbs. or under GVWR chassis.	Gas	Propane
		Deduct <u>2,350</u>	Deduct <u>NA</u>
		Mfr. <u>GM</u>	Mfr. <u>NA</u>
		Capacity w/o lift <u>16</u>	Capacity w/o lift <u>NA</u>
		Dual Wheel <input type="checkbox"/>	Dual Wheel <input type="checkbox"/>
		Single Wheel <input checked="" type="checkbox"/>	Single Wheel <input type="checkbox"/>
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>American Cooling Tech</u>	
		Cost \$ <u>10,000</u>	
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. <u>NA</u>	
<input type="checkbox"/> Electric		<input type="checkbox"/> Electric Cost \$ <u>NA</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>Superior Signals</u>	
		Cost \$ <u>100</u>	
Color	Exterior white roof.	Cost \$ <u>Standard</u>	
Steering Wheel	Tilt and telescoping column.	Cost \$ <u>NA</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>Opti-Luxx</u>	
		Model No. <u>Beacon 4903</u>	
		Cost \$ <u>195</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>Check Mate</u>	
		Model No. <u>EP1</u>	
		Cost \$ <u>545</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ <u>305</u>	Deduct \$ <u>NA</u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Use this document to bid both non-lift and lift, gas and propane buses.

PART II (cont.)

Vendor: RWC Group

Mfr.: Collins

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>Seon</u>	
		Model No. <u>TH4</u>	
		Cost \$ <u>3,974</u>	How many cameras <u>3</u>
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr. <u>Seon</u>	Mfr. <u>Seon</u>
		Model No. <u>TH4</u>	Model No. <u>TH4</u>
		Cost \$ <u>3,037</u>	Cost \$ <u>943</u>
		How many cameras <u>1</u>	How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$ <u>NA</u>	Cost \$ <u>560</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u>	
		Model No. <u>Q-8100-A1</u>	
		Cost per station \$ <u>1,050</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>NA</u>	
		Rear Cost \$ <u>NA</u>	
		Both Cost \$ <u>NA</u>	
Windows	Tinted.	Cost \$ <u>375</u>	