

PART I

State Price Quote Specification

Vendor: SCHETKY NW SALES INC Mfr.: COLLINS

TYPE A— GAS & PROPANE

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICA	LLY IDENTIFY ITEM BID		
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.			
Seating Capacity	Maximum passenger capacity based upon an average center-to-	Gas	Propane		
	center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Capacity w/o lift <u>24</u>	Capacity w/o lift <u>N/A</u>		
		Capacity w/lift <u>19</u>	Capacity w/lift <u>N/A</u>		
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer	Mfr. <u>OEM</u>			
	recommended capacity.	Amps output w/o lift or A.C	2 <u>20</u>		
		Amps output w/lift or A.C.	220		
Auxiliary Automatic	10,000 lb. Hayden or equal.	Gas	Propane		
Transmission Cooler		Mfr. <u>GM</u>	Mfr. <u>N/A</u>		
		Lbs. rating <u>10,000</u>	Lbs. rating		
Axle—Front	Manufacturer's recommendation.	Gas	Propane		
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>		
		Lbs. rating <u>4,300</u>	Lbs. rating		
		Indepen. suspens.	Indepen. suspens.		
Axle—Rear	Manufacturer's recommendation.	Gas	Propane		
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>		
		Capacity <u>8.600</u>	Capacity		
Axle Ratio	Must comply with power and gradeability formula. Refer to	Gas	Propane		
	Washington State School Bus Specifications Manual.	Ratio <u>3.73</u>	Ratio		
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round:⊠Diameter 4"Other:□Square incl			

State Price Quote Specification
TYPE A—GAS & PROPANE

ITEM	STATE-SUPPORTED SPECIFICATIONS		LY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will e	establish the state cost.	
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift.	Gas/Propane w/o lift	Any bus w/lift	
	1070 CCA 12 volt minimum for any bus w/lift.	CCA <u>1320</u>	CCA <u>1320</u>	
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus	Gas	Propane	
	Specifications Manual.	Front Disc 🖂	Front Disc	
		Drum 🗆	Drum 🗆	
		Rear Disc 🛛	Rear Disc 🗆	
		Drum 🗆	Drum 🗆	
		Drum Size Drum Size		
Doors, Service	Power operated.	🗆 Air 🗆 Folding 🛛		
		Split, Outward Opening Other		
Engine	Gas and Propane—3.5 liters minimum.	Gas	Propane	
		Engine mfr. <u>GM</u>	Engine mfr. <u>N/A</u>	
		H.P. <u>401</u>	Liters	
Fuel Tank	Gas—25-gallon minimum.	Gas	Propane	
	Propane—largest available.	Capacity <u>33</u>	Capacity <u>N/A</u>	
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift <u>60,000</u> Rear B.T.U. w/lift <u>60,000</u>		
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ⊠ If not, explain		

State Price Quote Specification

PART I (cont.) Vendor: <u>SCHETKY NW SALES INC</u>

TYPE A—GAS & PROPANE

Mfr.: COLLINS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. DELPHI		
-		Model No. <u>85586031</u>		
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement fro appropriate point at real area: w/o lift <u>135"</u> Mfg.'s C/C seat measur	r of passenger seating w/lift <u>152"</u> ement of	
Steering Wheel	Tilt.	vehicle (inches): w/o lit Check if as specified □		
Step Tread	Studded or pebbled top tread covering.	Mfr. KOROSEAL		
Tires	6 first quality, radial ply.	Mfr. OEM		
		Size <u>LT225/75/16</u>		
		Load range <u>E</u>		
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) 4.95		
Transmission	Automatic-manufacturer's standard compatible with H.P. and	Gas	Propane	
	torque rating of engine bid.	Mfr. <u>GM</u>	Mfr. <u>N/A</u>	
		Model no. <u>6L90</u>	_ Model no	
Two-way	45-watt, VHF, mil. spec.	Mfr. MOTOROLA		
Communications		Model No. <u>CM300D</u>		
Wheels	6 to be compatible with tire size.	Size <u>16</u> "		
		Rim width 6.5"		

PART I (cont.)

State Price Quote Specification TYPE A—GAS & PROPANE

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
	SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BOD	Υ
Wheelchair Lift—	Must meet state specification. Platform shall be a minimum of	Mfr. BRAUN
Installed	32" x 52".	Model No. <u>NCL919FIB-2</u>
Wheelchair/Occupant	Must meet state specification.	Mfr. <u>Q-STRAINT</u>
Tie-down System— Installed		Model No. <u>SLIDE "N" CLICK</u>
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified ⊠
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified 🛛
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified 🛛
Service and Cleaning	 Cleaning and service by vendor prior to delivery will include: Chassis lubrication. Check fluid levels: verify all are at recommended full levels. Cooling system protected at -20°F. Interior and exterior will be clean (including glass). All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. All components and accessories will be installed and operational at time of delivery. 	Check if as specified 🛛
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ⊠

Washington Office of Superintendent of PUBLIC INSTRUCTION 2024-2025		STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631		
	VEHICLE DATA SI	HEET AND OFFICIAL PRICE TYPE A—GAS	QUOTATION	
VENDOR'S COMPANY NAME SCHETKY NW SALES INC ADDRESS 8430 NE LOMBARD ST. PORTLAND, OR 97220		, ,	rict from time purchase order is receive e serviced or repaired, and parts obtain	6267 ed: <u>240-260</u>
		Firm where body can be serviced or r	epaired, and parts obtained: <u>SCHETKY N</u>	W SALES

BODY					
MAKE COLLINS BUS		Warranty:	Years <u>1</u> Miles 12,000	Inside measurement from rear of stepwell to appropriate point at	Equipped seating capacity: w/o lift 24 w/lift 19
MODEL DH400, DH416 W/LIFT	YEAR 2025	Seat color: Floor color	GRAY	rear of passenger seating area: w/o lift <u>136</u> w/lift <u>152</u>	Overall vehicle length (inches): w/o lift 242 w/lift 258

	CHASSIS		E	NGINE
MAKE GM		Warranty: Years <u>3</u> Miles <u>36,000</u>	MANUFACTURER GM	Torque: <u>464</u> @ <u>4600</u> RPM H.P.: <u>401</u> @ <u>5400</u> RPM
MODEL CG33303	YEAR 2025	Wheelbase: <u>139"</u>	MODEL YEAR VORTEC NEW	Liters: <u>6.6</u> Fuel type: <u>GASOLINE</u>
	TRANSMISSION		Warranty: Years <u>5</u>	Battery type/grp: <u>75</u> <u>75</u>
MANUFACTURER GM		Speeds forward: 6	Miles <u>100,000</u>	Number batteries: <u>2</u> <u>2</u>
MODEL 6L90		Warranty: Years <u>5</u> Miles <u>100,000</u>	Number of cylinders: <u>8</u> Inline V-type <u>X</u>	Total CCA: <u>1320</u> <u>1320</u>

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).						
Gas Bid—w/o lift \$ <u>123,789.00</u>	Gas Bid—w/lift \$ <u>134,310.00</u>					
VENDOR REPRESENTATIVE'S SIGNATURE	ott Meyer	DATE	08/06/2024			
	U					

Washington Office of Superintendent of PUBLIC INSTRUCTION 2024-2025	VEHICLE DATA	STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 (360) 725-6120 TTY (360) 664-3631 SHEET AND OFFICIAL PRICE (TYPE A—PROPANE	QUOTATION
VENDOR'S COMPANY NAME SCHETKY NW SALES INC		REPRESENTATIVE'S NAME SCOTT MEYER	TELEPHONE NUMBER 509-579-6267
ADDRESS 8430 NE LOMBARD ST. PORTLAND, OR 97220		Estimated delivery date to school district Firm where engine and chassis can be se Firm where body can be serviced or repa	erviced or repaired, and parts obtained:

MAKE		Warranty: Years	Inside measurement from rear of	Equipped seating capacity:
MODEL	YEAR	Miles	stepwell to appropriate point at rear of passenger seating area:	w/o lift w/lift
		Seat color: Floor color:	w/o lift w/lift	Overall vehicle length (inches): w/o lift w/lift

	CHASSIS			EN	GINE	
MAKE		Warranty: Years Miles	MANUFACTURER		Torque: @ H.P.: @	RPM RPM
MODEL	YEAR	Wheelbase:	MODEL	YEAR	Liters: Fuel type:	
	TRANSMISSION		Warranty: Years		Battery	type/grp:
MANUFACTURER		Speeds forward:	Miles		Number	batteries:
MODEL		Warranty: Years Miles	Number of cylinders Inline V-	: type	Total CCA:	

QUOTED PRICE					
Quoted price is based upon payment	within 30 days after delivery to the s	chool district (without sales tax).			
Propane Bid—w/o lift \$ <u>NO-BID</u>	Propane Bid—w/lif	t\$ <u>NO-BID</u>			
VENDOR REPRESENTATIVE'S SIGNATURE	Scott Meyer	08/06/2024			
	[]				

PART II

Vendor:

SCHETKY NW SALES INC

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A

Mfr.: COLLINS

	CHASSIS		
ITEM	Vendor must meet or exceed these specifications.	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Item bid shall be specified in column to right.		Il establish the district cost.
Small A	Type A bus—10,000 lbs. or under GVWR chassis.	Gas	Propane
		Deduct <u>\$1,200.00</u>	Deduct <u>N/A</u>
		Mfr. <u>GM</u>	Mfr
		Capacity w/o lift <u>14</u>	Capacity w/o lift
		Dual Wheel 🗆	Dual Wheel 🗆
		Single Wheel \boxtimes	Single Wheel \Box
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. ACT 55K BTU SYSTEM	
		Cost \$ <u>6,200.00</u>	
Alternate Fuel	Must comply with power and gradeability formula. Refer to	Mfr. OPTIMAL	
	Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	⊠ Electric Cost \$ <u>181,700.00</u>	
Back-up Alarm	Must meet state specification.	Mfr. SUPERIOR SIGNALS	
		Cost \$ <u>130.00</u>	
Color	Exterior white roof.	Cost \$ INCLUDED	
Steering Wheel	Tilt and telescoping column.	Cost \$ INCLUDED	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. SOUND OFF SIGNAL	
		Model No. <u>CL3107HCC</u>	
		Cost \$ <u>260.00</u>	
Student Protection	Electronic system to insure driver post-trip inspection of	Mfr. CHECKMATE	
System—Installed	passenger compartment.	Model No. EP1	
		Cost \$ <u>425.00</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ <u>85.00</u>	Deduct \$ <u>N/A</u>

PART II (cont.)

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>SEON</u>		
Systems—Installed		Model No. DH		
		Cost \$ <u>4,230.00</u>	How many cameras <u>3</u>	
Video Camera	Must meet state specification.	Stand Alone System	Added to Interior System	
Systems—Stop Sign Camera—Installed		Mfr. <u>SEON</u>	Mfr. <u>SEON</u>	
		Model No. DH	Model No. <u>HD3</u>	
		Cost \$ <u>4,780.00</u>	Cost \$ <u>705.00</u>	
		How many cameras <u>4</u>	How many cameras <u>1</u>	
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights	
		Cost \$ <u>N/A</u>	Cost \$ <u>750.00</u>	
Additional	Must meet state specification.	Mfr. Q-STRAINT		
Wheelchair/Occupant		Model No. <u>SLIDE "N" CLICK</u>		
Tie-down System— Installed		Cost per station \$ 960.00		
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>550.00</u>		
		Rear Cost \$ <u>150.00</u>		
		Both Cost \$ 700.00		
Windows	Tinted.	Cost \$ <u>INCLUDED</u>		