State Price Quote Specification

TYPE A— GAS & PROPANE

Vendor:
SCHETKY NW SALES INC
Mfr.: THOMAS BUILT BUS

Use this document to bid both non-lift and lift, gas and propane buses.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BII Price of items bid will establish the state cost.		
Seating Capacity	Maximum passenger capacity based upon an average center-to-	Gas	Propane	
	center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Capacity w/o lift <u>24</u>	Capacity w/o lift N/A	
		Capacity w/lift 19	Capacity w/lift N/A	
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer	Mfr. OEM		
	recommended capacity.	Amps output w/o lift or A.C	s. <u>220</u>	
		Amps output w/lift or A.C. 2	220	
Auxiliary Automatic	10,000 lb. Hayden or equal.	Gas	Propane	
Transmission Cooler		Mfr. <u>GM</u>	Mfr. <u>N/A</u>	
		Lbs. rating <u>10,000</u>	Lbs. rating	
Axle—Front	Manufacturer's recommendation.	Gas	Propane	
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>	
		Lbs. rating 4,300	Lbs. rating	
		Indepen. suspens.	Indepen. suspens.	
Axle—Rear	Manufacturer's recommendation.	Gas	Propane	
		Mfr. GM	Mfr. <u>N/A</u>	
		Capacity 8,600	Capacity	
Axle Ratio	Must comply with power and gradeability formula. Refer to	Gas	Propane	
	Washington State School Bus Specifications Manual.	Ratio <u>3.73</u>	Ratio N/A	
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: ☐ Diameter _ Other: ⊠ Square inch	nes <u>22</u>	

/endor:	

SCHETKY NW SALES INC Mfr.: THOMAS BUILT BUS

State Price Quote Specification TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		LY IDENTIFY ITEM BID establish the state cost.	
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift.	Gas/Propane w/o lift	Any bus w/lift	
	1070 CCA 12 volt minimum for any bus w/lift.	CCA <u>1320</u>	CCA <u>1320</u>	
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus	Gas	Propane	
	Specifications Manual.	Front Disc 🗵	Front Disc	
		Drum □	Drum □	
		Rear Disc ⊠	Rear Disc 🗆	
		Drum □	Drum 🗆	
		Drum Size	Drum Size	
Doors, Service	Power operated.	☐ Air ☐ Folding ☒ Electric		
		⊠ Split, Outward Opening ☐ Other		
Engine	Gas and Propane—3.5 liters minimum.	Gas	Propane	
		Engine mfr. GM	Engine mfr. N/A	
		H.P. <u>401</u>	Liters	
uel Tank	Gas—25-gallon minimum. Propane—	Gas	Propane	
	largest available.	Capacity <u>33</u>	Capacity N/A	
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift <u>50,000</u> Rear B.T.U. w/lift <u>50,000</u>)	
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ⊠ If not, explain		

State Price Quote Specification

TYPE A—GAS & PROPANE
Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: SCHETKY NW SALES INC

Mfr.: THOMAS BUILT BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.			
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. DELPI	HI		
		Model No.	Model No. <u>85586031</u>		
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	appropriate area: w/o	e point at rear of lift 137.3	ent of	
Steering Wheel	Tilt.	· ·	vehicle (inches): w/o lift $\underline{28.75}$ w/lift $\underline{28.75}$ Check if as specified \square		
Step Tread	Studded or pebbled top tread covering.	Mfr. KOROSEAL			
Tires	6 first quality, radial ply.	Mfr. OEM			
		Size <u>LT225/75R16</u>			
		Load range <u>E</u>			
Toolbox	Exterior, manufacturer standard.	Size (cubic	c feet) 3.42		
Transmission	Automatic—manufacturer's standard compatible with H.P. and		Gas	Propane	
	torque rating of engine bid.	Mfr. GM	_	Mfr. N/A	
		Model no.	6L90	Model no.	
Two-way	45-watt, VHF, mil. spec.	Mfr. MOTOROLA			
Communications		Model No.	CM300D		
Wheels	6 to be compatible with tire size.	Size 16"			
		Rim width	Rim width 6.5"		

State Price Quote Specification

TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor:
SCHETKY NW SALES INC
Mfr.: THOMAS BUILT BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
	SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BOD	Υ
Wheelchair Lift—	Must meet state specification. Platform shall be a minimum of	Mfr. BRAUN
Installed	32" x 52".	Model No. NCL919FIB
Wheelchair/Occupant	Must meet state specification.	Mfr. SURE-LOK
Tie-down System— Installed		Model No. <u>FF627S-4C-3</u>
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified ⊠
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified ⊠
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ⊠
Service and Cleaning	 Cleaning and service by vendor prior to delivery will include: Chassis lubrication. Check fluid levels: verify all are at recommended full levels. Cooling system protected at -20°F. Interior and exterior will be clean (including glass). All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. All components and accessories will be installed and operational at time of delivery. 	Check if as specified ⊠
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ⊠



STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—GAS

VENDOR'S COMPANY NAME SCHETKY NW SALES INC	REPRESENTATIVE'S NAME SCOTT MEYER	TELEPHONE NUMBER 509-579-6267		
ADDRESS 8430 NE LOMBARD ST PORTLAND, OR 97220	Estimated delivery date to school district from time purchase orde	Estimated delivery date to school district from time purchase order is received: 240-260 Firm where engine and chassis can be serviced or repaired, and parts obtained: ANY GM		
	DEALER			
	Firm where body can be serviced or repaired, and parts obtained:	SCHETKY NW SALES		

BODY						
MAKE THOMAS BUILT BUS		Warranty:	Years <u>1</u> Miles UNLIM	Inside measurement from rear of stepwell to appropriate point at	Equipped seating capacity: w/o lift 24 w/lift 19	
MINOTOUR 041MS - 051MS W/LIFT	YEAR 2025	Seat color: Floor color:	GRAY	rear of passenger seating area: w/o lift 137.3 w/lift 166.1	Overall vehicle length (inches): w/o lift 237.8 w/lift 266.5	

	CHASSIS		E	NGINE
MAKE GM		Warranty: Years 3 Miles 36,000	MANUFACTURER GM	Torque: <u>464</u> @ <u>4600</u> RPM H.P.: <u>401</u> @ <u>5400</u> RPM
MODEL CG33503 - CG33803	YEAR 2025	Wheelbase: <u>139"-159"</u>	MODEL YEAR NEW	Liters: <u>6.6</u> Fuel type: <u>GASOLINE</u>
	TRANSMISSION		Warranty: Years <u>5</u>	Battery type/grp: <u>78</u> <u>78</u>
MANUFACTURER GM		Speeds forward: 6	Miles <u>100,000</u>	Number batteries: 2 2
MODEL 6L90		Warranty: Years <u>5</u> Miles <u>100,000</u>	Number of cylinders: <u>8</u> Inline V-type <u>X</u>	Total CCA: <u>1320</u> <u>1320</u>

	QUOTED PRICE
Quoted price is based upon payment within 30 days after delivery to the s	school district (without sales tax).
Gas Bid—w/o lift \$ <u>114,045.00</u> Gas Bid—w/lift \$ <u>1</u>	124,559.00
VENDOR REPRESENTATIVE'S SIGNATURE	DATE
Scott Meyer	08/06/24
\mathcal{J}	



STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

2024-2025			(300) 723-0120 111 ((300) 004-3031				
	VEHICL	E DATA S		OFFICIAL PRIC	E QUOTATIO	N		
VENDOR'S COMPANY NAME SCHETKY NW SALES INC			REPRESENTATIVE'S SCOTT MEYER	NAME			TELEPHONE NUMBI 509-579-6267	ER
ADDRESS 8430 NE LOMBARD ST PORTLAND, OR 97220		Estimated delivery date to school district from time purchase order is received: Firm where engine and chassis can be serviced or repaired, and parts obtained: Firm where body can be serviced or repaired, and parts obtained:						
		I	DODY					
MAKE MODEL	YEAR	Warranty: Seat color:	Years Miles	Inside measurement stepwell to appropriate rear of passenger se	ate point at eating area:	w/o lift	ped seating cap t w/lift	
		Floor color:		w/o lift	w/lift		t w/lift	
	CHASSIS				ENG	SINE		
MAKE	CHACCIC		Years Miles	MANUFACTURER			@	_ RPM _ RPM
MODEL	YEAR	Wheelbase:		MODEL	YEAR	Liters: Fuel type		
MANUFACTURER	TRANSMISSION	Speeds forv	vard:	Warranty: Years Miles		Battery Number		type/grp: batteries:
MODEL		Warranty:	Years Miles	Number of cylinders: Inline V-	type	Total CC/	A :	
MODEL		Warranty:	Years Miles	Number of cylinders: Inline V-	type	Total CC	A:	
			Miles	Inline V-	type	Total CCA	A:	
Quoted price is based upon payme	ent within 30 days after		Miles	Inline V-	type	Total CCA	A:	
	•	r delivery to th	Miles	Inline V-	type	Total CC	A:	

D	Δ	RT	Ш

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A

Vendor:	
SCHETKY NW SALES INC	

Mfr.: THOMAS BUILT BUS

Use this document to bid both non-lift and lift, gas and propane buses.

	CHASSIS		
ITEM	Vendor must meet or exceed these specifications.	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
Cree all A	Item bid shall be specified in column to right.	Price of items bid v	will establish the district cost.
Small A	Type A bus—10,000 lbs. or under GVWR chassis.	Deduct \$2,175.00	Propane Deduct N/A
		Mfr. GM-THOMAS	Mfr.
		Capacity w/o lift 14	Capacity w/o lift
		Dual Wheel □	Dual Wheel □
		Single Wheel ⊠	Single Wheel □
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. CARRIER AC-5W13 68K BTU	
		Cost \$ 5,850.00	
Alternate Fuel	Must comply with power and gradeability formula. Refer to	Mfr. N/A □ Electric Cost \$ SEPARATE BID	
□ Electric	Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.		
Back-up Alarm	Must meet state specification.	Mfr. THOMAS	
		Cost \$ 145.00	
Color	Exterior white roof.	Cost \$ 675.00	
Steering Wheel	Tilt and telescoping column.	Cost \$ INCLUDED	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. THOMAS	
		Model No. <u>B35760500</u>	
		Cost \$ 248.00	
Student Protection	Electronic system to insure driver post-trip inspection of	Mfr. CHECKMATE	
System—Installed	passenger compartment.	Model No. <u>B200105000</u>	
		Cost \$ <u>375.00</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ 75.00	Deduct \$ N/A

PART II (cont.)

State Price Quote Specification

DISTRICT-SUPPORTED OPTIONS

TYPE A

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor:

SCHETKY NW SALES INC Mfr.: THOMAS BUILT BUS

ITEM		VENDOR OREGIEIO	ALL VIDENTIEVITEM DID	
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>SEON</u>		
		Model No. <u>DH</u>		
		Cost \$ 4,230.00	_ How many cameras <u>3</u>	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System	
		Mfr. <u>SEON</u>	Mfr. SEON	
		Model No. <u>DH</u>	Model No. <u>HD3</u>	
		Cost \$ 4,780.00	Cost \$ 705.00	
		How many cameras <u>4</u>	How many cameras <u>1</u>	
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights	
		Cost \$ N/A	Cost \$ 750.00	
Additional	Must meet state specification.	Mfr. SURE-LOK		
Wheelchair/Occupant		Model No. FF627S-4C-3		
Tie-down System— Installed		Cost per station \$ 960.00		
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ 890.00		
		Rear Cost \$ INCLUDED INSIDE		
		Both Cost \$ 890.00		
Windows	Tinted.	Cost \$ 475.00	Cost \$ <u>475.00</u>	