

PART I

SCHETKY NW SALES INC Mfr.: THOMAS BUILT BUS

Vendor:

State Price Quote Specification

TYPE A—ELECTRIC

Use this document to bid both non-lift and lift buses.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Seating Capacity	Maximum passenger capacity based upon an average center-to- center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Capacity w/o lift <u>20</u> Capacity w/lift <u>19</u>	
Axle—Front Manufacturer's recommendation.		Mfr. <u>GM</u>	
		Capacity <u>4,600-LB</u>	
Axle—Rear	Manufacturer's recommendation.	Mfr. <u>GM</u>	
		Capacity <u>9,600-LB</u>	
Axle Ratio	Must comply with power and gradeability formula. Refer to	Mfr. <u>GM</u>	
	Washington State School Bus Specifications Manual.	Capacity <u>3.73</u>	
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: Diameter Other: X Square inches 22	
Battery(ies)	535 CCA 12-volt minimum w/o lift.	Number of batteries 2	
Low Voltage	1070 CCA 12-volt minimum w/lift.	CCA <u>1320</u>	
Battery(ies)	Battery propulsion must meet a minimum of 80 kWh.	Number of batteries 1	
Propulsion		kWh <u>123</u>	

PART I (cont.)

State Price Quote Specification

TYPE A— ELECTRIC Use this document to bid both non-lift and lift buses.

Vendor: SCHETKY NW SALES INC Mfr.: THOMAS BUILT BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Disc Front ⊠ Rear ⊠ Drum Front □ Rear □ Size Front Rear		
Doors, Service	Power operated.	□ Air □ Folding ⊠ Electric ⊠ Split, Outward Opening □ Other		
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Front B.T.U. <u>10,000</u> Rear B.T.U. <u>70,000</u> Total B.T.U. <u>80,000</u>		
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Taillights, Turn Signals, Eight-Light System, and Dome- Light System.	Check if as specified ⊠ If not, explain		
Motor	160 H.P. minimum.	Engine Mfr. OPTIMAL Model BEVE1 Net torque 738 @ R.P.M. Net H.P. 228 @		
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. DELPHI Model No. 85586031		
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>166.1"</u> w/lift <u>166.1"</u> Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>28.75</u> w/lift <u>28.75</u>		

State Price Quote Specification

PART I (cont.) Vendor: SCHETKY NW SALES INC

TYPE A— ELECTRIC Use this document to bid both non-lift and lift buses.

Mfr.: THOMAS BUILT BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Steering Wheel	Tilt.	Check if as specified \boxtimes	
Step Tread	Studded or pebbled top tread covering.	Mfr. KOROSEAL	
Tires	6 first quality, radial ply.	Mfr. <u>OEM</u>	
		Size LT225/75R16	
		Load range <u>E</u>	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) 3 <u>.42</u>	
Two-way	45-watt, VHF, mil. spec.	Mfr. <u>MOTOROLA</u> Model No. <u>CM300D</u>	
Communications			
Wheels	6 to be compatible with tire size.	Size <u>16</u> "	
		Rim width 6.5"	
	SPECIAL NEEDS REQUIREMENTS—CHASSIS AND B	BODY	
Wheelchair Lift—	Must meet state specification. Platform shall be a minimum of	Mfr. <u>BRAUN</u> Model No. <u>NCL919FIB-2</u>	
Installed	32" x 52".		
Wheelchair/Occupant	Must meet state specification.	Mfr. <u>SURE-LOK</u> Model No. <u>FF627S-4C-3</u>	
Tie-down System— Installed			

PART I (cont.)

State Price Quote Specification **TYPE A— ELECTRIC**

Vendor: SCHETKY NW SALES INC

Use this document to bid both non-lift and lift buses.

Mfr.: THOMAS BUILT BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
	ADDITIONAL REQUIREMENTS—CHASSIS AND BOD	Y I
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified ⊠
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified ⊠
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ⊠
Service and Cleaning	 Cleaning and service by vendor prior to delivery will include: Chassis lubrication. Check fluid levels: verify all are at recommended full levels. Cooling system protected at -20°F. Interior and exterior will be clean (including glass). All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. All components and accessories will be installed and operational at time of delivery. 	Check if as specified ⊠
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified \square

Washington Office of Superintendent of PUBLIC INSTRUCTION 2024-2025	STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631		
	VEHICLE DATA SHEET AND O TYPE A—EL	-	ON
VENDOR'S COMPANY NAME SCHETKY NW SALES INC	REPRESENTATIVE'S I SCOTT MEYER	IAME	TELEPHONE NUMBER 509-579-6267
ADDRESS 8430 NE LOMBARD ST. PORTLAND, OR 97220	Firm where eng	Estimated delivery date to school district from time purchase order is received: <u>260-280</u> Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>SCHETKY</u> Firm where body can be serviced or repaired, and parts obtained: <u>SCHETKY</u>	

BODY				
	Verranty: 2025 UNLIMITE Seat color	Miles D	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>166.1</u> w/lift <u>166.1</u>	Equipped seating capacity: w/o lift <u>20</u> w/lift <u>19</u> Overall vehicle length (inches): w/o lift <u>266.5</u> w/lift <u>266.5</u>
	Floor color	r: <u>BLACK</u>		

CHAS	SSIS	MOTOR	
MAKE GM	Warranty: Years <u>3</u> Miles 36,000	MANUFACTURER OPTIMAL	Torque: <u>738</u> @ RPM H.P.: 228 @ RPM
	Miles <u>30,000</u>		H.P.: <u>228</u> @ RPM
MODEL YEAR CG33803 2025	Wheelbase: <u>159"</u>	MODEL YEAR BEVE1 NEW	Fuel type: <u>ELECTRIC</u>
BATTE	RIES	Warranty: Years <u>5</u>	
12 Volt	Propulsion		
Battery type/grp: <u>78</u> <u>660</u>	Number batteries: <u>1</u>	Miles <u>150,000</u>	
Number batteries: <u>2</u>	Total KWH: <u>123</u>		
Total CCA: <u>132</u>			

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Electric Bid—w/o lift \$ <u>322,990.00</u>

Electric Bid—w/lift \$ <u>328,265.00</u>

VENDOR REPRESENTATIVE'S SIGNATURE Scott Mayer

DATE 08/06/24

PART II

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A

Vendor:

SCHETKY NW SALES INC

Mfr.: THOMAS BUILT BUS

Use this document to bid both non-lift and lift buses.

	CHASSIS		
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Small A	Type A bus—10,000 lbs. or under GVWR chassis.	Deduct N/A	
		Mfr	
		Capacity w/o lift	
		Dual Wheel	
		Single Wheel	
Air Conditioning	To cool passenger compartment as required in the Washington	Mfr. TRANS AIR	
	State School Bus Specifications manual.	Cost \$ <u>14,545.00</u>	
Back-up Alarm	Must meet state specification.	Mfr. THOMAS	
		Cost \$ <u>145.00</u>	
Color	Exterior white roof.	Cost \$ <u>675.00</u>	
Steering Wheel	Tilt and telescoping column.	Cost \$ INCLUDED	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. THOMAS	
		Model No. <u>B35760500</u>	
		Cost \$ <u>248.00</u>	
Student Protection	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>CHECKMATE</u>	
System—Installed		Model No. <u>B200105000</u>	
		Cost \$ <u>375.00</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ 75.00 Deduct \$ N/A	

PART II (cont.)

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.		
Video Camera	Digital audio/video system for monitoring the passenger	Mfr. <u>SEON</u>		
Systems—Installed	compartment with more than two cameras.	Model No. DH		
		Cost \$ <u>4,230.00</u>	Cost \$ <u>4,230.00</u> How many cameras <u>3</u>	
Video Camera	Must meet state specification.	Stand Alone System	Added to Interior System	
Systems—Stop Sign		Mfr. <u>SEON</u>	Mfr. <u>SEON</u>	
Camera—Installed		Model No. <u>DH</u>	Model No. <u>DH</u>	
		Cost \$ <u>4,780.00</u>	Cost \$ <u>705.00</u>	
		How many cameras <u>4</u>	How many cameras <u>1</u>	
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights	
		Cost \$ <u>N/A</u>	Cost \$ <u>750.00</u>	
Additional	Must meet state specification.	Mfr. <u>SURE-LOK</u>		
Wheelchair/Occupant		Model No. <u>FF627S-4C-3</u> Cost per station \$ <u>960.00</u>		
Tie-down System— Installed				
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>890.00</u>		
		Rear Cost \$ INCLUDED IN	Rear Cost \$ INCLUDED INSIDE	
		Both Cost \$ 890.00		
Windows	Tinted.	Cost \$ <u>475.00</u>		