



State Price Quote Specification  
**TYPE C77—BID AS 71 PASSENGER,  
DIESEL, GAS & PROPANE**

Vendor: RWC Group  
\_\_\_\_\_

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID		
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.		
Seating Capacity	71 passenger based upon an average center-to-center seat spacing of at least 27.5".	Capacity w/o lift <u>71</u> Capacity w/lift <u>60+1</u>		
Alternator	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	<b>Diesel</b>	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>Leece-Neville</u>	Mfr. <u>NA</u>	Mfr. <u>NA</u>
		Max. amps output w/o lift or A.C. <u>240</u>	Max. amps output w/o lift or A.C. <u>NA</u>	Max. amps output w/o lift or A.C. <u>NA</u>
		Max. amps output w/lift or A.C. <u>240</u>	Max. amps output w/lift or A.C. <u>NA</u>	Max. amps output w/lift or A.C. <u>NA</u>
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. <u>Bergstrom</u>		
Axle—Front	9,000 lb. minimum.	<b>Diesel</b>	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>Meritor/Dana</u>	Mfr. <u>NA</u>	Mfr. <u>NA</u>
		Capacity <u>10000</u>	Capacity <u>NA</u>	Capacity <u>NA</u>
Axle—Rear	19,000 lb. minimum.	<b>Diesel</b>	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>Dana Spicer</u>	Mfr. <u>NA</u>	Mfr. <u>NA</u>
		Capacity <u>19800</u>	Capacity <u>NA</u>	Capacity <u>NA</u>
Axle Oil Seals	Front and rear oil bath, or maintenance free sealed greased bearings.	<b>Diesel</b>	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>Conmet Preset</u>	Mfr. <u>NA</u>	Mfr. <u>NA</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	<b>Diesel</b>	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>Dana Spicer</u>	Mfr. <u>NA</u>	Mfr. <u>NA</u>
		Model no. <u>5.29</u>	Model no. <u>NA</u>	Model no. <u>NA</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/> Diameter <u>7 Inch</u>	Other: <input type="checkbox"/> Square inches _____	

State Price Quote Specification  
**TYPE C77—BID AS 71 PASSENGER,  
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Battery(ies)	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift.	<b>Diesel</b>	<b>Gas</b>		<b>Propane</b>
	1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Size/group w/o lift <u>31</u> CCA <u>1900</u> Size/group w/lift <u>31</u> CCA <u>1900</u>	Size/group w/o lift <u>NA</u> CCA <u>NA</u> Size/group w/lift <u>NA</u> CCA <u>NA</u>		Size/group w/o lift <u>NA</u> CCA <u>NA</u> Size/group w/lift <u>NA</u> CCA <u>NA</u>
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.		<input type="checkbox"/> Swing out		<input checked="" type="checkbox"/> Roll out
Brakes	Air: Drum or Disc. Refer to Washington State School Bus Specifications Manual.		Disc Front <input type="checkbox"/>	Rear <input type="checkbox"/>	
			Drum Front <input checked="" type="checkbox"/>	Rear <input checked="" type="checkbox"/>	
			Size Front <u>16.5x5</u>	Rear <u>16.5x7</u>	
Door, Service	Power operated.		<input checked="" type="checkbox"/> Air		<input type="checkbox"/> Folding
			<input type="checkbox"/> Electric		<input checked="" type="checkbox"/> Split, Outward opening
			<input type="checkbox"/> Other		<input type="checkbox"/> Other
Engine	Diesel, Gas and Propane—210 H.P. minimum.	<b>Diesel</b>	<b>Gas</b>		<b>Propane</b>
		Engine mfr. <u>Cummins</u> Model or liters <u>B6.7</u> Net torque <u>600</u> @ <u>1600</u> R.P.M Net H.P. <u>220</u> @ <u>2400</u> R.P.M	Engine mfr. <u>NA</u> Model or liters <u>NA</u> Net torque <u>NA</u> @ <u>NA</u> R.P.M Net H.P. <u>NA</u> @ <u>NA</u> R.P.M		Engine mfr. <u>NA</u> Model or liters <u>NA</u> Net torque <u>NA</u> @ <u>NA</u> R.P.M Net H.P. <u>NA</u> @ <u>NA</u> R.P.M
Engine Heater	Engine manufacturers recommended in-block heater.		Watts <u>750</u>	Volts <u>120</u>	
			Mfr. <u>Phillips</u>		
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.		Mfr. <u>Borg Warner</u>	<input type="checkbox"/> Electronic	
			<input checked="" type="checkbox"/> Fan clutch	<input type="checkbox"/> Shutters	
Fuel Tank	Diesel—100-gallon minimum. Gas and Propane—60-gallon minimum.	<b>Diesel</b>	<b>Gas</b>		<b>Propane</b>
		Capacity <u>100</u>	Capacity <u>NA</u>		Capacity <u>NA</u>

State Price Quote Specification  
**TYPE C77—BID AS 71 PASSENGER,  
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. <u>41,000</u> Center B.T.U. <u>50,000</u> Rear B.T.U. <u>50,000</u> Total B.T.U. <u>141,000</u>
Hood	Tilt.	<input checked="" type="checkbox"/> Fiberglass <input type="checkbox"/> Metal
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain. _____
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>Navistar</u> Model No. <u>4275485C91</u>
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>351.9</u> w/lift <u>351.9</u>  Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>28.34</u> w/lift <u>27.78</u>
Steering Wheel	Tilt and telescoping column.	Check if as specified
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>Koroseal</u>
Tires	6 first quality, radial ply. No low profile tires.	Mfr. <u>Continental</u> Size <u>11R22.5</u> Load range <u>H</u>
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>2.88</u>

State Price Quote Specification  
**TYPE C77—BID AS 71 PASSENGER,  
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Transmission	Diesel and Propane: Automatic—Allison, PTS 2500 or equal. Gas: Automatic— manufacturer's standard compatible with H.P. and torque rating of engine bid.	<b><i>Diesel</i></b>	<b><i>Gas</i></b>	<b><i>Propane</i></b>
		Mfr. <u>Allison</u>	Mfr. <u>NA</u>	Mfr. <u>NA</u>
		Model no. <u>2500 6spd</u>	Model no. <u>NA</u>	Model no. <u>NA</u>
		Net input <u>660</u>	Net input <u>NA</u>	Net input <u>NA</u>
		Net input H.P. <u>300</u>	Net input H.P. <u>NA</u>	Net input H.P. <u>NA</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>ICOM</u> Model No. <u>F-5011</u>		
Wheels	6 to be compatible with tire size.	Size <u>22.5</u> Rim width <u>8.25</u>		
<b>SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY</b>				
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>Braun</u> Model No. <u>NL919FIB</u>		
Wheelchair/ Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u> Model No. <u>Q-8100-A1-SC</u>		
<b>ADDITIONAL REQUIREMENTS—CHASSIS AND BODY</b>				
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified <input checked="" type="checkbox"/>		
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified <input checked="" type="checkbox"/>		
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>		

State Price Quote Specification  
**TYPE C77—BID AS 71 PASSENGER,  
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

<b>ITEM</b>	<b>STATE-SUPPORTED SPECIFICATIONS</b> Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	<b>VENDOR SPECIFICALLY IDENTIFY ITEM BID</b> Price of items bid will establish the state cost.
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> <li>• Chassis lubrication.</li> <li>• Check fluid levels: verify all are at recommended full levels.</li> <li>• Cooling system protected at -20°F.</li> <li>• Interior and exterior will be clean (including glass).</li> <li>• All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery.</li> <li>• All components and accessories will be installed and operational at time of delivery.</li> </ul>	Check if as specified <input checked="" type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input checked="" type="checkbox"/>



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2024-2025

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

## VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C77— BID AS 71 PASSENGER (DIESEL)

VENDOR'S COMPANY NAME RWC Group ADDRESS 600 North 75 <sup>th</sup> Avenue Phoenix, AZ 85043	REPRESENTATIVE'S NAME Tom Hartman  Estimated delivery date to school district from time purchase order is received: <u>180 days</u> <u>ARO</u>  Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>Any IC or International Dealer</u>  Firm where body can be serviced or repaired, and parts obtained: <u>RWC Group (7 locations in WA)</u>	TELEPHONE NUMBER 602-377-4401
---	---	----------------------------------

### BODY

MAKE IC Corporation		Warranty: Years <u>5</u> Miles <u>Unlimit</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>351.9</u> w/lift <u>351.9</u>	Equipped seating capacity: w/o lift <u>71</u> w/lift <u>60+1</u>
MODEL PB110	YEAR 2025	Seat color: <u>Gray</u> Floor color: <u>Black</u>		Overall vehicle length (inches): w/o lift <u>465.9</u> w/lift <u>465.9</u>

### CHASSIS

MAKE IC Corporation		Warranty: Years <u>5</u> Miles <u>Unlimit</u>
MODEL PB110	YEAR 2025	Wheelbase: <u>276</u>

### ENGINE

MANUFACTURER Cummins		Torque: <u>600</u> @ <u>1600</u> RPM H.P.: <u>220</u> @ <u>2400</u> RPM
MODEL B6.7	YEAR 2024	C.I.D. or Liters: <u>6.7L</u> Fuel type: <u>Diesel</u>

### TRANSMISSION

MANUFACTURER Allison		Warranty: Years <u>5</u> Miles <u>100k</u>	Battery type/grp: <u>31</u> <u>31</u>
MODEL 2500		Speeds forward: <u>6</u>	Number batteries: <u>2</u> <u>2</u>
		Warranty: Years <u>7</u> Miles <u>Unlimit</u>	Total CCA: <u>1900</u> <u>1900</u>
		Number of cylinders: <u>6</u> Inline <u>X</u> V-type <u>    </u>	

### QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Diesel Bid—w/o lift \$ 148,797

Diesel Bid—w/lift \$ 154,526

VENDOR REPRESENTATIVE'S SIGNATURE <u>Tom Hartman</u>	DATE <u>8-5-24</u>
---	-----------------------



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2024-2025

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

## VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C77— BID AS 71 PASSENGER (GAS)

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS	Estimated delivery date to school district from time purchase order is received: _____	
	Firm where engine and chassis can be serviced or repaired, and parts obtained: _____	
	Firm where body can be serviced or repaired, and parts obtained: _____	

### BODY

MAKE		Warranty: Years _____	Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____
MODEL	YEAR	Seat color: _____	Floor color: _____	Overall vehicle length (inches): w/o lift _____ w/lift _____	

### CHASSIS

MAKE		Warranty: Years _____	Miles _____
MODEL	YEAR	Wheelbase: _____	

### ENGINE

MANUFACTURER		Torque: _____ @ _____ RPM	H.P.: _____ @ _____ RPM
MODEL	YEAR	C.I.D. or Liters: _____ Fuel type: _____	

### TRANSMISSION

MANUFACTURER		Speeds forward: _____
MODEL		Warranty: Years _____ Miles _____

Warranty: Years _____	Miles _____	Battery type/grp: _____	Number batteries: _____
Number of cylinders: _____ Inline _____ V-type _____		Total CCA: _____	

### QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Gas Bid—w/o lift \$ N/A

Gas Bid—w/lift \$ N/A

VENDOR REPRESENTATIVE'S SIGNATURE  
Tom Hartman

DATE  
8-5-24



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2024-2025

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION  
TYPE C77—BID AS 71 PASSENGER (PROPANE)**

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS	Estimated delivery date to school district from time purchase order is received: _____	
	Firm where engine and chassis can be serviced or repaired, and parts obtained: _____	
	Firm where body can be serviced or repaired, and parts obtained: _____	

**BODY**

MAKE	Warranty: Years _____ Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____
MODEL	YEAR	Seat color: _____ Floor color: _____	Overall vehicle length (inches): w/o lift _____ w/lift _____

**CHASSIS**

**ENGINE**

MAKE	Warranty: Years _____ Miles _____	MANUFACTURER	Torque: _____ @ _____ RPM H.P.: _____ @ _____ RPM
MODEL	YEAR	Wheelbase: _____	MODEL
<b>TRANSMISSION</b>		Warranty: Years _____ Miles _____	C.I.D. or Liters: _____ Fuel type: _____
MANUFACTURER	Speeds forward: _____	Number of cylinders: _____ Inline _____ V-type _____	Battery type/grp: _____ Number batteries: _____ Total CCA: _____
MODEL	Warranty: Years _____ Miles _____		

**QUOTED PRICE**

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ N/A

Propane Bid—w/lift \$ N/A

VENDOR REPRESENTATIVE'S SIGNATURE  
Tom Hartman

DATE  
8-5-24



State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

Vendor: RWC Group

C60    C77    D60    D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>44</u> Cost \$ <u>21,500</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>TransAir</u> Cost \$ <u>15,200</u>	
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. <u>IC Corporation</u>	
<input checked="" type="checkbox"/> Electric		<input type="checkbox"/> Cost \$ <u>NA</u> <input checked="" type="checkbox"/> Electric Cost \$ <u>71P \$422,309/60+1 \$426,975</u>	
Alternator	Available options.	Cost \$ <u>1,358</u>	Capacity <u>325</u>
		Cost \$ <u>NA</u>	Capacity <u>NA</u>
		Cost \$ <u>NA</u>	Capacity <u>NA</u>
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>Standard</u> Type D: Cost \$ <u>NA</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>Ecco</u> Cost \$ <u>123</u>	
Brakes	4-wheel hydraulic disk brake.	Cost \$ <u>2,500</u>	Deduct \$ <u>NA</u>
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>3,353</u>	Disc Deduct \$ <u>NA</u>
		Drum Cost \$ <u>NA</u>	Drum Deduct \$ <u>NA</u>
Color	Exterior white roof.	Cost \$ <u>776</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>350</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	<b>Non-Air</b>	<b>Air</b>
		Mfr. <u>Magnum</u>	Mfr. <u>Sears Atlas II</u>
		Cost \$ <u>550</u>	Cost \$ <u>1,350</u>
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. <u>NA</u> Cost \$ <u>NA</u>	
Floor Color	Nonstandard color.	Cost \$ <u>419</u>	

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

C60    C77    D60    D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Fuel Tank	Larger fuel capacity (Diesel only).	Size: <u>NA</u>	Cost \$ <u>NA</u>
Fuel Tank	Larger fuel capacity (Propane only).	Size: <u>NA</u>	Cost \$ <u>NA</u>
Headlights	Halogen.	Cost \$ <u>Standard</u>	
Headlights	L.E.D.	Cost \$ <u>1,370</u>	
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>Webasto</u>	Model: <u>Pro 90</u>
		Cost \$ <u>5,873</u>	
Noise Reduction	Exceeding minimum specifications.	Driver compartment	Cost \$ <u>159</u>
		Engine compartment	Cost \$ <u>355</u>
		Full acoustical headliner	Cost \$ <u>Standard</u>
Retarder	Manufacturer's standard.	Driveline <input type="checkbox"/>	Cost \$ <u>NA</u>
		Exhaust <input type="checkbox"/>	Cost \$ <u>NA</u>
		Transmission <input type="checkbox"/>	Cost \$ <u>NA</u>
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ <u>1,217</u>	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ <u>21,500</u>	
		Capacity <u>44</u>	
		3 by 2 Cost \$ <u>NA</u>	
		Capacity <u>NA</u>	
		3 by 3 Cost \$ <u>27,500</u>	
		Capacity <u>72</u>	

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

C60    C77    D60    D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Storage Compartments	Largest available for unit bid.	Left-side <u>28.5</u> cubic feet. Cost \$ <u>2,641</u>	Right-side <u>28.5</u> cubic feet. Cost \$ <u>2,641</u>
		Push-thru <u>NA</u> cubic feet. Cost \$ <u>NA</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>Ecco</u> Model No. <u>6550C</u> Cost \$ <u>217</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>IC</u> Model No. <u>Leave no student behind</u> Cost \$ <u>Standard</u>	
Suspension	Air ride (Air brake system only).	<b>Front</b>	<b>Rear</b>
		Cost \$ <u>NA</u>	Cost \$ <u>1,300</u>
Toolbox	Interior, manufacturer standard.	Cost \$ <u>250</u>	Deduct \$ <u>NA</u>
Traction Device	Automatic chains.	Mfr. <u>On Spot</u> Cost \$ <u>4,528</u>	
Traction Device	Sanders.	Capacity <u>10 gal</u> Cost \$ <u>5,100</u>	
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. <u>Allison</u> Model No. <u>3000</u> Cost \$ <u>6,100</u>	
Vehicle Securement System	Must meet state specification.	Mfr. <u>Bendix Intellipark</u>	Cost \$ <u>500</u>
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>3,974</u>	How many cameras <u>3</u>

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

C60    C77    D60    D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	<b>VENDOR SPECIFICALLY IDENTIFY ITEM BID</b> Price of items bid will establish the district cost.	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	<b><i>Stand Alone System</i></b>	<b><i>Added to Interior System</i></b>
		Mfr. <u>Seon</u>	Mfr. <u>Seon</u>
		Model No. <u>TH4</u>	Model No. <u>TH4</u>
		Cost \$ <u>3,037</u>	Cost \$ <u>943</u>
		How many cameras <u>1</u>	How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	<b><i>Incandescent</i></b>	<b><i>LED Lights</i></b>
		Cost \$ <u>NA</u>	Cost \$ <u>386</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u>	
		Model No. <u>Q-8100-A1-SC</u>	
		Cost per station \$ <u>1,150</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>1,095</u>	
		Rear Cost \$ <u>242</u>	
		Both Cost \$ <u>1,337</u>	
Windows	Tinted.	Cost \$ <u>547</u>	
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>450</u>	