

#### **State Price Quote Specification**

Vendor: <u>SCHETKY NW SALES INC</u>

THOMAS BUILT BUS

PART I

# TYPE C77—BID AS 71 PASSENGER, DIESEL, GAS & PROPANE Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.			VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Seating Capacity		an average center-to-center sea	t	Capacity w/o lift 71		
	spacing of at least 27.5".			Capacity w/lift <u>55</u>		
Alternator	240 amp minimum. Lift-	Diesel		Gas	Propane	
	equipped or air- conditioned. Manufacturer	Mfr. LEECE-NEVILLE	Mfr. L	EECE-NEVILLE	Mfr. N/A	
	recommended capacity.	Max. amps output w/o lift or A.C. 200	Max. A.C. 2	amps output w/o lift or 200	Max. amps output w/o lift or A.C.	
		Max. amps output w/lift or A.C. 240	Max. A.C. 2	amps output w/lift or 240	Max. amps output w/lift or A.C.	
Auxiliary Fans	2 fans, 6" maximum, mounto service door.	ed to right and left windshield and Mfr. <u>BERGSTROM</u>				
Axle—Front	9,000 lb. minimum.	Diesel	Diesel Gas		Propane	
		Mfr. DETROIT	Mfr. DETROIT		Mfr. N/A	
		Capacity 10K	Capa	city 10K	Capacity	
Axle—Rear	19,000 lb. minimum.	Diesel		Gas	Propane	
		Mfr. DETROIT	Mfr. <u>C</u>	DETROIT	Mfr. N/A	
		Capacity 21K	Capa	city 21K	Capacity	
Axle Oil Seals	Front and rear oil bath, or	Diesel		Gas	Propane	
	maintenance free sealed greased bearings.	Mfr. CR	Mfr. C	CR	Mfr. N/A	
Axle Ratio	Must comply with power	Diesel		Gas	Propane	
	and gradeability formula.  Refer to Washington State	Mfr. DETROIT	Mfr. <u>C</u>	DETROIT	Mfr. N/A	
	School Bus Specifications Manual.	Model no. <u>5.88</u>	Model no. <u>5.88</u>		Model no	
Back-up Lights	All required backup lights to	be LED (Light Emitting Diode). Bus Specification's Manual.	Refer	Round: Diamete Other: Square in	r nches <u>22</u>	

#### **State Price Quote Specification**

#### PART I (cont.) Vendor: <u>SCHETKY NW BUS SALES</u>

INC THOMAS BUILT BUS

# TYPE C77—BID AS 71 PASSENGER, DIESEL, GAS & PROPANE Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.					VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.			
	1200 CCA 12 volt min		Diesel		(	Gas		Propane	
Battery(ies)	to be mounted in bod battery compartment	e mounted in body ery compartment w/o  O CCA 12 volt minimum e mounted in body  Size/group w/o lift 31  CCA 1900  Size/group w/lift 31  CCA 1900  CCA 1900  CCA 1900  CCA 1900  CCA 1900  CCA 1900  CCA 1900			A <u>1900</u> e/group w/	1900 group w/lift 31		Size/group w/o lift <u>N/A</u> CCA Size/group w/lift CCA	
Battery Compartment	Battery storage tray n			late	□ Sw	ing out		□ Roll out	
Brakes	Air: Drum or Disc. Refer to Washington State School Bus Specifications Manual.				Disc Drum Size	Drum Front ⊠ Rear ⊠			
Door, Service	Power operated.	ver operated.			⊠ Ele	<ul><li>☐ Air</li><li>☑ Electric</li><li>☐ Other</li></ul>		<ul><li>☐ Folding</li><li>☒ Split, Outward opening</li><li>☐ Other</li></ul>	
		Die	esel		Gas			Propane	
Engine	Diesel, Gas and Propane—210 H.P. minimum.	Engine mfr. DE Model or liters De Net torque 600	DD5	Model or	iters OCT	ters <u>OCTANE</u> Mo <u>600</u> @ <u>2600</u> R.P.M Ne		ne mfr. <u>N/A</u> el or liters corque @	
		Net H.P. <u>220</u> @	2200 R.P.M	Net H.P. 2			R.P.I Net I	M H.P @ R.P.M	
Engine Heater	Engine manufacturers recommended in-block heater.					Watts 750 Volts 12  Mfr. PHILLIPS			
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.				Mfr. <u>EATON</u> ⊠ Fan clutch			☐ Electronic ☐ Shutters	
Fuel Tank	Diesel—100-gallon m Gas and Propane—6 minimum.		Dies Capacity 100	el	Gas Pro		Propane Capacity N/A		

THOMAS BUILT BUS

#### **State Price Quote Specification**

# TYPE C77—BID AS 71 PASSENGER, DIESEL, GAS & PROPANE Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
		Front B.T.U. <u>50,600</u>	
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include	Center B.T.U. <u>84,000</u>	
ricators	recirculating pump.	Rear B.T.U. <u>84,000</u>	
		Total B.T.U. <u>218,600</u>	
Hood	Tilt.		
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ⊠  If not, explain	
	,	Mfr. DELPHI	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Model No. <u>DEA700</u>	
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift 337.1" w/lift 337.1"  Mfg.'s C/C seat measurement of vehicle (inches): w/o lift 30 w/lift 30	
Steering Wheel	Tilt and telescoping column.	Check if as specified	
Step Tread	Studded or pebbled top tread covering.	Mfr. KOROSEAL	
		Mfr. HANKOOK	
Tires	6 first quality, radial ply. No low profile tires.	Size <u>11R22.5</u>	
		Load range G	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) 8.9	

#### **State Price Quote Specification**

## TYPE C77—BID AS 71 PASSENGER, **DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61-77 capacity.

PARTI(cont.)
Vendor: <u>SCHETKY NW SALES</u>
THOMAS BUILT BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.				CIFICALLY IDENTIFY ITEM BID bid will establish the state cost.		
	Diesel and Propane:	Diesel		Gas	Propane		
	Automatic—Allison, PTS	Mfr. ALLISON	Mfr. <u>A</u>	ALLISON	Mfr. <u>N/A</u>		
	2500 or equal. Gas: Automatic—	Model no. <u>2500</u>	Mode	el no. <u>2500</u>	Model no.		
Transmission	manufacturer's standard	Net input 600	Net in	nput <u>600</u>	Net input		
	compatible with H.P. and torque rating of engine bid.	Net input H.P. 220	_ Net ir	nput H.P. <u>220</u>	Net input H.P		
Two-way	45		•	Mfr. MOTOROLA			
Communications	45-watt, vHF, mii. spec.	45-watt, VHF, mil. spec.			Model No. CM300D		
AA/L L	0.1				Size <u>22.5</u> "		
vvneeis	Wheels 6 to be compatible with tire size.			Rim width <u>8.25"</u>			
	SPECIAL NEEDS REC	QUIREMENTS—CHASSIS	AND BO	ΟY			
Wheelchair Lift—		Must meet state specification. Platform shall be a minimum of			Mfr. BRAUN		
Installed	32" x 52".			Model No. NCL917IB-2			
Wheelchair/ Occupant Tie-down	Must meet state specification	on		Mfr. SURE-LOK			
System—Installed	Must meet state specification	on.		Model No. FF627S-4C-3			
	•	IREMENTS—CHASSIS A					
Line Setting Ticket	delivered with each vendor bus.	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.			Check if as specified ⊠		
Owner's/Operator's Handbook	handbook or manual will be delivery.	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.			Check if as specified ⊠		
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.			Check if as specifi	ied ⊠		

THOMAS BUILT BUS

#### **State Price Quote Specification**

# TYPE C77—BID AS 71 PASSENGER, DIESEL, GAS & PROPANE

Use this document to bid both non-lift and lift buses for 61-77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Service and Cleaning	<ul> <li>Cleaning and service by vendor prior to delivery will include:</li> <li>Chassis lubrication.</li> <li>Check fluid levels: verify all are at recommended full levels.</li> <li>Cooling system protected at -20°F.</li> <li>Interior and exterior will be clean (including glass).</li> <li>All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery.</li> <li>All components and accessories will be installed and operational at time of delivery.</li> </ul>	Check if as specified ⊠
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ⊠



STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

#### VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C77— BID AS 71 PASSENGERS (DIESEL)

VENDOR'S COMPANY NAME SCHETKY NW SALES INC	REPRESENTATIVE'S NAME SCOTT MEYER	TELEPHONE NUMBER 509-579-6267
ADDRESS 8430 NE LOMBARD ST PORTLAND, OR 97220	Estimated delivery date to school district from time purchase order is received: 240-260  Firm where engine and chassis can be serviced or repaired, and parts obtained: SCHETKY  Firm where body can be serviced or repaired, and parts obtained: SCHETKY	

BODY						
MAKE THOMAS BUILT BUS MODEL	YEAR	Warranty:	Years <u>3</u> Miles <u>50,000</u>	Inside measurement stepwell to appropria rear of passenger se	ate point at	Equipped seating capacity: w/o lift 71 w/lift 55
311TS	2025	Seat color: Floor color:		w/o lift 337.1"	w/lift <u>337.1"</u>	Overall vehicle length (inches): w/o lift 449.7 w/lift 449.7

	CHASSIS		ENGINE			
MAKE FREIGHTLINER		Warranty: Years 3 Miles 50,000	MANUFACTURER DETROIT	Torque: <u>600</u> @ <u>1400</u> RPM H.P.: <u>220</u> @ <u>2200</u> RPM		
MODEL 311TS	YEAR 2025	Wheelbase: 259	MODEL YEAR DD5 NEW	C.I.D. or Liters: <u>5.1L</u> Fuel type: <u>DIESEL</u>		
	TRANSMISSION		Warranty: Years <u>5</u>	Battery type/grp: 31 31		
MANUFACTURER ALLISON		Speeds forward: 5	Miles <u>100,000</u>	Number batteries: 2 2		
MODEL 2500PTS		Warranty: Years <u>5</u> Miles <u>UNLIM</u>	Number of cylinders: <u>4</u> Inline <u>X</u> V-type	Total CCA: <u>1900</u> <u>1900</u>		

	Q	UOTED PRICE	
Quoted price is based upon payment with	in 30 days after delivery to the scho	ool district (without sales tax).	
	,	,	
Diesel Bid-w/o lift \$ 156,041.00	Diesel Bid—w/lift \$ 16	54.472.00	
Diesei Did—W/Ο IIII φ <u>130,041.00</u>	Diesei Diα—w/iiit ψ <u>10</u>	<u> </u>	
VENDOD DEDDEOGNITATIVE O CONTATUDE		DATE	
VENDOR REPRESENTATIVE'S SIGNATURE	Scott Meyer	08/06/2024	
	Sau Magel	00/00/2024	
	//		



STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

#### VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C77— BID AS 71 PASSENGERS (GAS)

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER			
SCHETKY NW SALES INC	SCOTT MEYER	509-579-6267			
ADDRESS	_	Estimated delivery date to school district from time purchase order is received: <u>240-260</u>			
	Firm where engine and chassis can be	serviced or repaired, and parts obtained: <u>SCHETKY</u>			
	Firm where body can be serviced or re	paired, and parts obtained: <u>SCHETKY</u>			

BODY						
MAKE THOMAS BUILT BUS MODEL 311TS	YEAR 2025	Warranty:	Years <u>3</u> Miles <u>50,000</u>	Inside measurement stepwell to appropria rear of passenger se	ate point at	Equipped seating capacity: w/o lift 71 w/lift 55
31113	2023	Seat color: Floor color:		w/o lift 337.1"_	w/lift <u>337.1"</u>	Overall vehicle length (inches): w/o lift 449.7 w/lift 449.7

	CHASSIS		E	NGINE
MAKE FREIGHTLINER		Warranty: Years <u>3</u> Miles <u>50,000</u>	MANUFACTURER CUMMINS	Torque: <u>660</u> @ <u>2600</u> RPM H.P.: <u>220</u> @ <u>3400</u> RPM
MODEL 311TS	YEAR 2025	Wheelbase: 259	MODEL YEAR NEW	C.I.D. or Liters: <u>6.7L</u> Fuel type: <u>GASOLINE</u>
	TRANSMISSION		Warranty: Years <u>5</u>	Battery type/grp: 31 31
MANUFACTURER ALLISON		Speeds forward: 5	Miles <u>100,000</u>	Number batteries: 2 2
MODEL 2500PTS		Warranty: Years <u>5</u> Miles <u>UNLIM</u>	Number of cylinders: <u>6</u> Inline <u>X</u> V-type	Total CCA: <u>1900</u> <u>1900</u>

QUOTED PRICE					
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).					
Gas Bid—w/o lift \$ <u>173,523.00</u>	Gas Bid—w/lift \$ <u>181,953.00</u>				
VENDOR REDRESENTATIVE'S SIGNATURE STATE DATE					
VENDOR REPRESENTATIVE'S SIGNATURE Scott Weyer 08/06/2024					



STUDENT TRANSPORTATION Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

# VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION

				ASSENGERS (PR	•	ON		
VENDOR'S COMPANY NAME SCHETKY NW SALES INC			REPRESENTATIVE SCOTT MEYE				ELEPHONE NUMBER 509-579-6267	
PORTLAND, OR 97220		Estimated delivery date to school district from time purchase order is received:  Firm where engine and chassis can be serviced or repaired, and parts obtained:  Firm where body can be serviced or repaired, and parts obtained:						
			BODY	_				
MAKE	YEAR	Warranty: Y  Seat color: _ Floor color: _	Miles	Inside measurement stepwell to appropria rear of passenger sew/o lift	te point at	w/o lift _	d seating capaci w/lift ehicle length (incw/lift	ches):
	CHASSIS				EN	GINE		
MAKE		Warranty: Y	′ears ∕liles	MANUFACTURER		_	@	RPM RPM
MODEL	YEAR	Wheelbase:		MODEL	YEAR	C.I.D. or Lite Fuel type:		
MANUFACTURER	TRANSMISSION	Speeds forwa	ard:	Warranty: Years Miles		Battery Number	ty	/pe/grp: atteries:
MODEL		Warranty: Y	′ears ∕liles	Number of cylinders: Inline V-ty		Total CCA:		
			OUOTED D	DICE				
Quoted price is based upon paym	ent within 30 days afte	er delivery to the	QUOTED P					
Propane Bid—w/o lift \$ NO BID	·	ropane Bid—w/						
VENDOR REPRESENTATIVE'S SIGNATURE	Scott May	er		08/06/2024				

Vendor: <u>SCHETKY NW SALES</u>

THOMAS BUILT BUS

#### State Price Quote Specification

### **DISTRICT-SUPPORTED OPTIONS**

**□C60 ⊠C77 □D60 □D84** 

ITEM	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.		
Activity Securement	2-passenger position seats with lap-shoulder belts in all	Passenger Capacity <u>48</u>		
Seating	passenger positions.	Cost \$ <u>650.00 PER SEAT, F</u>	REPLACE STD SEAT	
Air Conditioning	To cool passenger compartment as required in the Washington	Mfr. CARRIER AC-572MA	AX 70K BTU	
All Conditioning	State School Bus Specifications manual.	Cost \$ 7,570.00		
Alternate Fuel	Must comply with power and gradeability formula. Refer to	Mfr. N/A		
	Washington State School Bus Specifications manual. Must	☐ Cost \$		
☐ Electric	comply with all of the requirements of FMVSS No. 305.	☐ Electric Cost \$ SEPAR	ATE BID	
		Cost \$ <u>964.00</u>	Capacity <u>270AMP</u>	
Alternator	Available options.	Cost \$ <u>1,152.00</u>	Capacity <u>320AMP</u>	
		Cost \$	Capacity	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ 195.00		
Anti-spray Device	Number letituer exteriuers.	Type D: Cost \$ 375.00		
Back-up Alarm	Must meet state specification.	Mfr. THOMAS		
Back-up Alaim	Must meet state specification.	Cost \$ <u>175.00</u>		
Brakes	4-wheel hydraulic disk brake.	Cost \$ INCLUDED	Deduct \$ N/A	
Brakes	Air, Drum or Disc. Refer to Washington State School Bus		Disc Deduct \$ N/A	
Diakes	Specifications manual.	Drum Cost \$ 3,500.00	Drum Deduct \$ N/A	
Color	Exterior white roof.	Cost \$ 690.00		
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>350.00</u>		
	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air	Air	
Driver's Seat		Mfr. NATIONAL	Mfr. NATIONAL	
	Cloth parier covers.	Cost \$ INCLUDED	Cost \$ 525.00	
Fire Suppression	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.			
System			Cost \$ 6,300.00	
Floor Color	Nonstandard color.	Cost \$ 650.00		

THOMAS BUILT BUS

## State Price Quote Specification

# **DISTRICT-SUPPORTED OPTIONS**

□C60	<b>⊠C77</b>	□ <b>D60</b>	□D84
------	-------------	--------------	------

ITEM	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Fuel Tank	Larger fuel capacity (Diesel only).	Size: 100 Cost \$ INCLUDED	
Fuel Tank	Larger fuel capacity (Propane only).	Size: <u>N/A</u>	
Headlights	Halogen.	Cost \$ N/A	
Headlights	L.E.D.	Cost \$ INCLUDED	
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>WEBASTO</u> Model: <u>PRO90</u> Cost \$ 5,500.00	
Noise Reduction	Exceeding minimum specifications.	Driver compartment Cost \$ 160.00  Engine compartment Cost \$ 195.00  Full acoustical headliner Cost \$ 920.00	
Retarder	Manufacturer's standard.	Driveline       □       Cost \$         Exhaust       □       Cost \$         Transmission       □       Cost \$	
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ 1,225.00	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ 11,560.00 Capacity 40 3 by 2 Cost \$ 11,560.00 Capacity 40 3 by 3 Cost \$ 13,872.00 Capacity 72	

Vendor: <u>SCHETKY NW SALES</u>

THOMAS BUILT BUS

#### State Price Quote Specification

## **DISTRICT-SUPPORTED OPTIONS**

□C60	<b>⊠C77</b>	□ <b>D60</b>	□ <b>D</b> 84
------	-------------	--------------	---------------

ITEM	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.		
	·	Left side 29.7 cubic		
		Cost \$ 1,850.00		
Storage	Laurant available for within	Right-side 29.7	cubic feet.	
Compartments	Largest available for unit bid.	Cost \$ 1,850.00		
		Push-thru N/A	cubic feet.	
		Cost \$		
		Mfr. THOMAS		
Strobe Light	Exterior roof mounted white strobe light.	Model No. <u>DOUBLE FLAS</u>	SH	
		Cost \$ 295.00		
Ctudent Dretection		Mfr. <u>THOMAS</u>		
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Model No. <u>PASS-ADVISORY</u>		
Cyclem motaned		Cost \$ 390.00		
Suspension	Air ride (Air brake system only).	Front	Rear	
Оизрензіон	All fide (All brake system only).	Cost \$ N/A	Cost \$ <u>3,200.00</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ <u>85.00</u>	Deduct \$ <u>N/A</u>	
Traction Device	Automotic chains	Mfr. ON-SPOT		
Traction Device	Automatic chains.	Cost \$ 4,950.00		
Traction Device	Sanders.	Capacity <u>158-LB</u>		
Traction Device	Saliders.	Cost \$ <u>6,100.00</u>		
		Mfr. ALLISON		
Transmission	Automatic—Allison, PTS 3000 or equal.	Model No. 3000PTS		
		Cost \$ 7,390.00		
Vehicle Securement System	Must meet state specification.	Mfr. SAFETY BRAKE	Cost \$ 2,150.00	
Video Camera	Digital audia (video ayatam far manitaring the manager	Mfr. SEON		
Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Model No. DH		
Cystollis ilistalied	comparation with more than two cameras.	Cost \$ <u>4,230.00</u> How many cameras <u>3</u>		

PART II (cont.)

Vendor: <u>SCHETKY NW SALES</u>

THOMAS BUILT BUS

## State Price Quote Specification

# **DISTRICT-SUPPORTED OPTIONS**

□C60	<b>⊠C77</b>	□ <b>D60</b>	□ <b>D</b> 84
------	-------------	--------------	---------------

ITEM	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.		
		Stand Alone System	Added to Interior System	
Video Camera		Mfr. <u>SEON</u>	Mfr. <u>SEON</u>	
Systems—Stop Sign	Must meet state specification.	Model No. <u>DH</u>	Model No. <u>DH</u>	
Camera—Installed		Cost \$ <u>4,780.00</u>	Cost \$ 705.00	
		How many cameras <u>4</u>	How many cameras <u>1</u>	
Marning Light Manitor	16 light monitoring system.	Incandescent	LED Lights	
Warning Light Monitor		Cost \$ N/A	Cost \$ 350.00	
Additional		Mfr. SURE-LOK		
Wheelchair/Occupant Tie-down System—	Must meet state specification.	Model No. FF627S-4C-3		
Installed		Cost per station \$ 960.00		
		Side Cost \$ 695.00		
Windows	Laminated passenger-compartment side or rear glass.	Rear Cost \$ 395.00		
		Both Cost \$ <u>1,090.00</u>		
Windows	Tinted.	Cost \$ 550.00		
Windows	Thermal pane, left of driver and service door.	Cost \$ 795.00		