

State Price Quote Specification

TYPE C77—BID AS 71 PASSENGER, ELECTRIC

Use this document to bid both non-lift and lift buses for 61-77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Seating Capacity	71 passenger based upon an average center-to-center seat	Capacity w/o lift 71	
	spacing of at least 27.5".	Capacity w/lift 61	
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. GSS USA	
		Mfr. HENDRICKSON	
Axle—Front	9,000 lb. minimum.	Capacity <u>12,000</u>	
Axle—Rear	19,000 lb. minimum.	Mfr. DANA	
		Capacity <u>23,000</u>	
Axle Oil Seals	Front and rear oil bath, or maintenance free sealed greased bearings.	Mfr. SKF	
	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Mfr. DANA S21 5.29	
Axle Ratio		Capacity 21,000	
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: Diameter 4" Other: Square inches	
	1200 CCA 12 volt minimum to be mounted in body battery	Number of batteries <u>2 GP 31</u>	
Battery(ies) Low Voltage	compartment w/o lift. 1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	CCA <u>925</u>	
Battery(ies)	Battery propulsion must meet a minimum of 130 kWh.	Number of batteries 14	
Propulsion	Battery propagation must most a minimum or 100 kWil.	kWh <u>155</u>	

PART I (cont.)

Vendor: BRYSON

State Price Quote Specification

TYPE C77—BID AS 71 PASSENGER, ELECTRIC

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.	Swing out □ Roll out		
Brakes	Air: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	DiscFront \square Rear \square DrumFront \boxtimes Rear \boxtimes SizeFront $\underbrace{16.5 X 5}$ Rear $\underbrace{16.5 X 7}$		
Door, Service	Power operated.	□ Air □ Folding ⋈ Electric ⋈ Split, Outward opening □ Other □ Other		
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors.	Front B.T.U. <u>90,000</u> Center B.T.U. <u>50,000</u> Rear B.T.U. <u>50,000</u> Total B.T.U. <u>190,000</u>		
Hood	Tilt.			
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Taillights, Turn Signals, Eight-Light System, and Dome- Light System.	Check if as specified ⊠ If not, explain.		
Motor	190 H.P. minimum.	Engine Mfr. PRESTOLITE TM4 Model LSM200CHV3000 Net torque 785 @ 3000 R.P.M. Net H.P. 315 @ 3000 R.P.M.		
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. MUSIC WAVE Model No. MFG STD		

State Price Quote Specification

TYPE C77—BID AS 71 PASSENGER, ELECTRIC

Use this document to bid both non-lift and lift buses for 61-77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift 356" w/lift 356" Mfg.'s C/C seat measurement of vehicle (inches): w/o lift 28" w/lift 28.5"	
Steering Wheel	Tilt and telescoping column.	Check if as specified ⊠	
Step Tread	Studded or pebbled top tread covering.	Mfr. PROFUSION INDUSTRIES	
Tires	6 first quality, radial ply. No low profile tires.	Mfr. ONE OF FIVE MAJOR BRANDS Size 11R 22.5 Load range H	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) 3.16	
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. KENWOOD Model No. NX3720HVK	
NA(L L.	O to Language (FL) and the first of the	Size <u>22.5"</u>	
Wheels	6 to be compatible with tire size.	Rim width <u>8.25"</u>	
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. BRAUN Model No. NCL-919-FIB2	
Wheelchair/ Occupant Tie- down System— Installed	Must meet state specification.	Mfr. Q-STRAINT Model No. Q-8106-L2	

State Price Quote Specification

TYPE C77—BID AS 71 PASSENGER, ELECTRIC

Use this document to bid both non-lift and lift buses for 61-77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified ⊠
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified ⊠
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ⊠
Service and Cleaning	 Cleaning and service by vendor prior to delivery will include: Chassis lubrication. Check fluid levels: verify all are at recommended full levels. Cooling system protected at -20°F. Interior and exterior will be clean (including glass). All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. All components and accessories will be installed and operational at time of delivery. 	Check if as specified ⊠
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ⊠



STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C77—BID AS 71 PASSENGER ELECTRIC

VENDOR'S COMPANY NAME BRYSON SALES & SERVICE OF WASHINGTON, INC.				REPRESENTATIVE'S NAME TELEPHONE NUMBER BRANDON BRYSON 425-953-2820				
ADDRESS 2407 GIBSON RD. EVERETT, WA 98204			Estimated delivery date to school district from time purchase order is received: 150-210 Firm where engine and chassis can be serviced or repaired, and parts obtained: BRYSON Firm where body can be serviced or repaired, and parts obtained: BRYSON					
			В	ODY				
MAKE BLUE BIRD MODEL	YEAR		′ears <u>1</u> ⁄liles <u>12,000</u>	Inside measurement stepwell to appropria rear of passenger se	ite point at		eating capacity: w/lift_ <u>61</u>	
BBCV 3303	2025	Seat color: B		w/o lift 356"	w/lift <u>356"</u>		icle length (inches): .29 w/lift 470.29	
	CHASSIS				MO ⁻	TOR		
MAKE BLUE BIRD		•	ears <u>1</u> iles <u>12,000</u>	MANUFACTURER PRESTOLITE TM4		Torque: <u>785</u> H.P.: <u>315</u>	@ <u>3000</u> RPM @ <u>3000</u> RPM	
MODEL YEAR BBCV 3303 2025		Wheelbase: 2	273"	MODEL LMS200CHV3000	YEAR 2025	C.I.D. or Liters: Fuel type: <u>ELE</u>		
	BATTERIES			Warranty: Years <u>5</u>				
12 Volt Propulsion Battery type/grp: 31 Number batteries: 14				Miles <u>100</u>	.000			
Number batteries: 2	Total kWh	: <u>155</u>						
Total CCA: 1400								
QUOTED PRICE								
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).								
	Electric Bid—w/o lift \$ 515,897.00							
VENDOR REPRESENTATIVE'S SIGNATURE Brandon Bryson				DATE 08/02/2024				
<u> </u>				,,				

State Price Quote Specification

Use this document to bid both non-lift and lift buses.

Vendor must meet or exceed these specifications. **VENDOR SPECIFICALLY IDENTIFY ITEM BID** ITEM Item bid shall be specified in column to right. Price of items bid will establish the district cost. Activity Passenger Capacity 40 2-passenger position seats with lap-shoulder belts in all passenger Securement positions. Cost \$ 13,938.00 Seating Mfr. MCC AC-12IW1I21CR4CR4 To cool passenger compartment as required in the Washington State Air Conditioning School Bus Specifications manual. Cost \$ 29,636.00 Type C: Cost \$ 215.00 Anti-spray Device Rubber fender extenders. Type D: Cost \$ N/A Mfr. ECCO VARIABLE DB Back-up Alarm Must meet state specification. Cost \$ 230.00 4-wheel hydraulic disk brake. Cost \$ 0.00 Deduct \$ 862.00 **Brakes** Disc Cost \$ 3,888.00 Disc Deduct \$ N/A Air, Drum or Disc. Refer to Washington State School Bus Brakes Drum Cost \$ INCLUDED Specifications manual. Drum Deduct \$ N/A Cost \$ INCLUDED Color Exterior white roof. Door Locks Vandal lock system on all exterior doors. Cost \$ 559.00 Non-Air Air Suspension type, 6-way adjustable, with lumbar adjustment. Cloth Driver's Seat Mfr. NATIONAL Mfr. NATIONAL panel covers. Cost \$ INCLUDED Cost \$ 299.00 Jomarr VT-6-E-NAF, or equal engine compartment fire suppression Mfr. AMEREX VH25 ABS FOUR NOZZLE Fire Suppression system of appropriate size to be installed according to manufacturer System Cost \$ 5,967.00 recommendation. Floor Color Nonstandard color. Cost \$ 459.00 Cost \$ 0.00 Headlights Halogen. Headlights L.E.D. Cost \$ INCLUDED

State Price Quote Specification

DISTRICT-SUPPORTED OPTIONS

⊠C77 □ D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.		
Heater (Auxiliary	Auxiliary fuel-fired heating systems. Refer to Washington State	Brand: VALEO Model: 200 PLUS		
water)	School Bus Specifications Manual, page 27.	Cost \$ 3804.00		
		Driver compartment Cost \$ INCLUDED		
Noise Reduction	Exceeding minimum specifications.	Engine compartment Cost \$ N/A		
		Full acoustical headliner Cost \$ 936.00		
		Driveline ☐ Cost \$ N/A		
Retarder	Manufacturer's standard.	Exhaust		
		Transmission Cost \$ N/A		
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ 385.00 PER SEAT		
	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ 9,314.00		
		Capacity 46		
Coating Cyatam		3 by 2 Cost \$ <u>11,217.40</u>		
Seating System		Capacity 59		
		3 by 3 Cost \$ <u>12,021.40</u>		
		Capacity 71		
		Left side 11.2 cubic feet.		
	Largest available for unit bid.	Cost \$ <u>1,184.00</u>		
Storage		Right-side N/A cubic feet.		
Compartments		Cost \$ N/A		
		Push-thru N/A cubic feet.		
		Cost \$ N/A		
Strobe Light		Mfr. ECCO		
	Exterior roof mounted white strobe light.	Model No. 7460 LED CLEAR LENS		
		Cost \$ 223.00		

State Price Quote Specification

DISTRICT-SUPPORTED OPTIONS

 \boxtimes C77 \square D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.			
_		Mfr. BLUE BIRD			
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of	Model No. <u>DA01</u>	Model No. DA01		
System—mstalled	passenger compartment.	Cost \$ <u>199.00</u>			
Sugnancian	Air vide (Air bashe exceler exceler)	Front	Rear		
Suspension	Air ride (Air brake system only).	Cost \$ <u>982.00</u>	Cost \$ <u>1,342.00</u>		
Toolbox	Interior, manufacturer standard.	Cost \$ <u>84.00</u>	Deduct \$ N/A		
Traction Device	Automatic chains.	Mfr. ON SPOT			
Traction Device	Automatic chains.	Cost \$ <u>4,899.00</u>	Cost \$ 4,899.00		
Traction Daviso		Capacity 100 LBS.			
Traction Device	Sanders.	Cost \$ 2,909.00	Cost \$ 2,909.00		
Vehicle Securement System	Must meet state specification.	Mfr. <u>BLUE BIRD</u>	Cost \$ <u>794.00</u>		
Video Camera	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. REI	Mfr. REI		
Systems—		Model No. HD6-600W-4-500GB HDD			
Installed		Cost \$ <u>2,493.00</u> Hov	w many cameras <u>4</u>		
	Must meet state specification.	Stand Alone System	Added to Interior System		
Video Camera		Mfr. REI	Mfr. REI		
Systems—Stop Sign Camera—		Model No. <u>HD6-600W</u>	Model No. MB AHD WRR		
Installed		Cost \$ 2,033.00	Cost \$ 277.00		
		How many cameras <u>2</u>	How many cameras <u>1</u>		
Warning Light	16 light monitoring system.	Incandescent	LED Lights		
Monitor	TO light monitoring system.	Cost \$ 284.00	Cost \$ 284.00		

PART II (cont.)
Vendor: <u>BRYSON</u>

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS ⊠C77 □D84 − ELECTRIC

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Additional	Must meet state specification.	Mfr. Q-STRAINT
Wheelchair/Occup		Model No. <u>Q-8106-L2</u>
ant Tie-down System—Installed		Cost per station \$ 598.00
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ 3,514.00
		Rear Cost \$ <u>1,490.00</u>
		Both Cost \$ 5,004.00
Windows	Tinted.	Cost \$ INCLUDED
Windows	Thermal pane, left of driver and service door.	Cost \$ 601.00