

State Price Quote Specification  
**TYPE D—84 PASSENGER  
 ELECTRIC**

Vendor: SCHETKY NW SALES  
THOMAS BUILT BUS

Use this document to bid both non-lift and lift buses for 61 – 84 capacity

ITEM	SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the district cost.
Seating Capacity	84 passenger maximum design capacity seated for 78 passengers.	Capacity w/o lift <u>78</u> Capacity w/lift <u>N/A</u>
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. <u>BERGSTROM</u>
Axle—Front	13,200 lb. minimum total suspension GVWR.	Mfr. <u>DETROIT</u> Capacity <u>13,200-LB</u>
Axle—Rear	23,000 lb. minimum total suspension GVWR.	Mfr. <u>DETROIT</u> Capacity <u>23,000-LB</u>
Axle Oil Seals	Front and rear oil bath, or maintenance free sealed greased bearings.	Mfr. <u>CR</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Ratio <u>6.14</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input type="checkbox"/> Diameter _____ Other: <input checked="" type="checkbox"/> Square inches <u>22</u>
Battery(ies)	1400 CCA 12 volt to be mounted in body battery compartment.	Number of batteries <u>2</u> CCA <u>1900</u>
Battery(ies) Propulsion	Battery propulsion must meet a minimum of 130 kWh.	Number of batteries <u>1</u> kWh <u>244</u>
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.	<input type="checkbox"/> Swing out <input checked="" type="checkbox"/> Roll out
Brakes	Air: Drum or Disc. If Drum, minimum 16.5" x 6" front, minimum 16.5" x 8" rear. Refer to Washington State School Bus Specifications Manual.	Disc    Front <input type="checkbox"/> Rear <input type="checkbox"/> Drum    Front <input checked="" type="checkbox"/> Rear <input checked="" type="checkbox"/> Size    Front <u>16.5X6</u> Rear <u>16.5X8 5/8</u>
Door, Service	Power operated.	<input type="checkbox"/> Folding <input type="checkbox"/> Other <input type="checkbox"/> Roll out <input checked="" type="checkbox"/> Split, Outward opening

**State Price Quote Specification**  
**TYPE D—84 PASSENGER**  
**ELECTRIC**

PART I (cont.)  
Vendor: SCHETKY NW SALES  
THOMAS BUILT BUS

Use this document to bid both non-lift and lift buses for 61 – 84 capacity

ITEM	SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Mfr. <u>NATIONAL</u>
Motor	190 H.P. minimum, located in the rear.	Engine mfr. <u>PROTERRA</u> Model or liters <u>PRO-DRIVE</u> Net torque <u>1200</u> @ _____ R.P.M Net H.P. <u>295</u> @ _____ R.P.M
Heaters	Heaters Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors.	Front B.T.U. <u>90,000</u> Center B.T.U. <u>50,000</u> Rear B.T.U. <u>50,000</u> Total B.T.U. <u>190,000</u>
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain. _____
P.A. System	AM/FM/PA radio with 4 interior and 1 exterior speakers.	Mfr. <u>DELPHI</u> Model No. <u>DEA700</u>
Seat Spacing	78 passengers based upon manufacturer's maximum seat spacing.	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: <u>406.5</u> inches Mfg.'s C/C seat measurement: <u>30</u> inches
Steering Wheel	Tilt and telescoping column.	Check if as specified <input checked="" type="checkbox"/>
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>KOROSEAL</u>
Tires	6 first quality, radial ply. No low-profile tires.	Mfr. <u>HANKOOK</u> Size <u>11R22.5</u> Load range <u>H</u>

State Price Quote Specification  
**TYPE D—84 PASSENGER  
ELECTRIC**

PART I (cont.)  
**Vendor: SCHETKY NW SALES**  
THOMAS BUILT BUS

Use this document to bid both non-lift and lift buses for 61 – 84 capacity

ITEM	SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the district cost.
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>6.9</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>MOTOROLA</u>
		Model No. <u>CM300D</u>
Wheels	6 to be compatible with tire size.	Size <u>22.5"</u>
		Rim width <u>8.25"</u>
<b>SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY</b>		
Wheelchair Lift— Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>N/A</u>
		Model No. _____
Wheelchair/ Occupant Tie- down System— Installed	Must meet state specification.	Mfr. _____
		Model No. _____

State Price Quote Specification  
**TYPE D—84 PASSENGER  
ELECTRIC**

PART I (cont.)  
**Vendor: SCHETKY NW SALES**  
THOMAS BUILT BUS

Use this document to bid both non-lift and lift buses for 61 – 84 capacity

ITEM	SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the district cost.
	<b>ADDITIONAL REQUIREMENTS—CHASSIS AND BODY</b>	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified <input checked="" type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified <input checked="" type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> <li>• Chassis lubrication.</li> <li>• Check fluid levels: verify all are at recommended full levels.</li> <li>• Cooling system protected at -20°F.</li> <li>• Interior and exterior will be clean (including glass).</li> <li>• All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery.</li> <li>• All components and accessories will be installed and operational at time of delivery.</li> </ul>	Check if as specified <input checked="" type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input checked="" type="checkbox"/>



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2024-2025

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

## VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE D—84 PASSENGER—ELECTRIC

VENDOR'S COMPANY NAME <b>SCHETKY NW BUS SALES INC</b>	REPRESENTATIVE'S NAME <b>SCOTT MEYER</b>	TELEPHONE NUMBER <b>509-579-6267</b>
ADDRESS <b>8430 NE LOMBARD ST. PORTLAND, OR 97220</b>	Estimated delivery date to school district from time purchase order is received: <u>260-280</u> Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>SCHETKY</u> Firm where body can be serviced or repaired, and parts obtained: <u>SCHETKY</u>	

### BODY

MAKE <b>THOMAS BUILT BUS</b>		Warranty: Years <u>1</u> Miles <u>UNLIM</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>406.5</u> w/lift <u>N/A</u>	Equipped seating capacity: w/o lift <u>78</u> w/lift <u>N/A</u>  Overall vehicle length (inches): w/o lift <u>479.5</u> w/lift <u>N/A</u>
MODEL <b>380DS</b>	YEAR <b>2025</b>	Seat color: <u>GRAY</u> Floor color: <u>BLACK</u>		

### CHASSIS

### MOTOR

MAKE <b>THOMAS BUILT BUS</b>		Warranty: Years <u>1</u> Miles <u>UNLIM</u>	MANUFACTURER <b>PROTERRA</b>	Torque: <u>1200</u> @ _____ RPM
MODEL <b>380DS</b>	YEAR <b>2025</b>	Wheelbase: <u>277</u>	MODEL <b>PRO-DRIVE</b>	YEAR <b>NEW</b>
<b>BATTERIES</b>			H.P.: <u>295</u> @ _____ RPM	
12 Volt		Propulsion		
Battery type/grp: <u>31</u> _____	Number batteries: <u>1</u>			
Number batteries: <u>2</u>	Total kWh: <u>244</u>			
Total CCA: <u>1900</u>	Warranty: Years <u>5</u> Miles <u>100,000</u>			

### QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Bid—w/o lift \$ 489,376.00 \_\_\_\_\_
 Bid—w/lift \$ NO BID \_\_\_\_\_

VENDOR REPRESENTATIVE'S SIGNATURE 	DATE <u>08/06/2024</u>
---------------------------------------	---------------------------

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

Vendor: SCHETKY NW  
SALES  
THOMAS BUILT BUS

C77  D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>52</u> Cost \$ <u>650.00 PER SEAT, REPLACE STD SEAT</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>CARRIER AC-IW10/IW1 120K BTU</u> Cost \$ <u>22,160.00</u>	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>195.00</u> Type D: Cost \$ <u>375.00</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>THOMAS</u> Cost \$ <u>175.00</u>	
Brakes	4-wheel hydraulic disk brake.	Cost \$ <u>N/A</u>	Deduct \$ <u>          </u>
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>4,350.00</u> Drum Cost \$ <u>INCLUDED</u>	Disc Deduct \$ <u>N/A</u> Drum Deduct \$ <u>N/A</u>
Color	Exterior white roof.	Cost \$ <u>790.00</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>350.00</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	<b>Non-Air</b>	<b>Air</b>
		Mfr. <u>N/A</u>	Mfr. <u>INCLUDED</u>
		Cost \$ <u>          </u>	Cost \$ <u>          </u>
Fire Suppression System	Jomar VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. <u>FOGMAKER</u> Cost \$ <u>6,300.00</u>	
Floor Color	Nonstandard color.	Cost \$ <u>950.00</u>	
Headlights	Halogen.	Cost \$ <u>N/A</u>	
Headlights	L.E.D.	Cost \$ <u>INCLUDED</u>	

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

C77    D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

PART II (cont.)

Vendor: SCHETKY NW  
SALES  
THOMAS BUILT BUS

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>N/A</u> Model: _____ Cost \$ _____
Noise Reduction	Exceeding minimum specifications.	Driver compartment      Cost \$ <u>250.00</u> Engine compartment      Cost \$ <u>INCLUDED</u> Full acoustical headliner      Cost \$ <u>990.00</u>
Retarder	Manufacturer's standard.	Driveline <input type="checkbox"/> Cost \$ <u>N/A</u> Exhaust <input type="checkbox"/> Cost \$ _____ Transmission <input type="checkbox"/> Cost \$ _____
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ <u>1,225.00</u>
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ <u>12,718.00</u> Capacity <u>44</u> 3 by 2 Cost \$ <u>12,718.00</u> Capacity <u>44</u> 3 by 3 Cost \$ <u>16,184.00</u> Capacity <u>84</u>
Storage Compartments	Largest available for unit bid.	Left side <u>21.4</u> cubic feet. Cost \$ <u>1,375.00</u> Right-side <u>21.4</u> cubic feet. Cost \$ <u>1,375.00</u> Push-thru <u>N/A</u> cubic feet. Cost \$ _____
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>THOMAS</u> Model No. <u>DOUBLE FLASH</u> Cost \$ <u>295.00</u>

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

Vendor: SCHETKY NW  
SALES  
THOMAS BUILT BUS

C77  D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>THOMAS</u> Model No. <u>PASS-ADVISORY</u> Cost \$ <u>390.00</u>	
Suspension	Air ride (Air brake system only).	<b>Front</b>	<b>Rear</b>
		Cost \$ <u>N/A</u>	Cost \$ <u>4,025.00</u>
Toolbox	Interior, manufacturer standard.	Cost \$ <u>85.00</u>	Deduct \$ <u>N/A</u>
Traction Device	Automatic chains.	Mfr. <u>ON-SPOT</u> Cost \$ <u>4,950.00</u>	
Traction Device	Sanders.	Capacity <u>158-LB</u> Cost \$ <u>6,100.00</u>	
Vehicle Securement System	Must meet state specification.	Mfr. <u>SAFETY BRAKE</u>	Cost \$ <u>2,150.00</u>
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>SEON</u> Model No. <u>DH</u> Cost \$ <u>4,230.00</u> How many cameras <u>3</u>	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	<b>Stand Alone System</b>	<b>Added to Interior System</b>
		Mfr. <u>SEON</u> Model No. <u>DH</u> Cost \$ <u>4,780.00</u> How many cameras <u>4</u>	Mfr. <u>SEON</u> Model No. <u>DH</u> Cost \$ <u>705.00</u> How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	<b>Incandescent</b>	<b>LED Lights</b>
		Cost \$ <u>N/A</u>	Cost \$ <u>350.00</u>



State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

C77  D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

PART II (cont.)

Vendor: SCHETKY NW

SALES

THOMAS BUILT BUS

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>N/A</u> Model No. _____ Cost per station \$ _____
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>1,500.00</u> Rear Cost \$ <u>INCLUDED INSIDE COST</u> Both Cost \$ <u>1,500.00</u>
Windows	Tinted.	Cost \$ <u>750.00</u>
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>895.00</u>