### State Price Quote Specification TYPE A— GAS & PROPANE

Vendor: <u>Model 1 Commercial</u> <u>Vehicles</u>

Mfr.: Forest River -Trans Tech

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.			
Seating Capacity	Maximum passenger capacity based upon an average center-to-	Gas	Propane		
	center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Capacity w/o lift 30	Capacity w/o lift		
		Capacity w/lift 24	Capacity w/lift		
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer	Mfr. AC Delco	<u> </u>		
	recommended capacity.		C. <u>220</u>		
		Amps output w/lift or A.C.	220		
Auxiliary Automatic	10,000 lb. Hayden or equal.	Gas	Propane		
Transmission Cooler		Mfr. <u>Hayden</u>	Mfr		
		Lbs. rating 10000	Lbs. rating		
Axle—Front	Manufacturer's recommendation.	Gas	Propane		
		Mfr. Chevrolet	Mfr		
		Lbs. rating <u>4600</u>	Lbs. rating		
		Indepen. suspens.	Indepen. suspens.		
Axle—Rear	Manufacturer's recommendation.	Gas	Propane		
		Mfr. Chevrolet	Mfr		
		Capacity 9600	Capacity		
Axle Ratio	Must comply with power and gradeability formula. Refer to	Gas	Propane		
	Washington State School Bus Specifications Manual.	Ratio <u>4.10</u>	Ratio		
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: ⊠ Diameter Other: □ Square inc	4"		

PART I (cont.)

Vendor: Model 1 Commercial

<u>Vehicles</u>

Mfr.:Forest River-Trans Tech

## State Price Quote Specification TYPE A—GAS & PROPANE

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.		LY IDENTIFY ITEM BID establish the state cost.	
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift.	Gas/Propane w/o lift	Any bus w/lift	
	1070 CCA 12 volt minimum for any bus w/lift.		CCA <u>1540 CCA</u>	
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus	Gas	Propane	
	Specifications Manual.	Front Disc 🗵	Front Disc	
		Drum □	Drum □	
		Rear Disc ⊠	Rear Disc	
		Drum □	Drum 🗆	
		Drum Size	Drum Size	
Doors, Service	Power operated.	☐ Air ☐ Folding ☐ Split, Outward Opening		
Engine	Gas and Propane—3.5 liters minimum.	Gas	Propane	
		Engine mfr. <u>Chevrolet</u>	Engine mfr.	
		H.P. <u>401</u>	Liters	
Fuel Tank	Gas—25-gallon minimum.	Gas	Propane	
	Propane—largest available.	Capacity 30	Capacity	
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift 50000 Rear B.T.U. w/lift 50000		
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ⊠  If not, explain		

#### State Price Quote Specification

#### **TYPE A—GAS & PROPANE**

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: Model 1 Commercial
Vehicles

Mfr.: Forest-Trans Tech

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.			LY IDENTIFY ITEM BID establish the state cost.	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. Che	evrolet		
		Model N	lo. <u>OEM AM/FM/MF</u>	23	
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".		Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift 183" w/lift 183'		
			c/C seat measureme (inches): w/o lift <u>28</u>	ent of 3" w/lift 27.5"-29"	
Steering Wheel	Tilt.	Check if as specified ⊠			
Step Tread	Studded or pebbled top tread covering.	Mfr. Pro	fusion		
Tires	6 first quality, radial ply.		Mfr. General Tire (GT)		
		Size LT	225/75R		
		Load ra	nge <u>E</u>		
Toolbox	Exterior, manufacturer standard.	Size (cu	bic feet) 1.9		
Transmission	Automatic—manufacturer's standard compatible with H.P. and		Gas	Propane	
	torque rating of engine bid.	Mfr. Che	evrolet	Mfr	
		Model n	o. <u>8-Speed Auto</u>	Model no	
Two-way	45-watt, VHF, mil. spec.	Mfr. Motorola			
Communications		Model N	lo. <u>CM Sereis or equ</u>	ivalent	
Wheels	6 to be compatible with tire size.	Size <u>16'</u>	1		
		Rim width 6.5"			

#### **State Price Quote Specification**

#### **TYPE A—GAS & PROPANE**

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: Model 1 Commercial

Vehicles

Mfr.: Forest River-Trans Tech

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
	SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BOD	OY
Wheelchair	Must meet state specification. Platform shall be a minimum of	Mfr. Braun
Lift—Installed	32" x 52".	Model No. 917FIB-2
Wheelchair/Occupant	Must meet state specification.	Mfr. Sure-Lok
Tie-down System— Installed		Model No. AL700 Titan
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified ⊠
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified ⊠
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ⊠
Service and Cleaning	<ul> <li>Cleaning and service by vendor prior to delivery will include:</li> <li>Chassis lubrication.</li> <li>Check fluid levels: verify all are at recommended full levels.</li> <li>Cooling system protected at -20°F.</li> <li>Interior and exterior will be clean (including glass).</li> <li>All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery.</li> <li>All components and accessories will be installed and operational at time of delivery.</li> </ul>	Check if as specified ⊠
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ⊠



STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631

### VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—GAS

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER	
Model 1 Commercial Vehicles	Nick Corley	888-633-8380	
ADDRESS 11601 Cyrus Way #101 Mukilteo, WA 98275	Estimated delivery date to school district from time purchase order is received: 90 Date Firm where engine and chassis can be serviced or repaired, and parts obtained: OEM		
	Firm where body can be serviced or repaired, and parts obtained:	Model 1 Commercial	
	<u>Vehicles</u>		

BODY							
MAKE		Warrantv:	Years 3	Inside measurement	from rear of	Equipped seating capacity:	
Trans Tech		,	Miles 60000	stepwell to appropria	te point at	w/o lift <u>30C</u> w/lift <u>24C</u>	
MODEL SST	YEAR 2024			rear of passenger se	•	<u>200</u> <u>210</u>	
331	2024	Seat color:	<u>Blue</u>	w/o lift <u>183"</u>	w/lift 183"	Overall vehicle length (inches):	
		Floor color:	<u>Black</u>			w/o lift <u>287.2"</u> w/lift <u>287.2"</u>	

CHASSIS			El	NGINE
MAKE Chevrolet		Warranty: Years <u>5</u> Miles <u>60000</u>	MANUFACTURER Chevrolet	Torque: <u>464</u> @ <u>4000</u> RPM H.P.: <u>401</u> @ <u>5200</u> RPM
MODEL CG33803	YEAR 2024	Wheelbase: 159"	MODEL YEAR 2024	Liters: <u>6.6L</u> Fuel type: <u>Gasoline</u>
	TRANSMISSION		Warranty: Years <u>5</u>	Battery type/grp: 31
MANUFACTURER Chevrolet		Speeds forward: 8	Miles 60000	Number batteries: 2
MODEL Chevrolet		Warranty: Years <u>5</u> Miles <u>60000</u>	Number of cylinders: <u>8</u> Inline V-type <u>V8</u>	Total CCA: <u>1540</u>

QUOTED PRICE					
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).					
Gas Bid—w/o lift \$ <u>103,293</u>					
VENDOR REPRESENTATIVE'S SIGNATURE	DATE				



STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631

	VEHICL	E DATA S		OFFICIAL PRIC	E QUOTATIO	ON		
			111 = 7	TROTAILE				
Model 1 Commercial Vehicles Nick Corle							ELEPHONE NUM 88-633-838	
			Estimated deliv	ery date to school dist	rict from time purc	hase order is	received:	
Mukilteo, WA 98275			Firm where eng	gine and chassis can b	e serviced or repa	ired, and pai	ts obtained:	·
			Firm where boo	dy can be serviced or re	epaired, and parts	obtained: _		
			BODY					
MAKE No Bid MODEL	YEAR	Warranty:	Years Miles	Inside measurement stepwell to appropria	ate point at		d seating ca w/lift	
		Seat color: Floor color:		rear of passenger se w/o lift		Overall v	vehicle leng w/lift	th (inches):
		i looi coloi.				W/O IIIC _		
	CHASSIS				ENG	SINE		
MAKE		Warranty:	Years Miles	MANUFACTURER		Torque: H.P.:	@	RPM RPM
MAKE MODEL	YEAR		Miles	MODEL	YEAR		_	RPM RPM
MODEL		Wheelbase:	Miles	MODEL Warranty: Years	YEAR	Torque: H.P.: Liters:		
MODEL  MANUFACTURER	YEAR	Wheelbase:	Miles	MODEL	YEAR	Torque: H.P.: Liters: Fuel type: _		
MODEL	YEAR	Wheelbase: Speeds forw Warranty:	Miles	MODEL Warranty: Years	YEAR	Torque:		
MODEL  MANUFACTURER	YEAR	Wheelbase: Speeds forw Warranty:	Miles vard: Years	Warranty: Years Miles Number of cylinders:	YEAR	Torque: H.P.: Liters: Fuel type: _ Battery type Number ba		
MODEL TI	YEAR	Wheelbase: Speeds forw Warranty:	ward: Years Miles	Warranty: Years Miles Number of cylinders: Inline V-t	YEAR	Torque: H.P.: Liters: Fuel type: _ Battery type Number ba		
MODEL TI	YEAR RANSMISSION	Wheelbase: Speeds forw Warranty:	Miles vard: Years Miles	MODEL  Warranty: Years Miles  Number of cylinders: Inline V-t	YEAR	Torque: H.P.: Liters: Fuel type: _ Battery type Number ba		
MODEL  MANUFACTURER  MODEL	YEAR  RANSMISSION  nt within 30 days after	Wheelbase: Speeds forw Warranty:	Miles vard: Years Miles	MODEL  Warranty: Years Miles  Number of cylinders: Inline V-t	YEAR	Torque: H.P.: Liters: Fuel type: _ Battery type Number ba		

# State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A

<u>Vehicles</u>

Vendor: Model 1 Commercial

Mfr.: Forest River-Trans Tech

	CHASSIS			
ITEM	Vendor must meet or exceed these specifications.		ALLY IDENTIFY ITEM BID	
Crea ell. A	Item bid shall be specified in column to right.	Price of items bid will establish the district cost.  Gas  Propane		
Small A	Type A bus—10,000 lbs. or under GVWR chassis.	Deduct -4500	Propane Deduct	
			Deduct	
		Mfr. Chevrolet	Mfr.	
		Capacity w/o lift 14	Capacity w/o lift	
		Dual Wheel □	Dual Wheel □	
		Single Wheel ⊠	Single Wheel □	
Air Conditioning	To cool passenger compartment as required in the	Mfr. <u>TransAir</u>		
	Washington State School Bus Specifications manual.	Cost \$ 9600		
Alternate Fuel	Must comply with power and gradeability formula. Refer to	Mfr. <u>Ford ETransit</u>		
⊠ Electric	Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	⊠ Electric Cost \$ 30,000		
Back-up Alarm	Must meet state specification.	Mfr. Magnadyne 112db		
		Cost \$ Included		
Color	Exterior white roof.	Cost \$ 1627		
Steering Wheel	Tilt and telescoping column.	Cost \$ Included		
Strobe Light	Exterior roof mounted white strobe light.	Mfr. Specialty Man.		
		Model No. <u>845-4000</u>		
		Cost \$ 450		
Student Protection	Electronic system to insure driver post-trip inspection of	Mfr. Child Checkmate Syste	m	
System—Installed	passenger compartment.	Model No. EP-1 Plus		
		Cost \$ <u>1150</u>		
Toolbox	Interior, manufacturer standard.	Cost \$ <u>575</u>	Deduct \$	

#### PART II (cont.)

## State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A

Mfr.: Forest River-Trans Tech

Vendor: Model 1 Commercial
Vehicles

ITEM	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BI Price of items bid will establish the district cost		
Video Camera	Digital audio/video system for monitoring the passenger	Mfr. <u>Gatekeeper</u>		
Systems—Installed	ems—Installed compartment with more than two cameras.		_	
		Cost \$ 3300	How many cameras 3	
Video Camera	Must meet state specification.	Stand Alone System	Added to Interior System	
Systems—Stop Sign		Mfr. Gatekeeper	Mfr. <u>Gatekeeper</u>	
Camera—Installed		Model No. <u>G4-Y35 HD V3/</u> SP25IP-KIT-V3	Model No. <u>G4-Y58 HD V3</u> /SP25IP-KIT- V3	
		Cost \$ 2800	Cost \$ 4750	
		How many cameras 2	How many cameras <u>5</u>	
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights	
		Cost \$ NA	Cost \$ <u>750</u>	
Additional	Must meet state specification.	Mfr. Sure-Lok		
Wheelchair/Occupant		Model No. AL-700		
Tie-down System— Installed		Cost per station \$ 600		
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>3250</u>		
		Rear Cost \$ 575		
		Both Cost \$ 3825		
Windows	Tinted.	Cost \$ Included 31% Dark		