D	٨	D	Т	1
r	А	к	•	



State Price Quote Specification TYPE C77—BID AS 71 PASSENGER, ELECTRIC

Vendor:
The Lion Electric Co. USA Inc.

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Seating Capacity	71 passenger based upon an average center-to-center seat spacing of at least 27.5".	Capacity w/o lift <u>71 passengers</u> Capacity w/lift <u>57 + 1 WC</u>	
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. Bergstrom	
Axle—Front	9,000 lb. minimum.	Mfr. Hendrickson Capacity 10,000 lbs	
Axle—Rear	19,000 lb. minimum.	Mfr. <u>Dana</u> Capacity <u>21,000 lbs</u>	
Axle Oil Seals	Front and rear oil bath, or maintenance free sealed greased bearings.	Mfr. National	
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Mfr. <u>Dana Spicer</u> Capacity <u>5.57</u>	
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: ⊠ Diameter <u>7 inches</u> Other: □ Square inches	
Battery(ies) Low Voltage	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift. 1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Number of batteries 2 CCA 950 x 2 = 1,900 CCA	
Battery(ies) Propulsion	Battery propulsion must meet a minimum of 130 kWh.	Number of batteries 4 kWh 168kWh **210kWh	

PART I	(cont.)
--------	---------

State Price Quote Specification TYPE C77—BID AS 71 PASSENGER, ELECTRIC

Vendor:	
The Lion Electric Co. USA Inc.	

Use this document to bid both non-lift and lift buses for 61-77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.	☐ Swing out ☑ Roll out		
Brakes	Air: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Disc Front ⊠ Rear ⊠ Drum Front □ Rear □ Size Front □ Rear □		
Door, Service	Power operated.	□ Air □ Folding ⋈ Electric ⋈ Split, Outward opening □ Other □ Other		
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors.	Front B.T.U. 90,000 (2 x 45,000) Center B.T.U. 80,000 Rear B.T.U. 80,000 Total B.T.U. 250,000		
Hood	Tilt.			
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ⊠ If not, explain.		
Motor	190 H.P. minimum.	Engine Mfr. Dana / TM4 Model TM4 Net torque 1140 @ 3000 R.P.M. Net H.P. 335 @ 3000 R.P.M.		
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. REI Model No. VR-3000		

	PART I (cont.)
Vendor:	
The Lion Elect	ric Co. USA Inc.

TYPE C77—BID AS 71 PASSENGER, ELECTRIC

Use this document to bid both non-lift and lift buses for 61-77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift 360 w/lift 300 Mfg.'s C/C seat measurement of vehicle (inches): w/o lift 27.5 w/lift 27.5		
Steering Wheel	Tilt and telescoping column.	Check if as specified ⊠		
Step Tread	Studded or pebbled top tread covering.	Mfr. RCA Rubbers, pebble		
		Mfr. Goodyear		
Tires	6 first quality, radial ply. No low profile tires.	Size <u>11R22.5 x 9</u>		
		Load range L		
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) between 12 to 16 cubic feet		
Two way Communications	AF west VIIIF will once	Mfr. MOTOTRBO		
Two-way Communications	45-watt, VHF, mil. spec.	Model No. XPR 5000 SERIES		
) A (1		Size <u>22</u>		
Wheels	6 to be compatible with tire size.	Rim width 8.25		
Wheelchair	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. Braun		
Lift—Installed	mast most state specimenton. Transmission be a minimum of 32 x 32.	Model No. <u>Century</u>		
Wheelchair/	Must meet state enesification	Mfr. Q-Straint		
Occupant Tie-down System—Installed Must meet state specification.		Model No. QRT		

	PART I (cont.)
Vendor:	
The Lion Elec	ctric Co. USA Inc.

State Price Quote Specification TYPE C77—BID AS 71 PASSENGER, ELECTRIC

Use this document to bid both non-lift and lift buses for 61-77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		FICALLY IDENTIFY ITEM BID d will establish the state cost.
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified	\boxtimes
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified	\boxtimes
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified	
Service and Cleaning	 Cleaning and service by vendor prior to delivery will include: Chassis lubrication. Check fluid levels: verify all are at recommended full levels. Cooling system protected at -20°F. Interior and exterior will be clean (including glass). All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. All components and accessories will be installed and operational at time of delivery. 	Check if as specified	
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified	\boxtimes



STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C77— BID AS 71 PASSENGER ELECTRIC

		REPRESENTATIVE'S NAME TELEPHONE NUMBER 450-512-5065					
ADDRESS		Estimated delivery date to school district from time purchase order is received: 270					
1620 Industry Dr. Southwest, Auburn, WA, 98001	L		days upon P	•		•	
			Firm where	engine and chassis c	an be serviced o	r repaired,	and parts obtained:
			1620 Industry Dr. Southwest, Auburn, WA, 98001				
			Firm where	body can be serviced	or repaired, and	parts obta	ained: <u>1620 Industry Dr.</u>
			Southwest, A	<u> Auburn, WA, 98001</u>			
			-				
		_	BODY				
MAKE			ears <u>1</u>	Inside measuremer			ped seating capacity:
Lion		_	liles	stepwell to appropri		w/o lif	ft <u>71</u> w/lift <u>57+1</u>
MODEL	YEAR	<u>100,000</u>		rear of passenger s			
LionC	2025			w/o lift 364.5	w/lift <u>308.5</u>		all vehicle length (inches):
		Seat color: G				w/o lif	ft <u>473</u> w/lift <u>473</u>
		Floor color: B	<u>lack</u>				
	SSIS				MC	TOR	
MAKE		_	ears <u>1</u>	MANUFACTURER			<u>L,800</u> @ RPM
Lion			iles	Dana/TM4		H.P.: <u>335</u>	<u>5</u> @ RPM
		<u>100,000</u>					
MODEL	YEAR		70	MODEL	YEAR	CID or	Liters: NA
LionC	2025	Wileelbase. <u>Z</u>	70	Sumo MD	2025	Fuel type	
	ERIES			Warranty: Years <u>1</u>	2023	r der type	. <u>Licotro</u>
12 Volt	LIKILO	Propulsion		Wallanty. Todio 1			
Battery type/grp: <u>Grou</u> <u>400V</u>	Number b	atteries: <u>4</u>		Miles 10	0,000		
Number batteries: 2	Total kWh	n: <u>168</u>					
Total CCA: 950 X 2							
QUOTED PRICE							
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax). Electric Bid—w/o lift \$\$387,306.10_ Electric Bid—w/lift \$\$404,906.10							
VENDOR REPRESENTATIVE'S SIGNATURE			DATE				
			2024-08-05				

	PART II
Vendor:	
The Lion Electric	Co. USA Inc.

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS ⊠ C77 □ D84 − ELECTRIC

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity 48 passengers	
		Cost \$ 6,624	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. O2COOL	
All Conditioning		Cost \$ 15,000	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ 0 as not installed on LionC	
Anti-spray Device	Nubbel letituel exterituels.	Type D: Cost \$	
Dook up Alorm	Must make the small first in	Mfr. ROSCO	
Back-up Alarm	Must meet state specification.	Cost \$ 0, Standard	
Brakes	4-wheel hydraulic disk brake.	Cost \$ <u>0</u> , <u>Standard</u>	Deduct \$ Not applicable
Desires	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>13,154.40</u>	Disc Deduct \$
Brakes		Drum Cost \$ NA	Drum Deduct \$
Color	Exterior white roof.	Cost \$ 0 white & yellow available as standard	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ 0 Standard	
	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air	Air
Driver's Seat		Mfr. National	Mfr. National
		Cost \$ 0 Standard	Cost \$ 495
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of	Mfr. Not Applicable	
Fire Suppression System	appropriate size to be installed according to manufacturer recommendation.	Cost \$ NA	
Floor Color	Nonstandard color.	Cost \$ 654 charcoal grey	
Headlights	Halogen.	Cost \$ 0 Standard	
Headlights	L.E.D.	Cost \$ 81.45	

PART II (cont.)
Vendor:
he Lion Electric Co. USA Inc.

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS C77 D84 - ELECTRIC

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		LLY IDENTIFY ITEM BID establish the district cost.
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: Proheat	Model: <u>M80</u>
		Cost \$ 0 Standard	
	Exceeding minimum specifications.	Driver compartment	Cost \$ 0 Standard
Noise Reduction		Engine compartment	Cost \$ 0 Standard
		Full acoustical headliner	Cost \$ 995
		Driveline	Cost \$ <u>0 Standard (Re-</u>
Retarder	Manufacturer's standard.	gen)	0 10 34
T total dol	manadataror o standara.	Exhaust	Cost \$ NA
		Transmission	Cost \$ NA
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ 138 per passenger	
	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ 6,624	
		Capacity 48 pasengers	
Continue Cycham		3 by 2 Cost \$ Not Available	2
Seating System		Capacity NA	
		3 by 3 Cost \$ 9,798	
		Capacity 71 passenger	
	Largest available for unit bid.	Left side NA	
		Cost \$ NA	
0, 0		Right-side NA	cubic feet.
Storage Compartments		Cost \$ NA	
		Push-thru NA	cubic feet.
		Cost \$ NA	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. Multiple suppliers	
		Model No.	

PART II	(cont.)
---------	---------

State Price Quote Specification

Vendor: _____ The Lion Electric Co. USA Inc.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
0. 1 5		Mfr. ChildCheckMate	Mfr. ChildCheckMate	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Model No	Model No	
		Cost \$ 0, Standard		
Cuananaian	Air ride (Air brake system only).	Front	Rear	
Suspension		Cost \$ 0, Standard	Cost \$ 0, Standard	
Toolbox	Interior, manufacturer standard.	Cost \$ NA	Deduct \$ NA	
		Mfr. On-spot tire chains	Mfr. On-spot tire chains	
Traction Device	Automatic chains.	Cost \$ Air: \$3,125.67 or Hy	Cost \$ Air: \$3,125.67 or Hydraulic \$4,489.68	
Traction Device	Sanders.	Capacity Not Available	Capacity Not Available	
Traction Device	Saluels.	Cost \$ NA	Cost \$ NA	
Vehicle Securement System	Must meet state specification.	Mfr. <u>Standard</u>	Cost \$ 0, Standard	
Video Camera Systems— Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras. Must meet state specification.	Mfr. Seon & multiple other s	Mfr. Seon & multiple other suppliers (seon cost below)	
		Model No.	Model No.	
		Cost \$ 4,500 Ho		
		Stand Alone System	Added to Interior System	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		Mfr. Gatekeeper	Mfr. <u>Gatekeeper</u>	
Video Camera Systems— Stop Sign Camera— Installed		Model No. SP25IP	Model No. SP25IP	
		Cost \$ <u>5,891.13</u>	Cost \$ included in stand alone price	
		How many cameras <u>1</u>	How many cameras <u>1</u>	
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights	
		Cost \$ NA	Cost \$ 1,259.12	

PART II	(cont.)
---------	---------

State Price Quote Specification		
DISTRICT-SUPPORTED OPTIONS		
⊠C77 □D84 – FLECTRIC		

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Additional	Must meet state specification.	Mfr. Q-Straint
Wheelchair/Occupant Tie-		Model No. QRT
down System—Installed		Cost per station \$ 8,800
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ 0,Standard
		Rear Cost \$ 0,Standard
		Both Cost \$ 0,Standard
Windows	Tinted.	Cost \$ 0,Standard
Windows	Thermal pane, left of driver and service door.	Cost \$ 0,Standard