State Price Quote Specification

TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE

ITEM	Vendor must meet of	ORTED SPECIFICATIONS or exceed these specifications. specified in column to right.			CALLY IDENTIFY ITEM BID will establish the state cost.	
Seating Capacity		n average center-to-center seat		Capacity w/o lift 48		
	spacing of at least 27.5".			Capacity w/lift 36+1		
Alternator	240 amp minimum. Lift-	Diesel		Gas	Propane	
	equipped or air- conditioned. Manufacturer	Mfr. Leece-Neville	Mfr. N	IA	Mfr. NA	
	recommended capacity.	Max. amps output w/o lift or A.C. 240	Max. A.C. I	amps output w/o lift or NA	Max. amps output w/o lift or A.C. NA	
		Max. amps output w/lift or A.C. 240	Max. A.C. I	amps output w/lift or NA	Max. amps output w/lift or A.C. NA	
Auxiliary Fans	2 fans, 6" maximum, mounte service door.	ed to right and left windshield and	Mfr. Bergstrom			
Axle—Front 8,000 lb. minimum.		Diesel	Gas		Propane	
		Mfr. Meritor/Dana	Mfr. N	IA	Mfr. NA	
		Capacity 8000	Capacity NA		Capacity NA	
Axle—Rear	17,500 lb. minimum.	Diesel	Gas		Propane	
		Mfr. <u>Dana Spicer</u>	Mfr. NA		Mfr. NA	
		Capacity <u>19800</u>	Capacity NA		Capacity <u>NA</u>	
Axle Oil Seals	Front and rear oil bath, or	Diesel		Gas	Propane	
	maintenance free sealed greased bearings.	Mfr. Conmet Preset	Mfr. N	IA	Mfr. NA	
Axle Ratio	Must comply with power	Diesel		Gas	Propane	
and grade-ability formula. Refer to Washington State	Mfr. <u>Dana Spicer</u>	Mfr. N	IA	Mfr. NA		
	School Bus Specifications Manual.	Model no. <u>5.57</u>	Model no. NA		Model no. NA	
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual. Refer Round: Other: Square inches					

State Price Quote Specification

TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE

ITEM	STATE-SUPPORTED SPECIFICATIONS								Y IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.					Price of items i	ola will es	stablish the state cost.		
	Item bic	a Silali be Sp	Jeonied II	Diesel			Gas		Propane	
Battery(ies)	1200 CCA 12 volt r	minimum						Siz	e/group w/o lift NA	
Datter y (100)	to be mounted in be		Size/grou	up w/o lift 31		Size/g	group w/o lift <u>NA</u>		:A NA	
	battery compartme		CCA 190	0		CCA)				
	1400 CCA 12 volt r	minimum	Size/grou	up w/lift <u>31</u>		Size/g	group w/lift NA	Siz	e/group w/lift <u>NA</u>	
	to be mounted in be	•	CCA 190	0		CCA	NA	CC	A NA	
D "	battery compartme									
Battery Compartment	Battery storage tray batteries as specific				odate		☐ Swing out		⊠ Roll out	
Brakes	Hydraulic disc. Refer to Washington State School Bus Specifications Manual.						Size Front <u>70mm</u> Rear <u>70mm</u>			
Door, Service	Power operated.						☐ Air		☐ Folding	
							⊠ Electric		⊠ Split, Outward opening	
							☐ Other		☐ Other	
Engine	Diesel and		Diese	el .			Gas		Propane	
	Propane—180	Engine mf	ngine mfr. <u>Cummins</u>		Engine mfr. NA		Engine mfr. NA			
	H.P. minimum. Mode		or liters <u>B6.7</u>		Model or liters NA		Model or liters NA			
	Gas—210 H.P. minimum.	Net torque	ue <u>600</u> @ <u>1600</u> R.P.M Net torque <u>N</u> <u>200</u> @ <u>2600</u> R.P.M Net H.P. <u>NA</u>		que <u>N</u>	NA @ NA R.P.M Net to		rque <u>NA</u> @ <u>NA</u> R.P.M		
		Net H.P. 2			@ <u>NA</u> R.P.M	Net H.P. <u>NA</u> @ <u>NA</u> R.P.M				
Engine Heater	Engine manufactur	ers recomm	nended in	-block heater.			Watts <u>750</u>		Volts <u>120</u>	
							Mfr. Phillips			
Engine	To be controlled ele	ectronically,	, by fan cl	utch/drive, or s	hutters.		Mfr. Borg Warner		□ Electronic	
Temperature							⊠ Fan clutch		□ Shutters	
Fuel Tank	Diesel and Gas—6		nimum.	Die	sel		Gas		Propane	
	Propane—largest a	available.		Capacity <u>65</u>			Capacity NA		Capacity NA	

State Price Quote Specification

TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at	Front B.T.U. <u>41,000</u>		
	engine for all heaters. Two-speed motors. Must include recirculating pump.	Center B.T.U. <u>50,000</u>		
	redirediating pamp.	Rear B.T.U. <u>50,000</u>		
		Total B.T.U. <u>141,000</u>		
Hood	Tilt.			
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Taillights, Turn Signals, Eight-Light System, and Dome- Light System.	Check if as specified ⊠ If not, explain.		
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. IC Corporation		
		Model No. <u>4275485C91</u>		
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift 270.9 w/lift 270.9		
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift 31.35 w/lift 31.21		
Steering Wheel	Tilt and telescoping column.	Check if as specified ⊠		
Step Tread	Studded or pebbled top tread covering.	Mfr. Koroseal		
Tires	6 first quality, radial ply. No low profile tires.	Mfr. Continental		
		Size 11R22.5		
		Load range H		
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) 2.88		

State Price Quote Specification

TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.			VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.			
Transmission	Diesel and Propane:	Diesel		Gas	Propane		
	Automatic—Allison, PTS	Mfr. Allison	Mfr. <u>1</u>	NA	Mfr. NA		
	2500 or equal. Gas: Automatic—	Model no. 2550 6Spd	Mode	el no. <u>NA</u>	Model no. NA		
	manufacturer's standard	Net input 660	Net ir	nput <u>NA</u>	Net input NA		
	compatible with H.P. and torque rating of engine bid.	Net input H.P. 300	Net in	nput H.P. <u>NA</u>	Net input H.P. NA		
Two-way	45-watt, VHF, mil. spec.		<u> </u>	Mfr. ICOM			
Communications			ľ	Model No. <u>F-5011</u>			
Wheels	6 to be compatible with tire s	size.		Size <u>22.5</u>			
	·			Rim width 8.25			
	SPECIAL NEEDS R	REQUIREMENTS—CHASSIS	S AND E	BODY			
Wheelchair	Must meet state specification. Platform shall be a minimum of 32" x 52".			Mfr. Braun			
Lift—Installed				Model No. NL919FIB			
Wheelchair/	Must meet state specification.			Mfr. <mark>Q-Straint</mark>			
Occupant Tie- down System— Installed					Model No. Q-8100-A1-SC		

State Price Quote Specification

TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified ⊠
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified ⊠
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ⊠
Service and Cleaning	 Cleaning and service by vendor prior to delivery will include: Chassis lubrication. Check fluid levels: verify all are at recommended full levels. Cooling system protected at -20°F. Interior and exterior will be clean (including glass). All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. All components and accessories will be installed and operational at time of delivery. 	Check if as specified ⊠
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ⊠



STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C60—BID AS 48 PASSENGER (DIESEL)

		I TPE COU	—DID AS 40	PASSENGER (DIE	ESEL)				
VENDOR'S COMPANY NAME			REPRESENTATIVE'S	SNAME			TELEPHON	E NUMBER	
RWC Group			Tom Hartman				602-377	'-4401	
ADDRESS									
600 North 75th Avenue			Estimated deli	very date to school dist	rict from time pur	chase orde	is receiv	/ed: 180	Days
Phoenix, AZ 85043									
			ARO						
			Firm where en	gine and chassis can b	e serviced or rep	aired, and p	arts obta	ained: <u>An</u>	y IC or
			International D)ealer					
			Firm where bo	dy can be serviced or re	epaired, and par	ts obtained:	RWC Gro	oup (7 loc	cations in
			WA)						
			B	ODY					
MAKE		\Morront:		Inside measurement	from roor of	Equipo	ad agetic	20.00000	sits #
IC Corporation		Warranty:	Years <u>5</u>					ng capac	
MODEL	YEAR	_	Miles <u>Unlimit</u>	stepwell to appropria		W/O lift	<u>48</u>	w/lift 36	<u>+1</u>
PB110	2025			rear of passenger se					
IBIIO	2023	Seat color:	Grav	w/o lift 270.9	w/lift 270.9	Overal	vehicle	length (ii	nches):
		Floor color:						w/lift 38	
	CHASSIS	1 1001 00101.	Diack		EN	GINE	50 1.7	W/IIIC <u>50</u>	1.7
MAKE	CHASSIS	101		MANUFACTURER	1=11/1			4.600	DD14
IC Corporation		Warranty:		Cummins		Torque: 6		<u>1600</u>	RPM
ic corporation			Miles <u>Unlimit</u>	Cullillis		H.P.: <u>200</u>	@	<u> 2600</u>	RPM
MODEL	YEAR	Wheelbase:	<u>218</u>	MODEL	YEAR	C.I.D. or L	iters: <u>6.7</u>	<u>'L</u>	
PB110	2025			B6.7	2024	Fuel type:	Diesel		
	RANSMISSION			Warranty: Years <u>5</u>	1	Battery ty		<u>31</u>	<u>31</u>
MANUFACTURER		Speeds forw	<i>v</i> ard: <u>6</u>	Miles <u>100k</u>		Number b	attorios:	2	<u>2</u>
Allison		\\\	V 7	-				_	
2550/2500		Warranty:	Miles <u>Unlimit</u>	Number of cylinders:		Total CCA	ί:	<u>1900</u>	<u>1900</u>
,				Inline X V-type	_				
			QUOTED P	RICE					
Quoted price is based upon payme	ent within 30 days afte	er delivery to tl	he school distric	t (without sales tax).					
	_								
Diesel Bid—w/o lift \$ <u>142,467</u>	_ D	iesel Bid—w/l	ift \$ <u>148,298</u>						
VENDOR REPRESENTATIVE'S SIGNATURE				DATE					
<u>Tom Hartman</u>				<u>8-5-24</u>					



STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

	VEHIC	LE DATA SHEET AN TYPE C60—BID AS 4		,	N	
VENDOR'S COMPANY NAME		REPRESENTATIVE'S NAME	·	•	TELEPHONE NUMBER	
ADDRESS	Firm where engine and o	e to school district from time purchase order is received: d chassis can be serviced or repaired, and parts obtained: be serviced or repaired, and parts obtained:				
		ВОГ)Y			
MAKE MODEL	YEAR	Warranty: Years Miles Seat color: Floor color:	Inside measurement stepwell to appropria rear of passenger se w/o lift	ate point at eating area:	Equipped seating capacity: w/o lift w/lift Overall vehicle length (inches): w/o lift w/lift	
	CHASSIS			ENG	NE	
MAKE		Warranty: Years Miles	MANUFACTURER		Torque: @ RPM H.P.: @ RPM	
MODEL	YEAR	Wheelbase:	MODEL		C.I.D. or Liters: Fuel type:	
MANUFACTURER MODEL	TRANSMISSION	Speeds forward: Warranty: Years Miles	Warranty: Years Miles Number of cylinders: Inline V-t		Battery type/grp: Number batteries: Total CCA:	
		QUOTED				
Quoted price is based upon paym	nent within 30 days af					
Gas Bid—w/o lift \$ <u>N/A</u>		Gas Bid—w/lift \$ <u>N/A</u>				
VENDOR REPRESENTATIVE'S SIGNATURE Tom Hartman			DATE 8-5-24			



STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631

2024-2023			()	,				
	VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C60—BID AS 48 PASSENGER (PROPANE)							
		TYPE C60-	-BID AS 48 F	PASSENGER (PRO	PANE)			
VENDOR'S COMPANY NAME			REPRESENTATIVE'S I	NAME			TELEPHONE NUMBER	
ADDRESS			Estimated deliver	ery date to school distri	ct from time purch	nase ord	er is received:	
			Firm where eng	ine and chassis can be	serviced or repai	red, and	l parts obtained: _	
			Firm where bod	ly can be serviced or re	paired, and parts	obtaine	d:	
		·	DODY					
			BODY	,				
MAKE	YEAR	Warranty:	Years Miles	Inside measurement stepwell to appropriate rear of passenger sea	te point at		ipped seating cap lift w/lift _	
		Seat color: Floor color:		w/o lift			rall vehicle length lift w/lift	
	CHASSIS				ENG	INE		
MAKE	GHAGGIG	Warranty:	Years Miles	MANUFACTURER			:@	_ RPM _ RPM
MODEL	YEAR	Wheelbase	:	MODEL	YEAR		or Liters: pe:	
	TRANSMISSION			Warranty: Years		Battery	type/grp:	
MANUFACTURER		Speeds for	ward:	Miles		•	r batteries:	
MODEL		Morronty	Years	Number of cylinders: Total CCA: Inline V-type				
		vvarranty.	Miles			rotai C		
		warranty.				Total C		<u> </u>
		warranty.		Inline V-ty		Total C	.CA	
Quoted price is based upon paym	nent within 30 days afte		Miles	Inline V-ty		Total C		
Quoted price is based upon paym Propane Bid—w/o lift \$ <u>N/A</u>	·	er delivery to	Miles	RICE t (without sales tax).		Total C		
	·	er delivery to	QUOTED P the school district	RICE t (without sales tax).		Total C		

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS

⊠C60 □C77 □D60 □D84

	Use	this	document to	bid	both	non-lift	and	lift bu	ises.
--	-----	------	-------------	-----	------	----------	-----	---------	-------

ITEM	Vendor must meet or exceed these specifications.				
A ativity Casuma magnet	Item bid shall be specified in column to right.		will establish the district cost.		
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity 3	<u>Z</u>		
	· • •	Cost \$ <u>15,800</u>			
Air Conditioning	To cool passenger compartment as required in the Washington	Mfr. <u>TransAir</u>			
	State School Bus Specifications manual.	Cost \$ <u>12,500</u>			
Alternate Fuel	Must comply with power and gradeability formula. Refer to	Mfr. IC Corporation			
	Washington State School Bus Specifications manual. Must comply with all the requirements of FMVSS No. 305.	☐ Cost \$ <u>NA</u>			
☐ Electric	comply with all the requirements of Fig. 35 No. 305.	⊠ Electric Cost \$ 48p	\$414,903 / 36+1 \$422,245		
Alternator	Available options.	Cost \$ 1,358	Capacity <u>325</u>		
		Cost \$ NA	Capacity <u>NA</u>		
		Cost \$ NA	Capacity <u>NA</u>		
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ Standard			
		Type D: Cost \$ see Type D sheet			
Back-up Alarm	Must meet state specification.	Mfr. Ecco			
		Cost \$ <u>123</u>			
Brakes	4-wheel hydraulic disk brake.	Cost \$ Standard	Deduct \$ NA		
Brakes	Air, Drum or Disc. Refer to Washington State School Bus	Disc Cost \$ 3,700	_ Disc Deduct \$ NA		
	Specifications manual.	Drum Cost \$ NA	_ Drum Deduct \$ NA		
Color	Exterior white roof.	Cost \$ <u>776</u>			
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>350</u>			
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment.	Non-Air	Air		
	Cloth panel covers.	Mfr. Magnum	Mfr. Sears Atlas II		
		Cost \$ 550	Cost \$ <u>1,350</u>		
Fire Suppression	Jomarr VT-6-E-NAF, or equal engine compartment fire	Mfr. NA			
System	suppression system of appropriate size to be installed according to manufacturer recommendation.	Cost \$ NA			

PART II	(cont.)
1 / 1111	(00110.)

State Price Quote Specification	Vendor: RWC Group
TRICT-SUPPORTED OPTIONS	

DISTRICT-SUPPORTED OPTIONS ⊠C60 □C77 □D60 □D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Floor Color	Nonstandard color.	Cost \$ 419	
Fuel Tank	Larger fuel capacity (Diesel only).	Size: 100 Cost \$ 1,084	
Fuel Tank	Larger fuel capacity (Propane only).	Size: NA Cost \$ NA	
Headlights	Halogen.	Cost \$ Standard	
Headlights	L.E.D.	Cost \$ <u>1,370</u>	
Heater (Auxiliary	Auxiliary fuel-fired heating systems. Refer to Washington State	Brand: Webasto Model: Pro 90	
water)	School Bus Specifications Manual, page 27.	Cost \$ 5,873	
Noise Reduction	Exceeding minimum specifications.	Driver compartment Cost \$ 159	
		Engine compartment Cost \$ 355	
		Full acoustical headliner Cost \$ Standard	
Retarder	Manufacturer's standard.	Driveline Cost \$ NA	
		Exhaust	
		Transmission Cost \$ NA	
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ 1,217	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ 15,800	
		Capacity 32	
		3 by 2 Cost \$ NA	
		Capacity NA	
		3 by 3 Cost \$ 16,800	
		Capacity 48	

PART	Ш (cont.)

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS □ C60 □ C77 □ D60 □ D84

,	Vendor: <u>F</u>	WC Group	
			_

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications.		ALLY IDENTIFY ITEM BID	
Ctorogo	Item bid shall be specified in column to right.		establish the district cost.	
Storage Compartments	Largest available for unit bid.	Left side <u>27.8</u>	cubic leet.	
Compartments		Cost \$ 2,200		
		Right-side 27.8	cubic feet.	
		Cost \$ 2,200		
		Push-thru <u>NA</u>	cubic feet.	
		Cost \$ NA		
Strobe Light	Exterior roof mounted white strobe light.	Mfr. Ecco	-	
		Model No. 6550C		
		Cost \$ 217	Cost \$ 217	
Student Protection	Electronic system to insure driver post-trip inspection of	Mfr. IC Corporation	Mfr. IC Corporation	
System—Installed	passenger compartment.	Model No. Leave no stude	Model No. Leave no student behind	
		Cost \$ Standard		
Suspension	Air ride (Air brake system only).	Front	Rear	
		Cost \$ NA	Cost \$ 1,300	
Toolbox	Interior, manufacturer standard.	Cost \$ <u>117</u>	Deduct \$ NA	
Traction Device	Automatic chains.	Mfr. On Spots	Mfr. On Spots	
		Cost \$ <u>6,668</u>	Cost \$ <u>6,668</u>	
Traction Device	Sanders.	Capacity 10 Gal		
		Cost \$ 5,100	Cost \$ <u>5,100</u>	
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. Allison		
		Model No. <u>3000</u>	Model No. <u>3000</u>	
		Cost \$ 6,100		
Vehicle Securement System	Must meet state specification.	Mfr. <u>Bendix Intellipark</u>	Cost \$ 500	

PART	11 (cont.
	1	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
⊠C60 □C77 □D60 □D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera	Digital audio/video system for monitoring the passenger	stem for monitoring the passenger Mfr. Seon		
Systems—Installed co	compartment with more than two cameras.	Model No. TH4	Model No. TH4	
		Cost \$ 3,974	_ How many cameras <u>3</u>	
Video Camera	Must meet state specification.	Stand Alone System	Added to Interior System	
Systems—Stop Sign		Mfr. Seon	Mfr. Seon	
Camera—Installed		Model No. TH4	Model No. TH4	
		Cost \$ 3,037	Cost \$ 943	
		How many cameras <u>1</u>	How many cameras <u>1</u>	
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights	
		Cost \$ NA	Cost \$ <u>386</u>	
Additional	Must meet state specification.	Mfr. Q-Straint		
Wheelchair/Occupant		Model No. Q-8100-A1-SC		
Tie-down System— Installed		Cost per station \$ 1,150		
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ 547		
		Rear Cost \$ 242		
		Both Cost \$ 1,337	Both Cost \$ 1,337	
Windows	Tinted.	Cost \$ <u>547</u>		
Windows	Thermal pane, left of driver and service door.	Cost \$ 450		