TYPE A— GAS & PROPANE

Vendor:
SCHETKY NW SALES
Mfr.: THOMAS BUILT BUSES

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		ALLY IDENTIFY ITEM BID I establish the state cost.	
Seating Capacity	Maximum passenger capacity based upon an average center-to-	Gas	Propane	
. ,	center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Capacity w/o lift 24	Capacity w/o lift N/A	
		Capacity w/lift 19	Capacity w/lift N/A	
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer	Mfr. GM		
	recommended capacity.	Amps output w/o lift or A.0	C. <u>220</u>	
		Amps output w/lift or A.C.	220	
Auxiliary Automatic	10,000 lb. Hayden or equal.	Gas	Propane	
Transmission Cooler		Mfr. GM	Mfr. <u>N/A</u>	
		Lbs. rating <u>10,000</u>	Lbs. rating N/A	
Axle—Front	Manufacturer's recommendation.	Gas	Propane	
		Mfr. GM	Mfr. N/A	
		Lbs. rating <u>4,300</u>	Lbs. rating N/A	
		Indepen. suspens. ⊠	Indepen. suspens.	
Axle—Rear	Manufacturer's recommendation.	Gas	Propane	
		Mfr. <u>GM</u>	Mfr. N/A	
		Capacity 8,600	Capacity N/A	
Axle Ratio	Must comply with power and gradeability formula. Refer to	Gas	Propane	
	Washington State School Bus Specifications Manual.	Ratio <u>3.73</u>	Ratio N/A	
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: Diameter Other: Square inches 22		

Vendor: SCHETKY NW SALES

State Price Quote Specification TYPE A—GAS & PROPANE

Mfr ·	THOMAS	RI III T	RUS
ווועו	HOMAS	DUILI	000

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICAL	LY IDENTIFY ITEM BID		
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		establish the state cost.		
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift.	Gas/Propane w/o lift	Any bus w/lift		
	1070 CCA 12 volt minimum for any bus w/lift.	CCA <u>1320</u>	CCA <u>1320</u>		
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus	Gas	Propane		
	Specifications Manual.	Front Disc 🗵	Front Disc		
		Drum □	Drum 🗆		
		Rear Disc ⊠	Rear Disc		
		Drum □	Drum □		
		Drum Size N/A	Drum Size N/A		
Doors, Service	Power operated.	☐ Air ☐ Folding ☑ Split, Outward Opening	Electric □ Other		
Engine	Gas and Propane—3.5 liters minimum.	Gas	Propane		
		Engine mfr. GM	Engine mfr. N/A		
		H.P. <u>401</u>	Liters N/A		
Fuel Tank	Gas—25-gallon minimum.	Gas	Propane		
	Propane—largest available.	Capacity <u>33</u>	Capacity N/A		
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift <u>50,000</u> Rear B.T.U. w/lift <u>50,000</u>)		
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Taillights, Turn Signals, Eight-Light System, and	Check if as specified ⊠ If not, explain			

TYPE A—GAS & PROPANE
Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: SCHETKY NW SALES

Mfr.: THOMAS BUILT BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM B Price of items bid will establish the state cost		
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>GM</u>		
		Model No. MY23		
Seat Spacing To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".				
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift 28.75 w/lift 28.75		
Steering Wheel	Tilt.	Check if as specified □		
Step Tread	Studded or pebbled top tread covering.	Mfr. KOROSEAL		
Tires	6 first quality, radial ply.	Mfr. OEM		
		Size <u>LT255/75R16</u>		
		Load range E		
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) 3.42		
Transmission	Automatic—manufacturer's standard compatible with H.P. and	Gas	Propane	
	torque rating of engine bid.	Mfr. <u>GM</u>	Mfr. <u>N/A</u>	
		Model no. <u>6L90</u>	Model no. N/A	
Гwo-way	45-watt, VHF, mil. spec.	Mfr. MOTOROLA Model No. CM300D		
Communications				
Wheels	6 to be compatible with tire size.	Size <u>16"</u>		
		Rim width 6.5"		

TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: SCHETKY NW SALES

Mfr.: THOMAS BUILT BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.
	SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BOD	Y
Wheelchair	Must meet state specification. Platform shall be a minimum of	Mfr. BRAUN
Lift—Installed	32" x 52".	Model No. NCL919FIB
Wheelchair/Occupant	Must meet state specification.	Mfr. SURE-LOK
Tie-down System— Installed		Model No. FF627S-4C-3
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified ⊠
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified ⊠
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ⊠
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: Chassis lubrication. Check fluid levels: verify all are at recommended full levels. Cooling system protected at -20°F. Interior and exterior will be clean (including glass). All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. All components and accessories will be installed and operational at time of delivery.	Check if as specified ⊠
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ⊠



STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—GAS

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER	
SCHETKY NW SALES, INC	SCOTT MEYER	509-579-6267	
ADDRESS			
8430 NE LOMBARD ST	Estimated delivery date to school district from time purchase order is received: <u>240-260</u>		
PORTLAND, OR 97220	Firm where engine and chassis can be serviced or repaired, and parts obtained: ANY GM		
	<u>DEALER</u>		
	Firm where body can be serviced or repaired, and parts obtained:	SCHETKY NW SALES	

BODY						
MAKE THOMAS BUILT BUS MODEL MINOTOUR	YEAR 2026	Warranty: Years <u>1</u> Miles UNLIMITED	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift 137.3 w/lift 166.1	Equipped seating capacity: w/o lift 24 w/lift 19 Overall vehicle length (inches):		
041MS - 051MS W/ LIFT		Seat color: <u>GREY</u> Floor color: <u>BLACK</u>		w/o lift <u>237.8</u> w/lift <u>266.5</u>		

	CHASSIS		E	NGINE
MAKE GM		Warranty: Years 3 Miles 36,000	MANUFACTURER GM	Torque: <u>464</u> @ <u>4600</u> RPM H.P.: <u>401</u> @ <u>5400</u> RPM
MODEL CG33503 - CG33803	YEAR 2026	Wheelbase: <u>139" - 159"</u>	MODEL YEAR NEW	Liters: <u>6.6</u> Fuel type: <u>GASOLINE</u>
	TRANSMISSION		Warranty: Years <u>5</u>	Battery type/grp: <u>78</u> <u>78</u>
MANUFACTURER GM		Speeds forward: 6	Miles <u>100,000</u>	Number batteries: 2 2
MODEL 6L90		Warranty: Years <u>5</u> Miles <u>100,000</u>	Number of cylinders: <u>8</u> Inline V-type <u>X</u>	Total CCA: <u>1320</u> <u>1320</u>

QUOTED	QUOTED PRICE					
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).						
Gas Bid—w/o lift \$ <u>117,014.00</u> Gas Bid—w/lift \$ <u>131,709.00</u>						
vendor representative's signature	DATE 8/1/2025					
- O						



STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

2024-2025			(300) /25-0120 111 (300) 004-3031				
	VEHICLE	E DATA S		OFFICIAL PRIC	CE QUOTATIO	N		
VENDOR'S COMPANY NAME SCHETKY NW SALES, INC. ADDRESS 8430 NE LOMBARD ST			REPRESENTATIVE'S SCOTT MEYER		strict from time pure	hase orde	TELEPHONE NUI	67
PORTLAND, OR. 97220 Firr			Firm where eng	Estimated delivery date to school district from time purchase order is received: Firm where engine and chassis can be serviced or repaired, and parts obtained: Firm where body can be serviced or repaired, and parts obtained:				l:
			BODY					
MAKE	YEAR	Warranty:	Years Miles	Inside measurement stepwell to appropriate rear of passengers	riate point at		ped seating o	
		Seat color: Floor color:		w/o lift	w/lift		ll vehicle leng t w/li	
	CHASSIS				ENG	INF		
MAKE			Years Miles	MANUFACTURER			@	RPM RPM
MODEL	YEAR	Wheelbase:	:	MODEL	YEAR	Liters: Fuel type	:	
MANUFACTURER	RANSMISSION	Speeds forv	vard:	Warranty: Years Miles		Battery Number		type/grp: batteries:
MODEL		Warranty:	Years Miles	Number of cylinders		Total CC	A:	
			QUOTED P	RICE				
Quoted price is based upon payme	nt within 30 days after	delivery to the	he school district	(without sales tax).				
Propane Bid—w/o lift \$ NO BID	_ Pro	opane Bid—\	w/lift \$ <u>NO BID</u>					
vendor representative's signature Scott Mayer				DATE 8/1/2025				

DISTRICT-SUPPORTED OPTIONS TYPE A

Mfr.: THOMAS BUILT BUS

Vendor: SCHETKY NW SALES

	CHASSIS			
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM Price of items bid will establish the district of		
Small A	Type A bus—10,000 lbs. or under GVWR chassis.	Gas	Propane	
		Deduct N/A	Deduct N/A	
		Mfr. N/A	Mfr. N/A	
		Capacity w/o lift N/A	Capacity w/o lift N/A	
		Dual Wheel □	Dual Wheel □	
		Single Wheel □	Single Wheel □	
Air Conditioning	To cool passenger compartment as required in the	Mfr. CARRIER AC-5W13 6	8K BTU	
	Washington State School Bus Specifications manual.	Cost \$ 5,850.00		
Alternate Fuel	Must comply with power and gradeability formula. Refer to	Mfr. N/A		
□ Electric	Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	☐ Electric Cost \$ SEPARATE BID		
Back-up Alarm	Must meet state specification.	Mfr. ECCO 850N-TB2		
		Cost \$ 145.00	_	
Color	Exterior white roof.	Cost \$ 675.00		
Steering Wheel	Tilt and telescoping column.	Cost \$ INCLUDED		
Strobe Light	Exterior roof mounted white strobe light.	Mfr. ECCO		
		Model No. 7460CC		
		Cost \$ 248.00		
Student Protection	Electronic system to insure driver post-trip inspection of	Mfr. <u>CHECKMATE</u>		
System—Installed	passenger compartment.	Model No. <u>B200010500</u>		
		Cost \$ 375.00		
Toolbox	Interior, manufacturer standard.	Cost \$ 75.00	Deduct \$ N/A	

PART II (cont.)

Vendor: SCHEKTY NW SALES

Mfr.: THOMAS BUILT BUS

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>REI</u>	
		Model No. <u>HD</u>	
		Cost \$ <u>5,346.00</u>	How many cameras <u>3</u>
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr. REI	Mfr. <u>REI</u>
		Model No. HD	Model No. <u>HD</u>
		Cost \$ <u>5,995.00</u>	Cost \$ <u>616.00</u>
		How many cameras <u>4</u>	How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$ N/A	Cost \$ 975.00
Additional	Must meet state specification.	Mfr. SURE-LOK	
Wheelchair/Occupant		Model No. FF627S-4C-3	
Tie-down System— Installed		Cost per station \$ 960.00	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ 890.00	
		Rear Cost \$ INCLUDED W/ SIDE	
		Both Cost \$ 890.00	
Windows	Tinted.	Cost \$ <u>475.00</u>	