



State Price Quote Specification
**TYPE D84—BID AS 78 PASSENGER
PROPANE**

Vendor: BRYSON
BLUE BIRD

Use this document to bid both non-lift and lift buses for 61–84 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Seating Capacity	78 passenger based upon an average center-to-center seat spacing of at least 27.5".	Capacity w/o lift <u>78</u> Capacity w/lift <u>58</u>
Alternator	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Mfr. <u>LEECE NEVILLE</u> Max. amps output w/o lift or A.C. <u>240</u> Max. amps output w/lift or A.C. <u>240</u>
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. <u>GSS USA</u>
Axle—Front	13,200 lb. minimum.	Mfr. <u>HENDRICKSON</u> Capacity <u>13200</u>
Axle—Rear	23,000 lb. minimum.	Mfr. <u>DANA</u> Capacity <u>23000</u>
Axle Oil Seals	Front and rear oil bath, or maintenance free sealed greased bearings.	Mfr. <u>SKF</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Mfr. <u>DANA 23,000 LB.</u> Model no. <u>5.29</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: ☒ Diameter <u>4"</u> Other: ☐ Square inches _____

State Price Quote Specification
**TYPE D84—BID AS 78 PASSENGER
 PROPANE**

Vendor: BRYSON
BLUE BIRD

Use this document to bid both non-lift and lift buses for 61–84 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Battery(ies)	1400 CCA 12 volt to be mounted in body battery compartment.	Number of batteries <u>3 GP 31</u> CCA <u>2100</u>	
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.	CCA <u>2100 SWING OUT</u>	☐ Roll out
Brakes	Air: Drum or Disc. If Drum, minimum 16.5" x 6" front, minimum 16.5" x 8" rear. Refer to Washington State School Bus Specifications Manual.	Disc Front ☐ Rear ☐ Drum Front ☒ Rear ☒ Size Front <u>16.5X6</u> Rear <u>16.5X8</u>	
Door, Service	Power operated.	☐ Air ☒ Electric ☐ Other	☐ Folding ☒ Split, Outward opening ☐ Other
Engine	280 H.P. minimum.	Engine mfr. <u>FORD</u> Model or liters <u>7.3L</u> Net torque <u>468</u> @ <u>3750</u> R.P.M Net H.P. <u>335</u> @ <u>3750</u> R.P.M	
Engine Heater	Engine manufacturers recommended in-block heater.	Watts <u>750</u> Volts <u>120</u> Mfr. <u>PHILLIPS</u>	
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.	Mfr. <u>MODINE</u> ☐ Fan clutch	☒ Electronic ☐ Shutters
Fuel Tank	60-gallon minimum.	Capacity <u>96</u>	

State Price Quote Specification
**TYPE D84—BID AS 78 PASSENGER
 PROPANE**

Vendor: BRYSONBLUE BIRD

Use this document to bid both non-lift and lift buses for 61–84 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. <u>50,000</u> Center B.T.U. <u>50,000</u> Rear B.T.U. <u>50,000</u> Total B.T.U. <u>150,000</u>
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ☒ If not, explain. _____
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>REI</u> Model No. <u>MFG STD</u>
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>356"</u> w/lift <u>356"</u> Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>27.5"</u> w/lift <u>27.5"</u>
Steering Wheel	Tilt and telescoping column.	Check if as specified
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>PROFUSION INDUSTRIES</u>
Tires	6 first quality, radial ply.	Mfr. <u>ONE OF FIVE MAJOR BRANDS</u> Size <u>11R 22.5</u> Load range <u>H</u>
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>3.16</u>

State Price Quote Specification
**TYPE D84—BID AS 78 PASSENGER
 PROPANE**

Vendor: BRYSONBLUE BIRD

Use this document to bid both non-lift and lift buses for 61–84 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. <u>FORD</u> Model no. <u>6R140</u> Net input <u>800</u> Net input H.P. <u>400</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>KENWOOD</u> Model No. <u>NX3720HVK</u>
Wheels	6 to be compatible with tire size.	Size <u>22.5"</u> Rim width <u>8.25"</u>
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>BRAUN</u> Model No. <u>NCL919-FIB-2</u>
Wheelchair/ Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u> Model No. <u>Q-8106-L2</u>
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified ☒
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified ☒
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ☒

State Price Quote Specification
**TYPE D84—BID AS 78 PASSENGER
 PROPANE**

Vendor: BRYSONBLUE BIRD

Use this document to bid both non-lift and lift buses for 61–84 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery.	Check if as specified ☒
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ☒



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2026-2027

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE D84—BID AS 78 PASSENGER (PROPANE)

VENDOR'S COMPANY NAME BRYSON SALES & SERVICE OF WASHINGTON, INC.	REPRESENTATIVE'S NAME EDGAR GUZMAN	TELEPHONE NUMBER 425-953-2826
ADDRESS 2407 GIBSON RD. EVERETT, WA 98204	Estimated delivery date to school district from time purchase order is received: <u>240-300</u>	
	Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>BRYSON</u>	
	Firm where body can be serviced or repaired, and parts obtained: <u>BRYSON</u>	

BODY

MAKE BLUE BIRD	Warranty: Years <u>1</u> Miles <u>12,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>388"</u> w/lift <u>388"</u>	Equipped seating capacity: w/o lift <u>78</u> w/lift <u>58</u>
MODEL T3RE 3904	YEAR 2027	Seat color: <u>BROWN</u> Floor color: <u>BLACK</u>	Overall vehicle length (inches): w/o lift <u>475.05</u> w/lift <u>475.05</u>

CHASSIS

MAKE BLUE BIRD	Warranty: Years <u>1</u> Miles <u>12,000</u>	MANUFACTURER FORD	Torque: <u>468</u> @ <u>3750</u> RPM H.P.: <u>335</u> @ <u>3750</u> RPM
MODEL T3RE 3904	YEAR 2027	Wheelbase: <u>259"</u>	C.I.D. or Liters: <u>7.3L</u> Fuel type: <u>PROPANE</u>

TRANSMISSION

MANUFACTURER FORD	Warranty: Years <u>5</u> Miles <u>UNLIM</u>	Battery type/grp: <u>31</u> <u>31</u>
MODEL 6R140	Speeds forward: <u>6</u>	Number batteries: <u>3</u> <u>3</u>
	Warranty: Years <u>5</u> Miles <u>UNLIM</u>	Total CCA: <u>2100</u> <u>2100</u>
	Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>	

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ 245,177.00

Propane Bid—w/lift \$ 255,369.00

VENDOR REPRESENTATIVE'S SIGNATURE
EDGAR GUZMAN

DATE
08/03/2026

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: BRYSON

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>48</u> Cost \$ <u>19,806.00</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>MCC AC-12IW1IW1CR4CR4</u> Cost \$ <u>26,184.00</u>	
Alternator	Available options.	Cost \$ <u>N/A</u> Capacity <u>N/A</u> Cost \$ <u>N/A</u> Capacity <u>N/A</u> Cost \$ <u>N/A</u> Capacity <u>N/A</u>	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>N/A</u> Type D: Cost \$ <u>215.00</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>ECCO VARIABLE DBA</u> Cost \$ <u>215.00</u>	
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>3,888.00</u> Drum Cost \$ <u>N/A</u>	Disc Deduct \$ <u>N/A</u> Drum Deduct \$ <u>N/A</u>
Color	Exterior white roof.	Cost \$ <u>INCLUDED</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>559.00</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air Mfr. <u>NATIONAL</u> Cost \$ <u>INCLUDED</u>	Air Mfr. <u>NATIONAL</u> Cost \$ <u>330.00</u>
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. <u>AMEREX VH25 ABC FOUR NOZZLE</u> Cost \$ <u>6,748.00</u>	
Floor Color	Nonstandard color.	Cost \$ <u>459.00</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Fuel Tank	Larger fuel capacity.	Size: <u>N/A</u>	Cost \$ <u>N/A</u>
Headlights	Halogen.	Cost \$ <u>N/A</u>	
Headlights	L.E.D.	Cost \$ <u>INCLUDED</u>	
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>N/A</u>	Model: <u>N/A</u>
		Cost \$ <u>N/A</u>	
Noise Reduction	Exceeding minimum specifications.	Driver compartment	Cost \$ <u>INCLUDED</u>
		Engine compartment	Cost \$ <u>INCLUDED</u>
		Full acoustical headliner	Cost \$ <u>936.00</u>
Retarder	Manufacturer's standard.	Driveline ☐	Cost \$ <u>N/A</u>
		Exhaust ☐	Cost \$ <u>N/A</u>
		Transmission ☐	Cost \$ <u>N/A</u>
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ <u>385.00 PER SEAT</u>	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ <u>8,559.00</u>	
		Capacity <u>48</u>	
		3 by 2 Cost \$ <u>16,322.00</u>	
		Capacity <u>64</u>	
		3 by 3 Cost \$ <u>17,525.00</u>	
		Capacity <u>78</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
 Use this document to bid both non-lift and lift buses.

PART II (cont.)
 Vendor: BRYSON

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Storage Compartments	Largest available for unit bid.	Left-side <u>28.4</u> cubic feet. Cost \$ <u>2,358.00</u> Right-side <u>28.4</u> cubic feet. Cost \$ <u>2,358.00</u> Push-thru <u>N/A</u> cubic feet. Cost \$ <u>N/A</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>ECCO</u> Model No. <u>7460 LED CLEAR LENS</u> Cost \$ <u>223.00</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>DORAN</u> Model No. <u>CHILD CHECK</u> Cost \$ <u>199.00</u>	
Suspension	Air ride (Air brake system only).	Front Cost \$ <u>1,450.00</u>	Rear Cost \$ <u>1,556.00</u>
Toolbox	Interior, manufacturer standard.	Cost \$ <u>84.00</u> Deduct \$ <u>N/A</u>	
Traction Device	Automatic chains.	Mfr. <u>ON SPOT</u> Cost \$ <u>5,869.00</u>	
Traction Device	Sanders.	Capacity <u>100 LBS.</u> Cost \$ <u>4,011.00</u>	
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. <u>FORD</u> Model No. <u>6R140</u> Cost \$ <u>INCLUDED</u>	
Vehicle Securement System	Must meet state specification.	Mfr. <u>BLUE BIRD</u>	Cost \$ <u>794.00</u>
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>REI</u> Model No. <u>HD6-600W-4-500GB HDD</u> Cost \$ <u>2,867.00</u> How many cameras <u>4</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
 Use this document to bid both non-lift and lift buses.

PART II (cont.)
 Vendor: BRYSON

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	<i>Stand Alone System</i>	<i>Added to Interior System</i>
		Mfr. <u>REI</u>	Mfr. <u>REI</u>
		Model No. <u>HD6-600W</u>	Model No. <u>MB AHD WRR</u>
		Cost \$ <u>2,338.00</u>	Cost \$ <u>304.00</u>
		How many cameras <u>1</u>	How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	<i>Incandescent</i>	<i>LED Lights</i>
		Cost \$ <u>199.00</u>	Cost \$ <u>304.00</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u> Model No. <u>Q-8106-L2</u> Cost per station \$ <u>601.00</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>3,514.00</u>	
		Rear Cost \$ <u>1,490.00</u>	
		Both Cost \$ <u>5,004.00</u>	
Windows	Tinted.	Cost \$ <u>INCLUDED</u>	
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>601.00</u>	