

State Price Quote Specification
**TYPE D—84 PASSENGER
ELECTRIC**

PART I

Vendor: BRYSON
BLUE BIRD

Use this document to bid both non-lift and lift buses for 61 – 84 capacity

ITEM	SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Seating Capacity	84 passenger maximum design capacity seated for 78 passenger.	Capacity w/o lift <u>78</u>
		Capacity w/lift <u>58</u>
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. <u>GSS USA</u>
Axle—Front	13,200 lb. minimum total suspension GVWR.	Mfr. <u>HENDRICKSON</u>
		Capacity <u>13,200</u>
Axle—Rear	23,000 lb. minimum total suspension GVWR.	Mfr. <u>DANA</u>
		Capacity <u>23,000</u>
Axle Oil Seals	Front and rear oil bath, or maintenance free sealed greased bearings.	Mfr. <u>SKF</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Ratio <u>5.29</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: ☒ Diameter <u>4"</u> Other: ☐ Square inches _____
Battery(ies)	1400 CCA 12 volt to be mounted in body battery compartment.	Number of batteries <u>2 GP 31</u>
		CCA <u>1,850</u>
Battery(ies) Propulsion	Battery propulsion must meet a minimum of 130 kWh.	Number of batteries <u>14</u>
		kWh <u>196</u>
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.	☐ Swing out ☒ Roll out
Brakes	Air: Drum or Disc. If Drum, minimum 16.5" x 6" front, minimum 16.5" x 8" rear. Refer to Washington State School Bus Specifications Manual.	Disc Front ☐ Rear ☐
		Drum Front ☒ Rear ☒
		Size Front <u>16.5X6</u> Rear <u>16.5X8-5/8</u>
Door, Service	Power operated.	☐ Folding ☐ Other
		☐ Roll out ☒ Split, Outward opening

State Price Quote Specification
**TYPE D—84 PASSENGER
ELECTRIC**

Vendor: BRYSON
BLUE BIRD

Use this document to bid both non-lift and lift buses for 61 – 84 capacity

ITEM	SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Mfr. <u>NATIONAL</u>
Motor	190 H.P. minimum, located in the rear.	Engine mfr. <u>PRESTOLITE TM4</u> <u>LMS200CHV3000</u> Model or liters _____ Net torque <u>785</u> @ <u>2400</u> R.P.M Net H.P. <u>315</u> @ <u>2400</u> R.P.M
Heaters	Heaters Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors.	Front B.T.U. <u>90,000</u> Center B.T.U. <u>50,000</u> Rear B.T.U. <u>50,000</u> Total B.T.U. <u>190,000</u>
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ☒ If not, explain. _____
P.A. System	AM/FM/PA radio with 4 interior and 1 exterior speakers.	Mfr. <u>REI</u> Model No. <u>MFG STD</u>
Seat Spacing	78 passenger based upon manufacturer's maximum seat spacing.	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: <u>388</u> inches Mfg.'s C/C seat measurement: <u>27.5</u> inches
Steering Wheel	Tilt and telescoping column.	Check if as specified ☒
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>PROFUSION INDUSTRIES</u>
Tires	6 first quality, radial ply.	Mfr. <u>ONE OF FIVE MAJOR BRANDS</u> Size <u>11R 22.5</u> Load range <u>H</u>

State Price Quote Specification
**TYPE D—84 PASSENGER
ELECTRIC**

Vendor: BRYSONBLUE BIRD

Use this document to bid both non-lift and lift buses for 61 – 84 capacity

ITEM	SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>3.16</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>KENWOOD</u> Model No. <u>NX3720HVK</u>
Wheels	6 to be compatible with tire size.	Size <u>22.5"</u> Rim width <u>8.25"</u>
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>BRAUN</u> Model No. <u>NCL-919-FIB</u>
Wheelchair/ Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u> Model No. <u>Q-8106-L2</u>

State Price Quote Specification
**TYPE D—84 PASSENGER
ELECTRIC**

Vendor: BRYSONBLUE BIRD

Use this document to bid both non-lift and lift buses for 61 – 84 capacity

ITEM	SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the district cost.
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified ☒
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified ☒
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ☒
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery.	Check if as specified ☒
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ☒



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2026-2027

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE D—84 PASSENGER-ELECTRIC

VENDOR'S COMPANY NAME BRYSON SALES & SERVICE OF WASHINGTON, INC.		REPRESENTATIVE'S NAME EDGAR GUZMAN	TELEPHONE NUMBER 425-953-2820
ADDRESS 2407 GIBSON RD. EVERETT, WA 98204		Estimated delivery date to school district from time purchase order is received: <u>150-210</u> Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>BRYSON</u> Firm where body can be serviced or repaired, and parts obtained: <u>BRYSON</u>	

BODY

MAKE BLUE BIRD	Warranty: Years <u>1</u> Miles <u>12,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>388"</u> w/lift <u>388"</u>	Equipped seating capacity: w/o lift <u>78</u> w/lift <u>58</u>
MODEL T3RE 3904	YEAR 2027	Seat color: <u>BROWN</u> Floor color: <u>BLACK</u>	Overall vehicle length (inches): w/o lift <u>475.05</u> w/lift <u>475.05</u>

CHASSIS

MOTOR

MAKE BLUE BIRD	Warranty: Years <u>1</u> Miles <u>12,000</u>	MANUFACTURER PRESTOLITE TM4	Torque: <u>785</u> @ <u>2400</u> RPM		
MODEL T3RE 3904	YEAR 2027	Wheelbase: <u>259"</u>	MODEL KSM2000CHV3000	YEAR 2027	H.P.: <u>315</u> @ <u>2400</u> RPM
BATTERIES		Warranty: Years <u>5</u>			
12 Volt		Propulsion			
Battery type/grp: <u>GP</u> <u>31</u>		Number batteries: <u>14</u>		Miles <u>100,000</u>	
Number batteries: <u>2</u>		Total kWh: <u>194</u>			
Total CCA: <u>1,850</u>					

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Bid—w/o lift \$ 556,118.00

Bid—w/lift \$ 564,316.00

VENDOR REPRESENTATIVE'S SIGNATURE
EDGAR GUZMAN

DATE
08/03/2026

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: BRYSON

☐ C77 ☒ D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>48</u> Cost \$ <u>19,806.00</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>MCC AC-12IW1IW1CR4CR4</u> Cost \$ <u>26,184.00</u>	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>N/A</u> Type D: Cost \$ <u>215.00</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>ECCO VARIABLE DBA</u> Cost \$ <u>192.00</u>	
Brakes	4-wheel hydraulic disk brake.	Cost \$ <u>N/A</u>	Deduct \$ <u>N/A</u>
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>3,888.00</u> Drum Cost \$ <u>N/A</u>	Disc Deduct \$ <u>N/A</u> Drum Deduct \$ <u>N/A</u>
Color	Exterior white roof.	Cost \$ <u>INCLUDED</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>559.00</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air	Air
		Mfr. <u>NATIONAL</u>	Mfr. <u>NATIONAL</u>
		Cost \$ <u>INCLUDED</u>	Cost \$ <u>330.00</u>
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. <u>FOGMAKER FMK-07-17-016 \$8,010.00</u> Cost \$ <u>6,748.00</u>	
Floor Color	Nonstandard color.	Cost \$ <u>459.00</u>	
Headlights	Halogen.	Cost \$ <u>0.00</u>	
Headlights	L.E.D.	Cost \$ <u>INCLUDED</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

☐ C77 ☒ D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

PART II (cont.)
Vendor: BRYSON

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>N/A</u> Model: <u>N/A</u> Cost \$ <u>N/A</u>
Noise Reduction	Exceeding minimum specifications.	Driver compartment Cost \$ <u>INCLUDED</u> Engine compartment Cost \$ <u>INCLUDED</u> Full acoustical headliner Cost \$ <u>9.6.00</u>
Retarder	Manufacturer's standard.	Driveline ☐ Cost \$ <u>N/A</u> Exhaust ☐ Cost \$ <u>N/A</u> Transmission ☐ Cost \$ <u>N/A</u>
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ <u>385.00 PER SEAT</u>
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ <u>8,559.00</u> Capacity <u>48</u> (30-30) 3 by 2 Cost \$ <u>16,322.00</u> Capacity <u>63</u> (39-36) 3 by 3 Cost \$ <u>17,525.00</u> Capacity <u>78</u> (39-39)
Storage Compartments	Largest available for unit bid.	Left-side <u>11.2</u> cubic feet. Cost \$ <u>1,479.00</u> Right-side <u>11.2</u> cubic feet. Cost \$ <u>1,479.00</u> Push-thru <u>N/A</u> cubic feet. Cost \$ <u>N/A</u>
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>ECCO</u> Model No. <u>7460 LED CLEAR LENS</u> Cost \$ <u>223.00</u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: BRYSON

☐ C77 ☒ D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>DORAN</u> Model No. <u>CHILD CHECK</u> Cost \$ <u>199.00</u>	
Suspension	Air ride (Air brake system only).	Front	Rear
		Cost \$ <u>1,45.00</u>	Cost \$ <u>1,566.00</u>
Toolbox	Interior, manufacturer standard.	Cost \$ <u>84.00</u>	Deduct \$ <u>N/A</u>
Traction Device	Automatic chains.	Mfr. <u>ON SPOT</u> Cost \$ <u>5,869.00</u>	
Traction Device	Sanders.	Capacity <u>100 LBS</u> Cost \$ <u>4,011.00</u>	
Vehicle Securement System	Must meet state specification.	Mfr. <u>BLUE BIRD</u>	Cost \$ <u>794.00</u>
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>REI</u> Model No. <u>HD6-600W-4-500GB HDD</u> Cost \$ <u>2,867.00</u> How many cameras <u>4</u>	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr. <u>REI</u> Model No. <u>HD6-600W</u> Cost \$ <u>2,338.00</u> How many cameras <u>1</u>	Mfr. <u>REI</u> Model No. <u>MB AHD WRR</u> Cost \$ <u>304.00</u> How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$ <u>199.00</u>	Cost \$ <u>199.00</u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

☐ C77 ☒ D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

PART II (cont.)
 Vendor: BRYSON

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u> Model No. <u>Q-8106-L2</u> Cost per station \$ <u>601.00</u>
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>3,514.00</u> Rear Cost \$ <u>1,490.00</u> Both Cost \$ <u>5,004.00</u>
Windows	Tinted.	Cost \$ <u>INCLUDED</u>
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>601.00</u>