



Vendor: Northwest Bus Sales

Mfr.: Endera

State Price Quote Specification
TYPE A— GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Seating Capacity	Maximum passenger capacity based upon an average center-to-center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Gas	Propane
		Capacity w/o lift <u>22</u>	Capacity w/o lift <u>No Bid</u>
		Capacity w/lift <u>18+1</u>	Capacity w/lift <u>No Bid</u>
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Mfr. <u>Chevrolet</u>	
		Amps output w/o lift or A.C. <u>220</u>	
		Amps output w/lift or A.C. <u>220</u>	
Auxiliary Automatic Transmission Cooler	10,000 lb. Hayden or equal.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. _____
		Lbs. rating <u>10,000</u>	Lbs. rating _____
Axle—Front	Manufacturer's recommendation.	Gas	Propane
		Mfr. <u>Chevrolet</u>	Mfr. _____
		Lbs. rating <u>4100</u>	Lbs. rating _____
		Indepen. suspens. ☒	Indepen. suspens. ☐
Axle—Rear	Manufacturer's recommendation.	Gas	Propane
		Mfr. <u>Chevrolet</u>	Mfr. _____
		Capacity <u>6084</u>	Capacity _____
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Gas	Propane
		Ratio <u>3.73:1</u>	Ratio _____
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: ☐ Diameter _____ Other: ☒ Square inches <u>40</u>	

PART I (cont.)Vendor: Northwest Bus SalesMfr.: Endera

State Price Quote Specification
TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift. 1070 CCA 12 volt minimum for any bus w/lift.	Gas/Propane w/o lift CCA <u>1,540</u> CCA _____	Any bus w/lift CCA <u>1,540</u> CCA _____
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Gas Front Disc ☒ Drum ☐ Rear Disc ☒ Drum ☐ Drum Size _____	Propane Front Disc ☐ Drum ☐ Rear Disc ☐ Drum ☐ Drum Size _____
Doors, Service	Power operated.	☐ Air ☐ Folding ☒ Electric ☒ Split, Outward Opening ☐ Other _____	
Engine	Gas and Propane—3.5 liters minimum.	Gas Engine mfr. <u>GM</u> H.P. <u>401</u>	Propane Engine mfr. <u>No Bid</u> Liters <u>6.6</u>
Fuel Tank	Gas—25-gallon minimum. Propane—largest available.	Gas Capacity <u>32</u>	Propane Capacity _____
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift <u>42,000</u> Rear B.T.U. w/lift <u>42,000</u>	
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ☒ If not, explain. _____	

State Price Quote Specification
TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

PART I (cont.)

Vendor: Northwest Bus Sales

Mfr.: Endera

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>REI</u>	
		Model No. <u>VR5650</u>	
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>150</u> w/lift <u>163.75</u>	
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>32</u> w/lift <u>32</u>	
Steering Wheel	Tilt.	Check if as specified ☒	
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>Profusion</u>	
Tires	6 first quality, radial ply.	Mfr. <u>Varies</u>	
		Size <u>LT225/75R16E</u>	
		Load range <u>E</u>	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>3.88</u>	
Transmission	Automatic—manufacturer's standard compatible with H.P. and torque rating of engine bid.	Gas	Propane
		Mfr. <u>Chevrolet</u>	Mfr. _____
		Model no. <u>N8X</u>	Model no. _____
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>Motorola</u>	
		Model No. <u>CM200D</u>	
Wheels	6 to be compatible with tire size.	Size <u>16"</u>	
		Rim width <u>6.5"</u>	

State Price Quote Specification
TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

PART I (cont.)

Vendor: Northwest Bus Sales

Mfr.: Endera

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>Braun</u> Model No. <u>NCL2</u>
Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Qstraint</u> Model No. <u>QRT360</u>
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified ☒
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified ☒
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ☒
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery.	Check if as specified ☒
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ☒



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2026-2027

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—GAS

VENDOR'S COMPANY NAME Northwest Bus Sales, Inc. ADDRESS 33207 Pacific Hwy. S. Federal Way, WA 98003	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;"> REPRESENTATIVE'S NAME Rob Goolsby </td> <td style="width: 40%;"> TELEPHONE NUMBER 253-841-9997 </td> </tr> <tr> <td colspan="2"> Estimated delivery date to school district from time purchase order is received: <u>150</u> </td> </tr> <tr> <td colspan="2"> Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>Nearest Chevy Dealer</u> </td> </tr> <tr> <td colspan="2"> Firm where body can be serviced or repaired, and parts obtained: <u>Northwest Bus Sales</u> </td> </tr> </table>	REPRESENTATIVE'S NAME Rob Goolsby	TELEPHONE NUMBER 253-841-9997	Estimated delivery date to school district from time purchase order is received: <u>150</u>		Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>Nearest Chevy Dealer</u>		Firm where body can be serviced or repaired, and parts obtained: <u>Northwest Bus Sales</u>	
REPRESENTATIVE'S NAME Rob Goolsby	TELEPHONE NUMBER 253-841-9997								
Estimated delivery date to school district from time purchase order is received: <u>150</u>									
Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>Nearest Chevy Dealer</u>									
Firm where body can be serviced or repaired, and parts obtained: <u>Northwest Bus Sales</u>									

BODY

MAKE Endera		Warranty: Years <u>5</u> Miles <u>60,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>140.2</u> w/lift <u>154.03</u>	Equipped seating capacity: w/o lift <u>22</u> w/lift <u>18+1</u> Overall vehicle length (inches): w/o lift <u>252.875</u> w/lift <u>266.75</u>
MODEL 4.5 / 5 Section	YEAR 2027	Seat color: <u>Gray</u> Floor color: <u>Black</u>		

CHASSIS

MAKE Chevy		Warranty: Years <u>3</u> Miles <u>36,000</u>	MANUFACTURER Chevy		Torque: <u>464</u> @ <u>4000</u> RPM H.P.: <u>401</u> @ <u>5200</u> RPM
MODEL Express Cutaway	YEAR 2027	Wheelbase: <u>139</u>	MODEL 6.6	YEAR 2027	Liters: <u>6.6</u> Fuel type: <u>Gas</u>
TRANSMISSION			Warranty: Years <u>5</u> Miles <u>100,000</u>		
MANUFACTURER Chevrolet		Speeds forward: <u>8</u>	Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>		Battery type/grp: <u>78</u> <u>78</u>
MODEL N8X		Warranty: Years <u>5</u> Miles <u>100,000</u>			Number batteries: <u>2</u> <u>2</u> Total CCA: <u>1540</u> <u>1540</u>

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Gas Bid—w/o lift \$ <u>107,310</u>	Gas Bid—w/lift \$ <u>115,138</u>
VENDOR REPRESENTATIVE'S SIGNATURE <u>Rob Goolsby</u>	DATE <u>08/03/2026</u>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2026-2027

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—PROPANE

VENDOR'S COMPANY NAME Northwest Bus Sales, Inc.	REPRESENTATIVE'S NAME Rob Goolsby	TELEPHONE NUMBER 253-841-9997
ADDRESS 33207 Pacific Hwy. S. Federal Way, WA 98003	Estimated delivery date to school district from time purchase order is received: <u>No Bid</u>	
	Firm where engine and chassis can be serviced or repaired, and parts obtained: _____	
	Firm where body can be serviced or repaired, and parts obtained: _____	

BODY

MAKE	Warranty: Years _____ Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____ Overall vehicle length (inches): w/o lift _____ w/lift _____
MODEL	YEAR		
	Seat color: _____ Floor color: _____		

CHASSIS

ENGINE

MAKE	Warranty: Years _____ Miles _____	MANUFACTURER	Torque: _____ @ _____ RPM H.P.: _____ @ _____ RPM
MODEL	YEAR	Wheelbase: _____	Liters: _____ Fuel type: _____
TRANSMISSION		Warranty: Years _____ Miles _____	Battery type/grp: _____
MANUFACTURER	Speeds forward: _____	Number of cylinders: _____ Inline _____ V-type _____	Number batteries: _____
MODEL	Warranty: Years _____ Miles _____		Total CCA: _____

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ No Bid

Propane Bid—w/lift \$ No Bid

VENDOR REPRESENTATIVE'S SIGNATURE
Rob Goolsby

DATE
08/03/2026

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Use this document to bid both non-lift and lift, gas and propane buses.

PART II

Vendor: Northwest Bus Sales

Mfr.: Endera

ITEM	CHASSIS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the district cost.	
Small A	Type A bus—10,000 lbs. or under GVWR chassis.	Gas	Propane
		Deduct <u>N/A</u>	Deduct <u>No Bid</u>
		Mfr. _____	Mfr. _____
		Capacity w/o lift _____	Capacity w/o lift _____
		Dual Wheel ☐	Dual Wheel ☐
		Single Wheel ☐	Single Wheel ☐
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>Spheros</u>	
		Cost \$ <u>5,895</u>	
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. <u>N/A</u>	
☒ Electric		☒ Electric Cost \$ <u>See Separate Bid</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>Standard</u>	
		Cost \$ <u>0</u>	
Color	Exterior white roof.	Cost \$ <u>595</u>	
Steering Wheel	Tilt and telescoping column.	Cost \$ <u>Standard</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>Sound Off Signal or Equivalent</u>	
		Model No. <u>3107LCC or Equivalent</u>	
		Cost \$ <u>295</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>Child Checkmate</u>	
		Model No. <u>EP1+</u>	
		Cost \$ <u>595</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ <u>Standard</u>	Deduct \$ <u>Standard</u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Use this document to bid both non-lift and lift, gas and propane buses.

PART II (cont.)

Vendor: Northwest Bus Sales

Mfr.: Endera

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>AngelTrax</u> Model No. <u>Vulcan</u> Cost \$ <u>4,125</u> How many cameras <u>3</u>	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System Mfr. <u>AngelTrax</u> Model No. <u>Vulcan</u> Cost \$ <u>3,920</u> How many cameras <u>1</u>	Added to Interior System Mfr. <u>AngelTrax</u> Model No. <u>Vulcan</u> Cost \$ <u>5,250</u> How many cameras <u>4</u>
Warning Light Monitor	16 light monitoring system.	Incandescent Cost \$ <u>N/A</u>	LED Lights Cost \$ <u>1,120</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q'Straint</u> Model No. <u>QRT360</u> Cost per station \$ <u>1,450</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>1,195</u> Rear Cost \$ <u>100</u> Both Cost \$ <u>1,295</u>	
Windows	Tinted.	Cost \$ <u>Standard</u>	