



State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
DIESEL, GAS & PROPANE**

Vendor: RWC Group

Use this document to bid both non-lift and lift buses for 35–60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Seating Capacity	48 passenger based upon an average center-to-center seat spacing of at least 27.5".	Capacity w/o lift <u>48</u> Capacity w/lift <u>36+1</u>		
Alternator	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Diesel Mfr. <u>Leece-Neville</u> Max. amps output w/o lift or A.C. <u>240</u> Max. amps output w/lift or A.C. <u>240</u>	Gas Mfr. <u>Leece-Neville</u> Max. amps output w/o lift or A.C. <u>240</u> Max. amps output w/lift or A.C. <u>240</u>	Propane Mfr. <u>NA</u> Max. amps output w/o lift or A.C. <u>NA</u> Max. amps output w/lift or A.C. <u>NA</u>
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. <u>Berstrom</u>		
Axle—Front	8,000 lb. minimum.	Diesel Mfr. <u>Meritor/Dana</u> Capacity <u>8,000</u>	Gas Mfr. <u>Meritor/Dana</u> Capacity <u>8,000</u>	Propane Mfr. <u>NA</u> Capacity <u>NA</u>
Axle—Rear	17,500 lb. minimum.	Diesel Mfr. <u>Dana</u> Capacity <u>19800</u>	Gas Mfr. <u>Dana</u> Capacity <u>19000</u>	Propane Mfr. <u>NA</u> Capacity <u>NA</u>
Axle Oil Seals	Front and rear oil bath, or maintenance free sealed greased bearings.	Diesel Mfr. <u>Conmet Preset</u>	Gas Mfr. <u>Conmet Preset</u>	Propane Mfr. <u>NA</u>
Axle Ratio	Must comply with power and grade-ability formula. Refer to Washington State School Bus Specifications Manual.	Diesel Mfr. <u>Dana</u> Model no. <u>5.57</u>	Gas Mfr. <u>Dana</u> Model no. <u>5.57</u>	Propane Mfr. <u>NA</u> Model no. <u>NA</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: ☒ Diameter <u>7"</u> Other: ☐ Square inches _____		

State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
DIESEL, GAS & PROPANE**

Vendor: RWC Group

Use this document to bid both non-lift and lift buses for 35–60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.			VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
		<i>Diesel</i>		<i>Gas</i>	<i>Propane</i>
Battery(ies)	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift.	Size/group w/o lift <u>31</u> CCA <u>1900</u>		Size/group w/o lift <u>31</u> CCA <u>1900</u>	Size/group w/o lift <u>NA</u> CCA <u>NA</u>
	1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Size/group w/lift <u>31</u> CCA <u>1900</u>		Size/group w/lift <u>31</u> CCA <u>1900</u>	Size/group w/lift <u>NA</u> CCA <u>NA</u>
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.			☐ Swing out	☒ Roll out
Brakes	Hydraulic disc. Refer to Washington State School Bus Specifications Manual.			Size Front <u>70mm</u>	Rear <u>70mm</u>
Door, Service	Power operated.			☐ Air ☒ Electric ☐ Other	☐ Folding ☒ Split, Outward opening ☐ Other
Engine	Diesel and Propane—180 H.P. minimum.	<i>Diesel</i>		<i>Gas</i>	<i>Propane</i>
		Engine mfr. <u>Cummins</u>		Engine mfr. <u>Cummins</u>	Engine mfr. <u>NA</u>
		Model or liters <u>B6.7</u>		Model or liters <u>B6.7</u>	Model or liters <u>NA</u>
	Gas—210 H.P. minimum.	Net torque <u>600</u> @ <u>1600</u> R.P.M		Net torque <u>600</u> @ <u>1800</u> R.P.M	Net torque <u>NA</u> @ <u>NA</u> R.P.M
		Net H.P. <u>200</u> @ <u>2600</u> R.P.M		Net H.P. <u>220</u> @ <u>3200</u> R.P.M	Net H.P. <u>NA</u> @ <u>NA</u> R.P.M
Engine Heater	Engine manufacturers recommended in-block heater.			Watts <u>750</u>	Volts <u>120</u>
				Mfr. <u>Phillips</u>	
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.			Mfr. <u>Warner</u>	☒ Electronic
				☐ Fan clutch	☐ Shutters
Fuel Tank	Diesel and Gas—60-gallon minimum. Propane—largest available.	<i>Diesel</i>		<i>Gas</i>	<i>Propane</i>
		Capacity <u>65</u>		Capacity <u>60</u>	Capacity <u>NA</u>

State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 35–60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. <u>41,000</u> Center B.T.U. <u>50,000</u> Rear B.T.U. <u>50,000</u> Total B.T.U. <u>141,000</u>
Hood	Tilt.	☒ Fiberglass ☐ Metal
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ☒ If not, explain. _____
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>IC Corporation</u> Model No. <u>4275485C91</u>
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>270.9</u> w/lift <u>270.9</u> Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>31.35</u> w/lift <u>31.21</u>
Steering Wheel	Tilt and telescoping column.	Check if as specified ☒
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>Koroseal</u>
Tires	6 first quality, radial ply.	Mfr. <u>Continental</u> Size <u>11R22.5</u> Load range <u>H</u>
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>2.88</u>

State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 35–60 capacity.

Vendor: RWC Group

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID		
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.		
Transmission	Diesel and Propane: Automatic—Allison, PTS 2500 or equal. Gas: Automatic— manufacturer's standard compatible with H.P. and torque rating of engine bid.	<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
		Mfr. <u>Allison</u>	Mfr. <u>Allison</u>	Mfr. <u>NA</u>
		Model no. <u>2550 or 2500 (air)</u>	Model no. <u>2550 or 2500 (air)</u>	Model no. <u>NA</u>
		Net input <u>660</u>	Net input <u>660</u>	Net input <u>NA</u>
		Net input H.P. <u>300</u>	Net input H.P. <u>300</u>	Net input H.P. <u>NA</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>ICOM</u>		
		Model No. <u>F-5011</u>		
Wheels	6 to be compatible with tire size.	Size <u>22.5</u>		
		Rim width <u>8.25</u>		
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY				
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>Braun</u>		
		Model No. <u>NL919F1B</u>		
Wheelchair/ Occupant Tie- down System— Installed	Must meet state specification.	Mfr. <u>Q-Straint</u>		
		Model No. <u>8100-A1-SC</u>		

State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 35–60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified ☒
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified ☒
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ☒
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery.	Check if as specified ☒
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ☒



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2026-2027

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C60—BID AS 48 PASSENGER (DIESEL)

VENDOR'S COMPANY NAME RWC Group ADDRESS 600 North 75 th Avenue Phoenix, AZ 85043	REPRESENTATIVE'S NAME Tom Hartman Estimated delivery date to school district from time purchase order is received: 6-8 mos ____ Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>Any IC or International Dealer</u> Firm where body can be serviced or repaired, and parts obtained: <u>RWC Group</u>
--	--

BODY

MAKE IC Corporation	YEAR 2028	Warranty: Years <u>5</u> Miles <u>Unlim</u> Seat color: <u>Gray</u> Floor color: <u>Black</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>270.9</u> w/lift <u>270.9</u>	Equipped seating capacity: w/o lift <u>48</u> w/lift <u>36+1</u> Overall vehicle length (inches): w/o lift <u>384.9</u> w/lift <u>384.9</u>
-------------------------------	---------------------	--	---	--

CHASSIS

MAKE IC Corporation	YEAR 2028	Warranty: Years <u>5</u> Miles <u>Unlim</u> Wheelbase: <u>218</u>	MANUFACTURER Cummins MODEL B6.7	YEAR 2026 Torque: <u>600</u> @ <u>1600</u> RPM H.P.: <u>200</u> @ <u>2600</u> RPM
-------------------------------	---------------------	---	--	---

ENGINE

TRANSMISSION		Warranty: Years <u>5</u> Miles <u>100k</u>	C.I.D. or Liters: <u>6.7L</u> Fuel type: <u>Diesel</u> Battery type/grp: <u>31</u> <u>31</u> Number batteries: <u>2</u> <u>2</u> Total CCA: <u>1900</u> <u>1900</u>
MANUFACTURER Allison	SPEEDS forward: <u>6</u> WARRANTY: Years <u>7</u> Miles <u>Unlim</u>	Number of cylinders: <u>6</u> Inline <u>X</u> V-type _____	

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Diesel Bid—w/o lift \$ 169,624

Diesel Bid—w/lift \$ 176,279

VENDOR REPRESENTATIVE'S SIGNATURE _____	DATE _____
--	---------------

 Washington Office of Superintendent of PUBLIC INSTRUCTION 2026-2027		STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631			
VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C60—BID AS 48 PASSENGER (GAS)					
VENDOR'S COMPANY NAME RWC Group		REPRESENTATIVE'S NAME Tom Hartman		TELEPHONE NUMBER 602-377-4401	
ADDRESS 600 North 75 th Avenue Phoenix, AZ 85043		Estimated delivery date to school district from time purchase order is received: <u>9-12 mos</u> Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>Any IC or International Dealer</u> Firm where body can be serviced or repaired, and parts obtained: <u>RWC Group</u>			

BODY					
MAKE IC Corporation		Warranty: Years <u>5</u> Miles <u>Unlim</u>		Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>270.9</u> w/lift <u>270.9</u>	
MODEL PB110	YEAR 2027	Seat color: <u>Gray</u> Floor color: <u>Black</u>		Equipped seating capacity: w/o lift <u>48</u> w/lift <u>36+1</u> Overall vehicle length (inches): w/o lift <u>384.9</u> w/lift <u>384.9</u>	

CHASSIS			ENGINE		
MAKE IC Corporation		Warranty: Years <u>5</u> Miles <u>Unlim</u>		MANUFACTURER Cummins	
MODEL PB110	YEAR 2027	Wheelbase: <u>218</u>		MODEL B6.7	YEAR 2025
TRANSMISSION		Warranty: Years <u>5</u> Miles <u>100k</u>		Torque: <u>600</u> @ <u>1800</u> RPM H.P.: <u>220</u> @ <u>3200</u> RPM	
MANUFACTURER Allison		Speeds forward: <u>6</u>		C.I.D. or Liters: <u>6.7L</u> Fuel type: <u>Gas</u>	
MODEL 2550/2500		Warranty: Years <u>7</u> Miles <u>Unlim</u>		Battery type/grp: <u>31</u> <u>31</u> Number batteries: <u>2</u> <u>2</u> Total CCA: <u>1900</u> <u>1900</u>	
		Number of cylinders: <u>6</u> Inline <u>X</u> V-type <u> </u>			

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Gas Bid—w/o lift \$ <u>171,603</u>	Gas Bid—w/lift \$ <u>177,917</u>
VENDOR REPRESENTATIVE'S SIGNATURE _____	DATE _____



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2026-2027

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C60—BID AS 48 PASSENGER (PROPANE)

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS	Estimated delivery date to school district from time purchase order is received: _____	
	Firm where engine and chassis can be serviced or repaired, and parts obtained: _____	
	Firm where body can be serviced or repaired, and parts obtained: _____	

BODY				
MAKE	Warranty: Years _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____	
MODEL	Miles _____			
YEAR	Seat color: _____		Overall vehicle length (inches): w/o lift _____ w/lift _____	
	Floor color: _____			

CHASSIS		ENGINE		
MAKE	Warranty: Years _____	MANUFACTURER		Torque: _____ @ _____ RPM
	Miles _____			H.P.: _____ @ _____ RPM
MODEL	YEAR	Wheelbase: _____	MODEL	YEAR
			C.I.D. or Liters: _____	
			Fuel type: _____	
TRANSMISSION		Warranty: Years _____		Battery type/grp: _____
		Miles _____		Number batteries: _____
MANUFACTURER	Speeds forward: _____	Number of cylinders: _____		Total CCA: _____
MODEL	Warranty: Years _____	Inline _____ V-type _____		
	Miles _____			

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Propane Bid—w/o lift \$ _____ Propane Bid—w/lift \$ _____	
VENDOR REPRESENTATIVE'S SIGNATURE _____	DATE _____

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

☒ **C60** ☐ **C77** ☐ **D60** ☐ **D84**

Use this document to bid both non-lift and lift buses.

Vendor: RWC Group

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>32</u> Cost \$ <u>15,800</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>TransAir</u> Cost \$ <u>13,000</u>	
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all the requirements of FMVSS No. 305.	Mfr. <u>NA</u> ☐ Cost \$ <u>NA</u>	
Alternator	Available options.	Cost \$ <u>1,028</u> Capacity <u>325</u>	
		Cost \$ <u>NA</u> Capacity <u>NA</u>	
		Cost \$ <u>NA</u> Capacity <u>NA</u>	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>Standard</u>	
		Type D: Cost \$ <u>NA</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>Ecco</u>	
		Cost \$ <u>123</u>	
Brakes	4-wheel hydraulic disk brake.	Cost \$ <u>Standard</u>	Deduct \$ <u>NA</u>
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>3,452</u>	Disc Deduct \$ <u>NA</u>
		Drum Cost \$ <u>0</u>	Drum Deduct \$ <u>NA</u>
Color	Exterior white roof.	Cost \$ <u>776</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>350</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air	Air
		Mfr. <u>Magnum</u>	Mfr. <u>Sears Atlas II</u>
		Cost \$ <u>350</u>	Cost \$ <u>1,200</u>
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. <u>NA</u>	
		Cost \$ <u>NA</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

☒ **C60** ☐ **C77** ☐ **D60** ☐ **D84**

Use this document to bid both non-lift and lift buses.

Vendor: RWC Group

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Floor Color	Nonstandard color.	Cost \$ <u>419</u>	
Fuel Tank	Larger fuel capacity (Diesel only).	Size: <u>100</u>	Cost \$ <u>1,084</u>
Fuel Tank	Larger fuel capacity (Propane only).	Size: <u>NA</u>	Cost \$ <u>NA</u>
Headlights	Halogen.	Cost \$ <u>Standard</u>	
Headlights	L.E.D.	Cost \$ <u>1,368</u>	
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>Webasto</u>	Model: <u>Pro 90</u>
Noise Reduction	Exceeding minimum specifications.	Cost \$ <u>5,300</u>	
Retarder	Manufacturer's standard.	Driver compartment	Cost \$ <u>159</u>
		Engine compartment	Cost \$ <u>355</u>
		Full acoustical headliner	Cost \$ <u>Standard</u>
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Driveline ☐	Cost \$ <u>NA</u>
		Exhaust ☐	Cost \$ <u>NA</u>
		Transmission ☐	Cost \$ <u>NA</u>
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	Cost \$ <u>1,217</u>	
		2 by 2 Cost \$ <u>15,800</u>	
		Capacity <u>32</u>	
		3 by 2 Cost \$ <u>NA</u>	
		Capacity <u>NA</u>	
		3 by 3 Cost \$ <u>16,800</u>	
Capacity <u>48</u>			

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

☒ **C60** ☐ **C77** ☐ **D60** ☐ **D84**

Use this document to bid both non-lift and lift buses.

Vendor: RWC Group

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Storage Compartments	Largest available for unit bid.	Left side <u>27.8</u> cubic feet.	
		Cost \$ <u>2,200</u>	
		Right-side <u>27.8</u> cubic feet.	
		Cost \$ <u>2,200</u>	
		Push-thru <u>NA</u> cubic feet.	
		Cost \$ <u>NA</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>Ecco</u>	
		Model No. <u>6550C</u>	
		Cost \$ <u>217</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>IC Corporation</u>	
		Model No. <u>Leave no student behind</u>	
		Cost \$ <u>Standard</u>	
Suspension	Air ride (Air brake system only).	Front	Rear
		Cost \$ <u>NA</u>	Cost \$ <u>1,233</u>
Toolbox	Interior, manufacturer standard.	Cost \$ <u>117</u>	Deduct \$ <u>NA</u>
Traction Device	Automatic chains.	Mfr. <u>On Spots</u>	
		Cost \$ <u>6,317</u>	
Traction Device	Sanders.	Capacity <u>10 Gal</u>	
		Cost \$ <u>5,826</u>	
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. <u>Allison</u>	
		Model No. <u>3000</u>	
		Cost \$ <u>5,388</u>	
Vehicle Securement System	Must meet state specification.	Mfr. <u>Bendix Intellipark</u>	Cost \$ <u>500</u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

☒ **C60** ☐ **C77** ☐ **D60** ☐ **D84**

Use this document to bid both non-lift and lift buses.

Vendor: RWC Group

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>4,029</u> How many cameras <u>3</u>	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>3,124</u> How many cameras <u>1</u>	Added to Interior System Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>1,191</u> How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent Cost \$ <u>NA</u>	LED Lights Cost \$ <u>386</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u> Model No. <u>Q-8100-A1-SC</u> Cost per station \$ <u>1,250</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>547</u> Rear Cost \$ <u>242</u> Both Cost \$ <u>1,337</u>	
Windows	Tinted.	Cost \$ <u>524</u>	
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>450</u>	