



State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
DIESEL, GAS & PROPANE**

Vendor: RWC Group

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Seating Capacity	71 passenger based upon an average center-to-center seat spacing of at least 27.5".	Capacity w/o lift <u>71</u> Capacity w/lift <u>60+1</u>		
Alternator	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Diesel Mfr. <u>Leece-Neville</u> Max. amps output w/o lift or A.C. <u>240</u> Max. amps output w/lift or A.C. <u>240</u>	Gas Mfr. <u>Leece-Neville</u> Max. amps output w/o lift or A.C. <u>240</u> Max. amps output w/lift or A.C. <u>240</u>	Propane Mfr. <u>NA</u> Max. amps output w/o lift or A.C. <u>NA</u> Max. amps output w/lift or A.C. <u>NA</u>
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. <u>Bergstrom</u>		
Axle—Front	9,000 lb. minimum.	Diesel Mfr. <u>Meritor/Dana</u> Capacity <u>10000</u>	Gas Mfr. <u>Meritor/Dana</u> Capacity <u>10000</u>	Propane Mfr. <u>NA</u> Capacity <u>NA</u>
Axle—Rear	19,000 lb. minimum.	Diesel Mfr. <u>Dana</u> Capacity <u>21000</u>	Gas Mfr. <u>Dana</u> Capacity <u>21000</u>	Propane Mfr. <u>NA</u> Capacity <u>NA</u>
Axle Oil Seals	Front and rear oil bath, or maintenance free sealed greased bearings.	Diesel Mfr. <u>Conmet Preset</u>	Gas Mfr. <u>Conmet Preset</u>	Propane Mfr. <u>NA</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Diesel Mfr. <u>Dana</u> Model no. <u>5.57</u>	Gas Mfr. <u>Dana</u> Model no. <u>5.57</u>	Propane Mfr. <u>NA</u> Model no. <u>NA</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: ☒ Diameter <u>7"</u> Other: ☐ Square inches _____		

State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.					
Battery(ies)	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift. 1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Diesel		Gas			
		Size/group w/o lift <u>31</u> CCA <u>1900</u> Size/group w/lift <u>31</u> CCA <u>1900</u>		Size/group w/o lift <u>31</u> CCA <u>1900</u> Size/group w/lift <u>31</u> CCA <u>1900</u>			
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.			☐ Swing out			
Brakes	Air: Drum or Disc. Refer to Washington State School Bus Specifications Manual.			Disc Front ☒ Rear ☒ Drum Front ☒ Rear ☒ Size Front <u>16.5x5</u> Rear <u>16.5x7</u>			
Door, Service	Power operated.			☒ Air ☐ Electric ☐ Other			
Engine	Diesel, Gas and Propane—210 H.P. minimum.	Diesel		Gas			
		Engine mfr. <u>Cummins</u> Model or liters <u>6.7</u> Net torque <u>600</u> @ <u>1600</u> R.P.M Net H.P. <u>220</u> @ <u>2400</u> R.P.M		Engine mfr. <u>Cummins</u> Model or liters <u>6.7</u> Net torque <u>600</u> @ <u>1800</u> R.P.M Net H.P. <u>220</u> @ <u>1930</u> R.P.M			
Engine Heater	Engine manufacturers recommended in-block heater.			Watts <u>750</u> Volts <u>120</u> Mfr. <u>Phillips</u>			
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.			Mfr. <u>Warner</u> ☒ Electronic ☐ Fan clutch ☐ Shutters			
Fuel Tank	Diesel—100-gallon minimum. Gas and Propane—60-gallon minimum.	Diesel		Gas			
		Capacity <u>100</u>		Capacity <u>100</u>			
				Propane			
				Capacity <u>NA</u>			

State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. <u>41,000</u> Center B.T.U. <u>50,000</u> Rear B.T.U. <u>50,000</u> Total B.T.U. <u>141,000</u>
Hood	Tilt.	☒ Fiberglass ☐ Metal
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ☒ If not, explain. _____
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>International</u> Model No. <u>4275485C91</u>
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>351.9</u> w/lift <u>351.9</u> Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>28.34</u> w/lift <u>27.78</u>
Steering Wheel	Tilt and telescoping column.	Check if as specified
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>Koroseal</u>
Tires	6 first quality, radial ply.	Mfr. <u>Continental</u> Size <u>11R22.5</u> Load range <u>H</u>
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>2.88</u>

State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Transmission	Diesel and Propane: Automatic—Allison, PTS 2500 or equal. Gas: Automatic— manufacturer's standard compatible with H.P. and torque rating of engine bid.	<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
		Mfr. <u>Allison</u> Model no. <u>2500 6spd</u> Net input <u>660</u> Net input H.P. <u>300</u>	Mfr. <u>Allison</u> Model no. <u>2500 6spd</u> Net input <u>660</u> Net input H.P. <u>300</u>	Mfr. <u>NA</u> Model no. <u>NA</u> Net input <u>NA</u> Net input H.P. <u>NA</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>ICOM</u> Model No. <u>F-5011</u>		
Wheels	6 to be compatible with tire size.	Size <u>22.5</u> Rim width <u>8.25</u>		
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY				
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>Braun</u> Model No. <u>NL919FIB</u>		
Wheelchair/ Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q Straint</u> Model No. <u>Q-8100-A1-SC</u>		
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY				
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified ☒		
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified ☒		
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ☒		

State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

PART I (cont.)

Vendor: RWC Group

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery.	Check if as specified ☒
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ☒



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2026-2027

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C77— BID AS 71 PASSENGER (DIESEL)

VENDOR'S COMPANY NAME RWC Group		REPRESENTATIVE'S NAME Tom Hartman	TELEPHONE NUMBER 602-377-4401
ADDRESS 600 North 75th Avenue Phoenix, AZ 85043		Estimated delivery date to school district from time purchase order is received: <u>6-8 mos</u>	
		Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>Any IC or International Dealer</u>	
		Firm where body can be serviced or repaired, and parts obtained: <u>RWC Group</u>	

BODY

MAKE IC Corporation	Warranty: Years <u>5</u> Miles <u>Unlimit</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>351.9</u> w/lift <u>351.9</u>	Equipped seating capacity: w/o lift <u>71</u> w/lift <u>60+1</u>
MODEL PB110	YEAR 2028	Seat color: <u>Gray</u> Floor color: <u>Black</u>	Overall vehicle length (inches): w/o lift <u>465.9</u> w/lift <u>465.9</u>

CHASSIS

ENGINE

MAKE IC Corporation	Warranty: Years <u>5</u> Miles <u>Unlimit</u>	MANUFACTURER Cummins	Torque: <u>600</u> @ <u>1600</u> RPM H.P.: <u>220</u> @ <u>2400</u> RPM
MODEL PB110	YEAR 2028	Wheelbase: <u>276</u>	MODEL B6.7
			YEAR 2027
TRANSMISSION		Warranty: Years <u>5</u> Miles <u>100,000</u>	C.I.D. or Liters: <u>6.7</u> Fuel type: <u>Diesel</u>
MANUFACTURER Allison	Speeds forward: <u>6</u>	Number of cylinders: <u>6</u> Inline <u>X</u> V-type <u> </u>	Battery type/grp: <u>31</u> <u>31</u>
MODEL 2500	Warranty: Years <u>7</u> Miles <u>Unlimit</u>		Number batteries: <u>2</u> <u>2</u>
			Total CCA: <u>1900</u> <u>1900</u>

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Diesel Bid—w/o lift \$ 178,296

Diesel Bid—w/lift \$ 184,845

VENDOR REPRESENTATIVE'S SIGNATURE
Tom Hartman

DATE
7-31-26



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2026-2027

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C77— BID AS 71 PASSENGER (GAS)

VENDOR'S COMPANY NAME RWC Group		REPRESENTATIVE'S NAME Tom Hartman	TELEPHONE NUMBER 602-377-4401
ADDRESS 600 North 75th Avenue Phoenix, AZ 85043		Estimated delivery date to school district from time purchase order is received: <u>9-12 mos</u> Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>Any IC or International Dealer</u>	
		Firm where body can be serviced or repaired, and parts obtained: <u>RWC Group</u>	

BODY				
MAKE IC Corporation	YEAR 2028	Warranty: Years <u>5</u> Miles <u>Unlimit</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>351.9</u> w/lift <u>351.9</u>	Equipped seating capacity: w/o lift <u>71</u> w/lift <u>60+1</u>
MODEL PB110		Seat color: <u>Gray</u> Floor color: <u>Black</u>		Overall vehicle length (inches): w/o lift <u>465.9</u> w/lift <u>465.9</u>

CHASSIS			ENGINE		
MAKE IC Corporation	YEAR 2028	Warranty: Years <u>5</u> Miles <u>Unlimit</u>	MANUFACTURER Cummins	Torque: <u>600</u> @ <u>1800</u> RPM H.P.: <u>220</u> @ <u>1930</u> RPM	
MODEL PB110		Wheelbase: <u>276</u>	MODEL B6.7	YEAR 2027	C.I.D. or Liters: <u>6.7</u> Fuel type: <u>Gas</u>
TRANSMISSION			Warranty: Years <u>5</u> Miles <u>100,000</u>		Battery type/grp: <u>31</u> <u>31</u>
MANUFACTURER Allison		Speeds forward: <u>6</u>	Number of cylinders: <u>6</u> Inline <u>X</u> V-type <u> </u>		Number batteries: <u>2</u> <u>2</u>
MODEL 2500		Warranty: Years <u>7</u> Miles <u>Unlimit</u>			Total CCA: <u>1900</u> <u>1900</u>

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Gas Bid—w/o lift \$ <u>180,984</u>	Gas Bid—w/lift \$ <u>187,199</u>
VENDOR REPRESENTATIVE'S SIGNATURE <u>Tom Hartman</u>	DATE <u>7-31-26</u>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2026-2027

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C77—BID AS 71 PASSENGER (PROPANE)

VENDOR'S COMPANY NAME RWC Group	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS	Estimated delivery date to school district from time purchase order is received: _____	
	Firm where engine and chassis can be serviced or repaired, and parts obtained: _____	
	Firm where body can be serviced or repaired, and parts obtained: _____	

BODY				
MAKE		Warranty: Years _____ Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____
MODEL	YEAR	Seat color: _____ Floor color: _____		Overall vehicle length (inches): w/o lift _____ w/lift _____

CHASSIS			ENGINE		
MAKE		Warranty: Years _____ Miles _____	MANUFACTURER		Torque: _____ @ _____ RPM H.P.: _____ @ _____ RPM
MODEL	YEAR	Wheelbase: _____	MODEL	YEAR	C.I.D. or Liters: _____ Fuel type: _____
TRANSMISSION			Warranty: Years _____ Miles _____		Battery type/grp: _____
MANUFACTURER		Speeds forward: _____	Number of cylinders: _____ Inline _____ V-type _____		Number batteries: _____
MODEL		Warranty: Years _____ Miles _____			Total CCA: _____

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Propane Bid—w/o lift \$ <u>N/A</u>	Propane Bid—w/lift \$ <u>N/A</u>
VENDOR REPRESENTATIVE'S SIGNATURE <u>Tom Hartman</u>	DATE <u>7-31-26</u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: RWC Group

☐ C60 ☒ C77 ☐ D60 ☐ D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>44</u> Cost \$ <u>23,700</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>TransAir</u> Cost \$ <u>13,000</u>	
Alternator	Available options.	Cost \$ <u>1,028</u> Capacity <u>325</u> Cost \$ <u>NA</u> Capacity <u>NA</u> Cost \$ <u>NA</u> Capacity <u>NA</u>	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>Standard</u> Type D: Cost \$ <u>NA</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>Ecco</u> Cost \$ <u>123</u>	
Brakes	4-wheel hydraulic disk brake.	Cost \$ <u>2,500</u>	Deduct \$ <u>NA</u>
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>3,800</u> Drum Cost \$ <u>Standard</u>	Disc Deduct \$ <u>NA</u> Drum Deduct \$ <u>NA</u>
Color	Exterior white roof.	Cost \$ <u>776</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>350</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air Mfr. <u>Magnum</u> Cost \$ <u>350</u>	Air Mfr. <u>Sears Atlas II</u> Cost \$ <u>1,200</u>
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. <u>NA</u> Cost \$ <u>NA</u>	
Floor Color	Nonstandard color.	Cost \$ <u>419</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

☐ C60 ☒ C77 ☐ D60 ☐ D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Fuel Tank	Larger fuel capacity (Diesel only).	Size: <u>NA</u>	Cost \$ <u>NA</u>
Fuel Tank	Larger fuel capacity (Propane only).	Size: <u>NA</u>	Cost \$ <u>NA</u>
Headlights	Halogen.	Cost \$ <u>Standard</u>	
Headlights	L.E.D.	Cost \$ <u>1,368</u>	
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>Webasto</u>	Model: <u>Pro 90</u>
		Cost \$ <u>5,300</u>	
Noise Reduction	Exceeding minimum specifications.	Driver compartment	Cost \$ <u>159</u>
		Engine compartment	Cost \$ <u>355</u>
		Full acoustical headliner	Cost \$ <u>Standard</u>
Retarder	Manufacturer's standard.	Driveline ☐	Cost \$ <u>NA</u>
		Exhaust ☐	Cost \$ <u>NA</u>
		Transmission ☐	Cost \$ <u>NA</u>
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ <u>1,217</u>	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ <u>19,500</u>	
		Capacity <u>44</u>	
		3 by 2 Cost \$ <u>NA</u>	
		Capacity <u>NA</u>	
		3 by 3 Cost \$ <u>25,500</u>	
		Capacity <u>72</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

☐ C60 ☒ C77 ☐ D60 ☐ D84

Use this document to bid both non-lift and lift buses.

Vendor: RWC Group

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Storage Compartments	Largest available for unit bid.	Left-side <u>28.5</u> cubic feet. Cost \$ <u>2,641</u> Right-side <u>28.5</u> cubic feet. Cost \$ <u>2,641</u> Push-thru <u>NA</u> cubic feet. Cost \$ <u>NA</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>Ecco</u> Model No. <u>6550C</u> Cost \$ <u>217</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>IC</u> Model No. <u>Leave no student behind</u> Cost \$ <u>Standard</u>	
Suspension	Air ride (Air brake system only).	Front	Rear
		Cost \$ <u>NA</u>	Cost \$ <u>1.233</u>
Toolbox	Interior, manufacturer standard.	Cost \$ <u>117</u> Deduct \$ <u>NA</u>	
Traction Device	Automatic chains.	Mfr. <u>On Spot</u> Cost \$ <u>5,868</u>	
Traction Device	Sanders.	Capacity <u>10</u> Gal Cost \$ <u>5,826</u>	
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. <u>Allison</u> Model No. <u>3000</u> Cost \$ <u>6,400</u>	
Vehicle Securement System	Must meet state specification.	Mfr. <u>Bendix Intellipark</u>	Cost \$ <u>500</u>
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>4,029</u> How many cameras <u>3</u>	

Vendor: RWC Group

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

☐ C60 ☒ C77 ☐ D60 ☐ D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
		Stand Alone System	Added to Interior System
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>3,124</u> How many cameras <u>1</u>	Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>1,191</u> How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent Cost \$ <u>NA</u>	LED Lights Cost \$ <u>386</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q Straint</u> Model No. <u>Q-8100-A1-SC</u> Cost per station \$ <u>1,250</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>1,095</u> Rear Cost \$ <u>242</u> Both Cost \$ <u>1,337</u>	
Windows	Tinted.	Cost \$ <u>547</u>	
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>450</u>	