



State Price Quote Specification
TYPE A— GAS & PROPANE
Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: _____
SCHEKTY NW SALES
Mfr.: COLLINS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Seating Capacity	Maximum passenger capacity based upon an average center-to-center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Gas	Propane
		Capacity w/o lift <u>24</u>	Capacity w/o lift <u>N/A</u>
		Capacity w/lift <u>18+1</u>	Capacity w/lift <u>N/A</u>
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Mfr. <u>OEM</u>	
		Amps output w/o lift or A.C. <u>220</u>	
		Amps output w/lift or A.C. <u>220</u>	
Auxiliary Automatic Transmission Cooler	10,000 lb. Hayden or equal.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Lbs. rating <u>10,000</u>	Lbs. rating <u>N/A</u>
Axle—Front	Manufacturer's recommendation.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Lbs. rating <u>4,300</u>	Lbs. rating <u>N/A</u>
		Indepen. suspens. ☒	Indepen. suspens. ☐
Axle—Rear	Manufacturer's recommendation.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Capacity <u>8,600</u>	Capacity <u>N/A</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Gas	Propane
		Ratio <u>3.73</u>	Ratio <u>N/A</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: ☒ Diameter <u>4"</u> Other: ☐ Square inches _____	

Vendor: SCHETKY NW SALESMfr.: COLLINS

State Price Quote Specification
TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift. 1070 CCA 12 volt minimum for any bus w/lift.	Gas/Propane w/o lift CCA <u>1320</u>	Any bus w/lift CCA <u>N/A</u>
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Gas Front Disc ☒ Drum ☐ Rear Disc ☒ Drum ☐ Drum Size _____	Propane Front Disc ☐ Drum ☐ Rear Disc ☐ Drum ☐ Drum Size _____
Doors, Service	Power operated.	☐ Air ☐ Folding ☒ Electric ☒ Split, Outward Opening ☐ Other _____	
Engine	Gas and Propane—3.5 liters minimum.	Gas Engine mfr. <u>GM</u> H.P. <u>401</u>	Propane Engine mfr. <u>N/A</u> Liters <u>N/A</u>
Fuel Tank	Gas—25-gallon minimum. Propane—largest available.	Gas Capacity <u>32 GALLONS</u>	Propane Capacity <u>N/A</u>
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift <u>60,000</u> Rear B.T.U. w/lift <u>60,000</u>	
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ☒ If not, explain. _____ _____ _____	

State Price Quote Specification
TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

PART I (cont.)

Vendor: SCHETKY NW SALES

Mfr.: COLLINS

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>DELPHI</u>	
		Model No. <u>85586031</u>	
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>135"</u> w/lift <u>152"</u>	
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>28.75"</u> w/lift <u>28.75"</u>	
Steering Wheel	Tilt.	Check if as specified ☒	
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>KOROSEAL</u>	
Tires	6 first quality, radial ply.	Mfr. <u>OEM</u>	
		Size <u>LT245/75R16</u>	
		Load range <u>E</u>	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>4.95</u>	
Transmission	Automatic—manufacturer's standard compatible with H.P. and torque rating of engine bid.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Model no. <u>6L90</u>	Model no. <u>N/A</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>MOTOROLA</u>	
		Model No. <u>CM300D</u>	
Wheels	6 to be compatible with tire size.	Size <u>16"</u>	
		Rim width <u>6.5"</u>	

State Price Quote Specification
TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

PART I (cont.)

Vendor: SCHETKY NW SALES

Mfr.: COLLINS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>BRAUN</u> Model No. <u>NCL10001B3351HB-2</u>
Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u> Model No. <u>SLID"N"CLICK</u>
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified ☒
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified ☒
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ☒
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery.	Check if as specified ☒
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ☒



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2026-2027

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—GAS

VENDOR'S COMPANY NAME SCHETKY NW SALES, INC. ADDRESS 8430 NE LOMBARD ST. PORTLAND, OR. 97220	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;"> REPRESENTATIVE'S NAME SCOTT MEYER </td> <td style="width: 40%;"> TELEPHONE NUMBER 509-579-6267 </td> </tr> <tr> <td colspan="2"> Estimated delivery date to school district from time purchase order is received: <u>240-260</u> </td> </tr> <tr> <td colspan="2"> Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>GM</u> <u>DEALERSHIP</u> </td> </tr> <tr> <td colspan="2"> Firm where body can be serviced or repaired, and parts obtained: <u>SCHETKY</u> </td> </tr> </table>	REPRESENTATIVE'S NAME SCOTT MEYER	TELEPHONE NUMBER 509-579-6267	Estimated delivery date to school district from time purchase order is received: <u>240-260</u>		Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>GM</u> <u>DEALERSHIP</u>		Firm where body can be serviced or repaired, and parts obtained: <u>SCHETKY</u>	
REPRESENTATIVE'S NAME SCOTT MEYER	TELEPHONE NUMBER 509-579-6267								
Estimated delivery date to school district from time purchase order is received: <u>240-260</u>									
Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>GM</u> <u>DEALERSHIP</u>									
Firm where body can be serviced or repaired, and parts obtained: <u>SCHETKY</u>									

BODY				
MAKE COLLINS BUS		Warranty: Years <u>1</u> Miles <u>12,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>136"</u> w/lift <u>152"</u>	Equipped seating capacity: w/o lift <u>24</u> w/lift <u>18+1</u> Overall vehicle length (inches): w/o lift <u>242</u> w/lift <u>258</u>
MODEL DH400, DE416 W/ LIFT	YEAR 2027	Seat color: <u>GREY</u> Floor color: <u>GREY</u>		

CHASSIS			ENGINE		
MAKE GM		Warranty: Years <u>3</u> Miles <u>36,000</u>	MANUFACTURER GM		Torque: <u>464</u> @ <u>4000</u> RPM H.P.: <u>404</u> @ <u>5200</u> RPM
MODEL G4500	YEAR 2026	Wheelbase: <u>139"</u>	MODEL VORTEC	YEAR 2027	Liters: <u>6.6</u> Fuel type: <u>GASOLINE</u>
TRANSMISSION			Warranty: Years <u>5</u> Miles <u>100,000</u> Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>		Battery type/grp: <u>75</u> <u>75</u> Number batteries: <u>2</u> <u>2</u> Total CCA: <u>1540</u> <u>1540</u>
MANUFACTURER GM	Speeds forward: <u>6</u>				
MODEL 6L90	Warranty: Years <u>5</u> Miles <u>100,000</u>				

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Gas Bid—w/o lift \$ <u>123,450.00</u>	Gas Bid—w/lift \$ <u>137,691.00</u>
VENDOR REPRESENTATIVE'S SIGNATURE _____ <i>Scott Meyer</i>	DATE <u>7/31/2026</u>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2026-2027

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—PROPANE

VENDOR'S COMPANY NAME SCHETKY NW SALES, INC	REPRESENTATIVE'S NAME SCOTT MEYER	TELEPHONE NUMBER 509-579-6267
ADDRESS 8430 NE LOMBERD ST. PORTLAND, OR. 97220	Estimated delivery date to school district from time purchase order is received: <u>N/A</u> Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>N/A</u> Firm where body can be serviced or repaired, and parts obtained: <u>N/A</u>	

BODY

MAKE	Warranty: Years _____ Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____
MODEL	YEAR	Seat color: _____ Floor color: _____	Overall vehicle length (inches): w/o lift _____ w/lift _____

CHASSIS

ENGINE

MAKE	Warranty: Years _____ Miles _____	MANUFACTURER	Torque: _____ @ _____ RPM H.P.: _____ @ _____ RPM
MODEL	YEAR	Wheelbase: _____	Liters: _____ Fuel type: _____
TRANSMISSION		Warranty: Years _____ Miles _____	Battery type/grp: Number batteries:
MANUFACTURER	Speeds forward: _____	Number of cylinders: _____ Inline _____ V-type _____	Total CCA: _____
MODEL	Warranty: Years _____ Miles _____		

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ NO BID

Propane Bid—w/lift \$ NO BID

VENDOR REPRESENTATIVE'S SIGNATURE

Scott Meyer

DATE
7/31/2026

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Use this document to bid both non-lift and lift, gas and propane buses.

PART II

Vendor: SCHEKTY NW SALES

Mfr.: COLLINS

ITEM	CHASSIS	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Small A	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Type A bus—10,000 lbs. or under GVWR chassis.	Gas Deduct <u>6,577.00</u> Mfr. <u>COLLINS</u> Capacity w/o lift <u>14</u> Dual Wheel ☐ Single Wheel ☒	Propane Deduct <u>N/A</u> Mfr. <u>N/A</u> Capacity w/o lift <u>N/A</u> Dual Wheel ☐ Single Wheel ☐
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>IW 55K BTU SYSTEM</u> Cost \$ <u>6,200.00 (COST INCLUDED W/ LIFT)</u>	
Alternate Fuel ☐ Electric	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. <u>N/A</u> ☐ Electric Cost \$ <u>N/A</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>SUPERIOR SIGNALS</u> Cost \$ <u>130.00</u>	
Color	Exterior white roof.	Cost \$ <u>INCLUDED</u>	
Steering Wheel	Tilt and telescoping column.	Cost \$ <u>INCLUDED</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>SOUND OFF SIGNAL</u> Model No. <u>CL3107HCC</u> Cost \$ <u>260.00</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>CHECKMATE</u> Model No. <u>EP1</u> Cost \$ <u>500.00</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ <u>85.00</u>	Deduct \$ <u>N/A</u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Use this document to bid both non-lift and lift, gas and propane buses.

PART II (cont.)

Vendor: SCHEKTY NW SALES

Mfr.: COLLINS

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>REI</u> Model No. <u>HD</u> Cost \$ _____ How many cameras <u>3</u>	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System Mfr. <u>REI</u> Model No. <u>HD</u> Cost \$ <u>6928.00</u> How many cameras <u>4</u>	Added to Interior System Mfr. <u>REI</u> Model No. <u>HD</u> Cost \$ <u>633.00</u> How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent Cost \$ <u>N/A</u>	LED Lights Cost \$ <u>750.00</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u> Model No. <u>SLIDE"N"CLICK</u> Cost per station \$ <u>960.00</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>600.00</u> Rear Cost \$ <u>200.00</u> Both Cost \$ <u>800.00</u>	
Windows	Tinted.	Cost \$ <u>INCLUDED</u>	