



State Price Quote Specification
TYPE A—ELECTRIC

Use this document to bid both non-lift and lift buses.

Vendor: _____
SCHETKY NW SALES
Mfr.: THOMAS BUILT BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Seating Capacity	Maximum passenger capacity based upon an average center-to-center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Capacity w/o lift <u>18PX</u>
		Capacity w/lift <u>16+1PX</u>
Axle—Front	Manufacturer's recommendation.	Mfr. <u>FORD</u>
		Capacity <u>5,000-LB</u>
Axle—Rear	Manufacturer's recommendation.	Mfr. <u>FORD</u>
		Capacity <u>9,600-LB</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Mfr. <u>FORD</u>
		Capacity <u>4.56</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: ☐ Diameter _____ Other: ☒ Square inches <u>22</u>
Battery(ies) Low Voltage	535 CCA 12-volt minimum w/o lift. 1070 CCA 12-volt minimum w/lift.	Number of batteries <u>2</u>
		CCA <u>1500</u>
Battery(ies) Propulsion	Battery propulsion must meet a minimum of 80 kWh.	Number of batteries <u>1</u>
		kWh <u>123</u>

State Price Quote Specification
TYPE A— ELECTRIC
 Use this document to bid both non-lift and lift buses.

PART I (cont.)
 Vendor: SCHETKY NW SALES
 Mfr.: THOMAS BUILT BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Disc Front ☒ Rear ☒ Drum Front ☐ Rear ☐ Size Front _____ Rear _____
Doors, Service	Power operated.	☐ Air ☐ Folding ☐ Electric ☒ Split, Outward Opening ☐ Other _____
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Front B.T.U. <u>10,000</u> Rear B.T.U. <u>70,000</u> Total B.T.U. <u>80,000</u>
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ☒ If not, explain. _____
Motor	160 H.P. minimum.	Engine Mfr. <u>OPTIMAL</u> Model <u>BEVE1</u> Net torque <u>738</u> @ _____ R.P.M. Net H.P. <u>228</u> @ _____ R.P.M.
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>DELPHI</u> Model No. <u>DEA700</u>
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>166.1</u> w/lift <u>166.1</u> Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>28.75</u> w/lift <u>28.75</u>

State Price Quote Specification
TYPE A— ELECTRIC
 Use this document to bid both non-lift and lift buses.

PART I (cont.)
 Vendor: SCHETKY NW SALES
 Mfr.: THOMAS BUILT BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Steering Wheel	Tilt.	Check if as specified ☒
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>KOROSEAL</u>
Tires	6 first quality, radial ply.	Mfr. <u>OEM</u>
		Size <u>LT245/75R16</u>
		Load range <u>E</u>
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>3.42</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>MOTOROLA</u>
		Model No. <u>CM300D</u>
Wheels	6 to be compatible with tire size.	Size <u>16"</u>
		Rim width <u>6.5"</u>
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>BRAUN</u>
		Model No. <u>NCL919FIB-2 FRONT MOUNT PUMP</u>
Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>SURE-LOK</u>
		Model No. <u>FF627-4C-3</u>

State Price Quote Specification
TYPE A— ELECTRIC
 Use this document to bid both non-lift and lift buses.

PART I (cont.)
 Vendor: SCHETY NW SALES
 Mfr.: THOMAS BUILT BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified ☒
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified ☒
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ☒
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery.	Check if as specified ☒
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ☒



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2026-2027

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—ELECTRIC

VENDOR'S COMPANY NAME SCHETKY NW SALES, INC.		REPRESENTATIVE'S NAME SCOTT MEYER	TELEPHONE NUMBER 509-579-6267
ADDRESS 8430 NE LOMBARD ST. PORTLAND, OR. 97220		Estimated delivery date to school district from time purchase order is received: <u>260-280</u> Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>SCHETKY</u> Firm where body can be serviced or repaired, and parts obtained: <u>SCHETKY</u>	

BODY

MAKE THOMAS BUILT BUSES	Warranty: Years <u>5</u> Miles <u>120,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>166.1</u> w/lift <u>166.1</u>	Equipped seating capacity: w/o lift <u>18</u> w/lift <u>16+1</u>
MODEL 051MS	YEAR 2027	Seat color: <u>GREY</u> Floor color: <u>GREY</u>	Overall vehicle length (inches): w/o lift <u>260.3</u> w/lift <u>260.3</u>

CHASSIS

MAKE FORD	Warranty: Years <u>3</u> Miles <u>36,000</u>
MODEL E450	YEAR 2027
Wheelbase: <u>158"</u>	

MOTOR

MANUFACTURER OPTIMAL	Torque: <u>738</u> @ <u> </u> RPM H.P.: <u>228</u> @ <u> </u> RPM
MODEL BEVE1	YEAR NEW
Fuel type: <u>ELECTRIC</u>	

BATTERIES

12 Volt	Propulsion
Battery type/grp: <u>78</u> <u>660</u>	Number batteries: <u>1</u>
Number batteries: <u>2</u>	Total KWH: <u>123</u>
Total CCA: <u>1500</u>	

Warranty: Years <u>5</u>	
Miles <u>150,000</u>	

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Electric Bid—w/o lift \$ <u>323,786.00</u>	Electric Bid—w/lift \$ <u>339,576.00</u>
VENDOR REPRESENTATIVE'S SIGNATURE <u> </u> <i>Scott Meyer</i>	DATE <u>7/31/2026</u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Use this document to bid both non-lift and lift buses.

PART II

Vendor: SCHETKY NW SALES

Mfr.: THOMAS BUILT BUS

ITEM	CHASSIS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the district cost.	
Small A	Type A bus—10,000 lbs. or under GVWR chassis.	Deduct <u>N/A</u>	
		Mfr. <u>N/A</u>	
		Capacity w/o lift <u>N/A</u>	
		Dual Wheel <u>N/A</u>	
		Single Wheel <u>N/A</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>TRANS AIR</u>	
		Cost \$ <u>14545.00</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>ECCO 850N-TB2</u>	
		Cost \$ <u>145.00</u>	
Color	Exterior white roof.	Cost \$ <u>675.00</u>	
Steering Wheel	Tilt and telescoping column.	Cost \$ <u>INCLUDED</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>ECCO</u>	
		Model No. <u>7460CC</u>	
		Cost \$ <u>248.00</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>CHECKMATE</u>	
		Model No. <u>B20010500</u>	
		Cost \$ <u>375.00</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ <u>75.00</u>	Deduct \$ <u>N/A</u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Use this document to bid both non-lift and lift buses.

PART II (cont.)

Vendor: SCHETKY NW SALES

Mfr.: THOMAS BUILT BUS

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>REI</u>	
		Model No. <u>HD</u>	
		Cost \$ <u>6,230.00</u>	How many cameras <u>3</u>
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr. <u>REI</u>	Mfr. <u>REI</u>
		Model No. <u>HD</u>	Model No. <u>HD</u>
		Cost \$ <u>6928.00</u>	Cost \$ <u>633.00</u>
		How many cameras <u>4</u>	How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$ <u>N/A</u>	Cost \$ <u>957.00</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>SURE-LOK</u>	
		Model No. <u>L-FF-627S-4C-3</u>	
		Cost per station \$ <u>960.00</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>890.00</u>	
		Rear Cost \$ <u>INCLUDED W/ SIDE</u>	
		Both Cost \$ <u>890.00</u>	
Windows	Tinted.	Cost \$ <u>475.00</u>	