



State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
DIESEL, GAS & PROPANE**

Vendor: SCHETKY NW
SALES
THOMAS BUILT BUS

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Seating Capacity	71 passenger based upon an average center-to-center seat spacing of at least 27.5".	Capacity w/o lift <u>71</u> Capacity w/lift <u>54+1</u>		
Alternator	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Diesel Mfr. <u>LEECE NEVILLE</u> Max. amps output w/o lift or A.C. <u>240</u> Max. amps output w/lift or A.C. <u>240</u>	Gas Mfr. <u>LEECE NEVILLE</u> Max. amps output w/o lift or A.C. <u>240</u> Max. amps output w/lift or A.C. <u>240</u>	Propane Mfr. <u>N/A</u> Max. amps output w/o lift or A.C. <u>N/A</u> Max. amps output w/lift or A.C. <u>N/A</u>
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. <u>BERGSTROM</u>		
Axle—Front	9,000 lb. minimum.	Diesel Mfr. <u>DETROIT</u> Capacity <u>10K</u>	Gas Mfr. <u>DETROIT</u> Capacity <u>10K</u>	Propane Mfr. <u>N/A</u> Capacity <u>N/A</u>
Axle—Rear	19,000 lb. minimum.	Diesel Mfr. <u>DETROIT</u> Capacity <u>10K</u>	Gas Mfr. <u>DETROIT</u> Capacity <u>10K</u>	Propane Mfr. <u>N/A</u> Capacity <u>N/A</u>
Axle Oil Seals	Front and rear oil bath, or maintenance free sealed greased bearings.	Diesel Mfr. <u>CR</u>	Gas Mfr. <u>CR</u>	Propane Mfr. <u>N/A</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Diesel Mfr. <u>DETROIT</u> Model no. <u>5.88</u>	Gas Mfr. <u>DETROIT</u> Model no. <u>5.88</u>	Propane Mfr. <u>N/A</u> Model no. <u>N/A</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: ☐ Diameter _____ Other: ☒ Square inches <u>22</u>		

State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

PART I (cont.)
 Vendor: SCHETKY NW SALES
THOMAS BUILT BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Battery(ies)	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift. 1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
		Size/group w/o lift <u>31</u> CCA <u>1900</u> Size/group w/lift <u>31</u> CCA <u>1900</u>	Size/group w/o lift <u>31</u> CCA <u>1900</u> Size/group w/lift <u>31</u> CCA <u>1900</u>	Size/group w/o lift <u>N/A</u> CCA <u>N/A</u> Size/group w/lift <u>N/A</u> CCA <u>N/A</u>
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.		☐ Swing out	☒ Roll out
Brakes	Air: Drum or Disc. Refer to Washington State School Bus Specifications Manual.		Disc Front ☐ Rear ☐ Drum Front ☒ Rear ☒ Size Front <u>15x4</u> Rear <u>16.5x7</u>	
Door, Service	Power operated.		☐ Air ☒ Electric ☐ Other	☐ Folding ☒ Split, Outward opening ☐ Other
Engine	Diesel, Gas and Propane—210 H.P. minimum.	<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
		Engine mfr. <u>CUMMINS</u> Model or liters <u>B6.7L</u> Net torque <u>600</u> @ <u>1600</u> R.P.M Net H.P. <u>220</u> @ <u>2400</u> R.P.M	Engine mfr. <u>CUMMINS</u> Model or liters <u>B6.7L</u> Net torque <u>600</u> @ <u>1800</u> R.P.M Net H.P. <u>220</u> @ <u>1900</u> R.P.M	Engine mfr. <u>N/A</u> Model or liters <u>N/A</u> Net torque <u>N/A</u> @ <u>N/A</u> R.P.M Net H.P. <u>N/A</u> @ <u>N/A</u> R.P.M
Engine Heater	Engine manufacturers recommended in-block heater.		Watts <u>750</u> Volts <u>115</u> Mfr. <u>PHILIPS</u>	
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.		Mfr. <u>EATON</u> ☐ Electronic ☒ Fan clutch ☐ Shutters	
Fuel Tank	Diesel—100-gallon minimum. Gas and Propane—60-gallon minimum.	<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
		Capacity <u>100</u>	Capacity <u>100</u>	Capacity <u>N/A</u>

State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. <u>50,600</u> Center B.T.U. <u>84,000</u> Rear B.T.U. <u>84,000</u> Total B.T.U. <u>218,600</u>
Hood	Tilt.	☒ Fiberglass ☐ Metal
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ☒ If not, explain. _____
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>DELPHI</u> Model No. <u>DEA510</u>
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>337.1</u> w/lift <u>337.1</u> Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>30</u> w/lift <u>30</u>
Steering Wheel	Tilt and telescoping column.	Check if as specified
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>KOROSEAL</u>
Tires	6 first quality, radial ply.	Mfr. <u>HANKOOK AH37</u> Size <u>11R22.5</u> Load range <u>G</u>
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>8.9</u>

State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
 DIESEL, GAS & PROPANE**

Vendor: SCHETKY NW SALES
THOMAS BUILT BUS

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Transmission	Diesel and Propane: Automatic—Allison, PTS 2500 or equal. Gas: Automatic— manufacturer's standard compatible with H.P. and torque rating of engine bid.	<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
		Mfr. <u>ALLISON</u>	Mfr. <u>ALLISON</u>	Mfr. <u>N/A</u>
		Model no. <u>2500PTS</u>	Model no. <u>2500PTS</u>	Model no. <u>N/A</u>
		Net input <u>600</u>	Net input <u>600</u>	Net input <u>N/A</u>
		Net input H.P. <u>220</u>	Net input H.P. <u>220</u>	Net input H.P. <u>N/A</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>MOTOROLA</u> Model No. <u>CM300D</u>		
Wheels	6 to be compatible with tire size.	Size <u>22.5"</u> Rim width <u>8.25"</u>		
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY				
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>BRAUN</u> Model No. <u>NCL9171B-2</u>		
Wheelchair/ Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>SURE-LOK</u> Model No. <u>FF627S-4C-3</u>		
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY				
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified ☒		
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified ☒		
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ☒		

State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

PART I (cont.)
 Vendor: SCHETKY NW SALES
THOMAS BUILT BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery.	Check if as specified ☒
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ☒



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2026-2027

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C77— BID AS 71 PASSENGER (DIESEL)

VENDOR'S COMPANY NAME SCHETKY NW SALES, INC.	REPRESENTATIVE'S NAME SCOTT MEYER	TELEPHONE NUMBER 509-579-6267
ADDRESS 8430 NE LOMBARD ST. PORTLAND, OR. 97220	Estimated delivery date to school district from time purchase order is received: <u>240-260</u> Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>SCHETKY</u>	
	Firm where body can be serviced or repaired, and parts obtained: <u>SCHETKY</u>	

BODY

MAKE THOMAS BUILT BUS	Warranty: Years <u>3</u> Miles <u>50,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>337.1"</u> w/lift <u>337.1"</u>	Equipped seating capacity: w/o lift <u>71</u> w/lift <u>54+1</u>
MODEL 311TS	YEAR 2027	Seat color: <u>GREY</u> Floor color: <u>GREY</u>	Overall vehicle length (inches): w/o lift <u>449.7"</u> w/lift <u>449.7"</u>

CHASSIS

MAKE FREIGHTLINER	Warranty: Years <u>3</u> Miles <u>50,000</u>	MANUFACTURER CUMMINS	Torque: <u>600</u> @ <u>1600</u> RPM H.P.: <u>220</u> @ <u>2400</u> RPM		
MODEL B2 106	YEAR 2027	Wheelbase: <u>259"</u>	MODEL B6.7L	YEAR NEW	C.I.D. or Liters: <u>6.7L</u> Fuel type: <u>DIESEL</u>
TRANSMISSION		Warranty: Years <u>5</u> Miles <u>100,000</u>	Battery type/grp: <u>31</u> <u>31</u>		
MANUFACTURER ALLSION	Speeds forward: <u>6</u>	Number of cylinders: <u>6</u> Inline <u>X</u> V-type <u> </u>	Number batteries: <u>2</u> <u>2</u>		
MODEL 2500PTS	Warranty: Years <u>5</u> Miles <u>UNLIMITED</u>		Total CCA: <u>1900</u> <u>1900</u>		

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Diesel Bid—w/o lift \$ 179,553.00

Diesel Bid—w/lift \$ 186,009.00

VENDOR REPRESENTATIVE'S SIGNATURE

Scott Meyer

DATE

7/31/2026



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2026-2027

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C77— BID AS 71 PASSENGER (GAS)

VENDOR'S COMPANY NAME SCHETKY NW SALES, INC.	REPRESENTATIVE'S NAME SCOTT MEYER	TELEPHONE NUMBER 509-579-6267
ADDRESS 8430 NE LOMBARD ST. PORTLAND, OR. 97220	Estimated delivery date to school district from time purchase order is received: <u>240-260</u> Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>SCHETKY</u> Firm where body can be serviced or repaired, and parts obtained: <u>SCHETKY</u>	

BODY

MAKE THOMAS BUILT BUS	Warranty: Years <u>3</u> Miles <u>50,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>337.1"</u> w/lift <u>337.1"</u>	Equipped seating capacity: w/o lift <u>71</u> w/lift <u>54+1</u>
MODEL 311TS	YEAR 2027	Seat color: <u>GREY</u> Floor color: <u>GREY</u>	Overall vehicle length (inches): w/o lift <u>449.7"</u> w/lift <u>449.7"</u>

CHASSIS

MAKE FREIGHTLINER	Warranty: Years <u>3</u> Miles <u>50,000</u>	MANUFACTURER CUMMINS	Torque: <u>600</u> @ <u>1800</u> RPM H.P.: <u>220</u> @ <u>1900</u> RPM		
MODEL B2 106	YEAR 2027	Wheelbase: <u>259"</u>	MODEL B6.7L	YEAR 2027	C.I.D. or Liters: <u>6.7L</u> Fuel type: <u>GASOLINE</u>
TRANSMISSION		Warranty: Years <u>5</u> Miles <u>100,000</u>	Battery type/grp: <u>31</u> <u>31</u>		
MANUFACTURER ALLISON	Speeds forward: <u>6</u>	Number of cylinders: <u>6</u> Inline <u>X</u> V-type <u> </u>	Number batteries: <u>2</u> <u>2</u>		
MODEL 2500PTS	Warranty: Years <u>5</u> Miles <u>UNLIMITED</u>		Total CCA: <u>1900</u> <u>1900</u>		

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Gas Bid—w/o lift \$ 185,984.00 Gas Bid—w/lift \$ 192,309.00

VENDOR REPRESENTATIVE'S SIGNATURE

Scott Meyer

DATE

7/31/2026



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2026-2027

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C77—BID AS 71 PASSENGER (PROPANE)

VENDOR'S COMPANY NAME
SCHETKY NW SALES, INC.

ADDRESS

8430 NE LOMBARD ST.
PORTLAND, OR. 97220

REPRESENTATIVE'S NAME
SCOTT MEYER

TELEPHONE NUMBER
509-579-6267

Estimated delivery date to school district from time purchase order is received: N/A

Firm where engine and chassis can be serviced or repaired, and parts obtained: N/A

Firm where body can be serviced or repaired, and parts obtained: N/A

BODY

MAKE	Warranty: Years _____ Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____
MODEL	YEAR	Seat color: _____ Floor color: _____	Overall vehicle length (inches): w/o lift _____ w/lift _____

CHASSIS

MAKE	Warranty: Years _____ Miles _____
MODEL	YEAR
Wheelbase: _____	

ENGINE

MANUFACTURER	Torque: _____ @ _____ RPM H.P.: _____ @ _____ RPM
MODEL	YEAR
C.I.D. or Liters: _____ Fuel type: _____	

TRANSMISSION

MANUFACTURER	Warranty: Years _____ Miles _____	Battery _____ type/grp: _____
MODEL	Speeds forward: _____	Number _____ batteries: _____
Warranty: Years _____ Miles _____		Total CCA: _____
Number of cylinders: _____ Inline _____ V-type _____		

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ NO BID

Propane Bid—w/lift \$ NO BID

VENDOR REPRESENTATIVE'S SIGNATURE

Scott Meyer

DATE

7/31/2026

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: SCHETKY NW SALES
THOMAS BUILT BUS

☐ C60 ☒ C77 ☐ D60 ☐ D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>48</u> Cost \$ <u>650.00 PER SEAT, REPLACE STD. SEAT</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>MCC 126K BTU FREEBLOW</u> Cost \$ <u>10,685.00</u>	
Alternator	Available options.	Cost \$ <u>964.00</u> Capacity <u>270A</u> Cost \$ <u>1,152.00</u> Capacity <u>320A</u> Cost \$ <u>N/A</u> Capacity <u>N/A</u>	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>195.00</u> Type D: Cost \$ <u>375.00</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>ECCO 850N-TB2</u> Cost \$ <u>175.00</u>	
Brakes	4-wheel hydraulic disk brake.	Cost \$ <u>N/A</u>	Deduct \$ <u>N/A</u>
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>3,800.00</u> Drum Cost \$ <u>INCLUDED</u>	Disc Deduct \$ <u>N/A</u> Drum Deduct \$ <u>N/A</u>
Color	Exterior white roof.	Cost \$ <u>690.00</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>350.00</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air	Air
		Mfr. <u>NATIONAL</u>	Mfr. <u>NATIONAL</u>
		Cost \$ <u>N/A</u>	Cost \$ <u>INCLUDED</u>
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. <u>FOGMAKER</u> Cost \$ <u>15,639.00</u>	
Floor Color	Nonstandard color.	Cost \$ <u>650.00</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

☐ C60 ☒ C77 ☐ D60 ☐ D84

Use this document to bid both non-lift and lift buses.

PART II (cont.)

Vendor: SCHETKY NW SALES
THOMAS BUILT BUS

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Fuel Tank	Larger fuel capacity (Diesel only).	Size: <u>100</u>	Cost \$ <u>INCLUDED</u>
Fuel Tank	Larger fuel capacity (Propane only).	Size: <u>N/A</u>	Cost \$ <u>N/A</u>
Headlights	Halogen.	Cost \$ <u>N/A</u>	
Headlights	L.E.D.	Cost \$ <u>INCLUDED</u>	
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>WEBASTO</u>	Model: <u>PRO90</u> Cost \$ <u>\$5,550.00</u>
Noise Reduction	Exceeding minimum specifications.	Driver compartment	Cost \$ <u>160.00</u>
		Engine compartment	Cost \$ <u>195.00</u>
		Full acoustical headliner	Cost \$ <u>INCLUDED</u>
Retarder	Manufacturer's standard.	Driveline ☐	Cost \$ <u> </u>
		Exhaust ☒	Cost \$ <u>175.00</u>
		Transmission ☐	Cost \$ <u> </u>
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ <u>1,225.00</u>	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ <u>11,560.00</u> Capacity <u>40</u> 3 by 2 Cost \$ <u>11,560.00</u> Capacity <u>40</u> 3 by 3 Cost \$ <u>13,872.00</u> Capacity <u>72</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

☐ C60 ☒ C77 ☐ D60 ☐ D84

Use this document to bid both non-lift and lift buses.

PART II (cont.)

Vendor: SCHEKTY NW SALES

THOMAS BUILT BUS

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Storage Compartments	Largest available for unit bid.	Left-side <u>29.7</u> cubic feet. Cost \$ <u>1,850.00</u> Right-side <u>29.7</u> cubic feet. Cost \$ <u>1,850.00</u> Push-thru <u>N/A</u> cubic feet. Cost \$ <u>N/A</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>ECCO</u> Model No. <u>7460CC</u> Cost \$ <u>295.00</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>THOMAS</u> Model No. <u>PASSENGER ADVISORY</u> Cost \$ <u>390.00</u>	
Suspension	Air ride (Air brake system only).	Front	Rear
		Cost \$ <u>N/A</u>	Cost \$ <u>3,200.00</u>
Toolbox	Interior, manufacturer standard.	Cost \$ <u>85.00</u> Deduct \$ <u>N/A</u>	
Traction Device	Automatic chains.	Mfr. <u>ON-SPOT</u> Cost \$ <u>6192.00</u>	
Traction Device	Sanders.	Capacity <u>158LBS</u> Cost \$ <u>6,661.00</u>	
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. <u>ALLISON</u> Model No. <u>3000PTS</u> Cost \$ <u>7,390.00</u>	
Vehicle Securement System	Must meet state specification.	Mfr. <u>SAFETY BRAKE</u>	Cost \$ <u>1,898.00</u>
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>REI</u> Model No. <u>HD</u> Cost \$ <u>6,400.00</u> How many cameras <u>3</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

☐ C60 ☒ C77 ☐ D60 ☐ D84

Use this document to bid both non-lift and lift buses.

PART II (cont.)
Vendor: SCHETKY NW SALES
THOMAS BUILT BUS

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	<i>Stand Alone System</i>	<i>Added to Interior System</i>
		Mfr. <u>REI</u>	Mfr. <u>REI</u>
		Model No. <u>HD</u>	Model No. <u>HD</u>
		Cost \$ <u>7,104.00</u>	Cost \$ <u>633.00</u>
		How many cameras <u>4</u>	How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	<i>Incandescent</i>	<i>LED Lights</i>
		Cost \$ <u>N/A</u>	Cost \$ <u>350.00</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>SURE-LOK</u>	
		Model No. <u>FF627S-4C-3</u>	
		Cost per station \$ <u>960.00</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>695.00</u>	
		Rear Cost \$ <u>395.00</u>	
		Both Cost \$ <u>1,090.00</u>	
Windows	Tinted.	Cost \$ <u>550.00</u>	
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>795.00</u>	