

State Price Quote Specification  
**TYPE D—84 PASSENGER  
ELECTRIC**

**PART I**

Vendor: SCHETKY NW SALES  
THOMAS BUILT BUS

Use this document to bid both non-lift and lift buses for 61 – 84 capacity

| ITEM                    | SPECIFICATIONS<br>Vendor must meet or exceed these specifications.<br>Item bid shall be specified in column to right.                      | VENDOR SPECIFICALLY IDENTIFY ITEM BID<br>Price of items bid will establish the district cost.                                                                                               |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Seating Capacity        | 84 passenger maximum design capacity seated for 78 passenger.                                                                              | Capacity w/o lift <u>84</u><br>Capacity w/lift <u>N/A</u>                                                                                                                                   |
| Auxiliary Fans          | 2 fans, 6" maximum, mounted to right and left windshield and service door.                                                                 | Mfr. <u>BERGSTROM</u>                                                                                                                                                                       |
| Axle—Front              | 13,200 lb. minimum total suspension GVWR.                                                                                                  | Mfr. <u>HENDRICKSON</u><br>Capacity <u>14,700</u>                                                                                                                                           |
| Axle—Rear               | 23,000 lb. minimum total suspension GVWR.                                                                                                  | Mfr. <u>MERITOR</u><br>Capacity <u>23,000</u>                                                                                                                                               |
| Axle Oil Seals          | Front and rear oil bath, or maintenance free sealed greased bearings.                                                                      | Mfr. <u>CR</u>                                                                                                                                                                              |
| Axle Ratio              | Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.                               | Ratio <u>3.08</u>                                                                                                                                                                           |
| Back-up Lights          | All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.                  | Round: <input type="checkbox"/> Diameter _____<br>Other: <input checked="" type="checkbox"/> Square inches <u>22</u>                                                                        |
| Battery(ies)            | 1400 CCA 12 volt to be mounted in body battery compartment.                                                                                | Number of batteries <u>2</u><br>CCA <u>2775</u>                                                                                                                                             |
| Battery(ies) Propulsion | Battery propulsion must meet a minimum of 130 kWh.                                                                                         | Number of batteries <u>2</u><br>kWh <u>246</u>                                                                                                                                              |
| Battery Compartment     | Battery storage tray must be large enough to accommodate batteries as specified in chassis section.                                        | <input type="checkbox"/> Swing out <input checked="" type="checkbox"/> Roll out                                                                                                             |
| Brakes                  | Air: Drum or Disc. If Drum, minimum 16.5" x 6" front, minimum 16.5" x 8" rear. Refer to Washington State School Bus Specifications Manual. | Disc Front <input checked="" type="checkbox"/> Rear <input checked="" type="checkbox"/><br>Drum Front <input type="checkbox"/> Rear <input type="checkbox"/><br>Size Front _____ Rear _____ |
| Door, Service           | Power operated.                                                                                                                            | <input type="checkbox"/> Folding <input type="checkbox"/> Other<br><input type="checkbox"/> Roll out<br><input checked="" type="checkbox"/> Split, Outward opening                          |

**State Price Quote Specification**  
**TYPE D—84 PASSENGER**  
**ELECTRIC**

Use this document to bid both non-lift and lift buses for 61 – 84 capacity

PART I (cont.)

Vendor: SCHETKY NW SALES  
THOMAS BUILT BUS

| ITEM           | SPECIFICATIONS<br>Vendor must meet or exceed these specifications.<br>Item bid shall be specified in column to right.                       | VENDOR SPECIFICALLY IDENTIFY ITEM BID<br>Price of items bid will establish the district cost.                                                                            |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Driver's Seat  | Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.                                                              | Mfr. <u>NATIONAL COMODORE</u>                                                                                                                                            |
| Motor          | 190 H.P. minimum, located in the rear.                                                                                                      | Engine mfr. <u>MERITOR</u><br>Model or liters <u>ACCELERA</u><br>_____<br>Net torque <u>910</u> @ <u>750V</u> R.P.M<br>Net H.P. <u>241</u> @ <u>650V</u> R.P.M           |
| Heaters        | Heaters Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors.                        | Front B.T.U. <u>90,000</u><br>Center B.T.U. <u>84,000</u><br>Rear B.T.U. <u>84,000</u><br>Total B.T.U. <u>258,000</u>                                                    |
| Lights         | LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System. | Check if as specified <input checked="" type="checkbox"/><br>If not, explain. _____                                                                                      |
| P.A. System    | AM/FM/PA radio with 4 interior and 1 exterior speakers.                                                                                     | Mfr. <u>DELPHI</u><br>Model No. <u>DEA700</u>                                                                                                                            |
| Seat Spacing   | 78 passenger based upon manufacturer's maximum seat spacing.                                                                                | Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area:<br><u>428.3</u> inches<br>Mfg.'s C/C seat measurement: <u>30</u> inches |
| Steering Wheel | Tilt and telescoping column.                                                                                                                | Check if as specified <input checked="" type="checkbox"/>                                                                                                                |
| Step Tread     | Studded or pebbled top tread covering.                                                                                                      | Mfr. <u>KOROSEAL</u>                                                                                                                                                     |
| Tires          | 6 first quality, radial ply.                                                                                                                | Mfr. <u>MICHELIN</u><br>Size <u>FRT: 12R22.5 RR: 11R22.5</u><br>Load range <u>H</u>                                                                                      |

State Price Quote Specification  
**TYPE D—84 PASSENGER  
ELECTRIC**

PART I (cont.)  
**Vendor: SCHETKY NW SALES**  
THOMAS BUILT BUS

Use this document to bid both non-lift and lift buses for 61 – 84 capacity

| ITEM                                           | SPECIFICATIONS                                                                                      | VENDOR SPECIFICALLY IDENTIFY ITEM BID                |
|------------------------------------------------|-----------------------------------------------------------------------------------------------------|------------------------------------------------------|
|                                                | Vendor must meet or exceed these specifications.<br>Item bid shall be specified in column to right. | Price of items bid will establish the district cost. |
| Toolbox                                        | Exterior, manufacturer standard.                                                                    | Size (cubic feet) <u>8.9</u>                         |
| Two-way Communications                         | 45-watt, VHF, mil. spec.                                                                            | Mfr. <u>MOTOROLA</u>                                 |
|                                                |                                                                                                     | Model No. <u>CM300D</u>                              |
| Wheels                                         | 6 to be compatible with tire size.                                                                  | Size <u>22.5"</u>                                    |
|                                                |                                                                                                     | Rim width <u>8.25"</u>                               |
|                                                | <b>SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY</b>                                                  |                                                      |
| Wheelchair Lift—Installed                      | Must meet state specification. Platform shall be a minimum of 32" x 52".                            | Mfr. <u>N/A</u>                                      |
|                                                |                                                                                                     | Model No. <u>N/A</u>                                 |
| Wheelchair/ Occupant Tie-down System—Installed | Must meet state specification.                                                                      | Mfr. <u>N/A</u>                                      |
|                                                |                                                                                                     | Model No. <u>N/A</u>                                 |

State Price Quote Specification  
**TYPE D—84 PASSENGER  
ELECTRIC**

Use this document to bid both non-lift and lift buses for 61 – 84 capacity

PART I (cont.)

Vendor: SCHETKY NW SALES  
THOMAS BUILT BUS

| ITEM                        | SPECIFICATIONS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | VENDOR SPECIFICALLY IDENTIFY ITEM BID                     |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
|                             | Vendor must meet or exceed these specifications.<br>Item bid shall be specified in column to right.                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Price of items bid will establish the district cost.      |
|                             | <b>ADDITIONAL REQUIREMENTS—CHASSIS AND BODY</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                           |
| Line Setting Ticket         | Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.                                                                                                                                                                                                                                                                                                                                                                                                                                       | Check if as specified <input checked="" type="checkbox"/> |
| Owner's/Operator's Handbook | One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.                                                                                                                                                                                                                                                                                                                                                                                                                                        | Check if as specified <input checked="" type="checkbox"/> |
| Repair Manuals              | A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.                                                                                                                                                                                                                                                                                                                                            | Check if as specified <input checked="" type="checkbox"/> |
| Service and Cleaning        | Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> <li>• Chassis lubrication.</li> <li>• Check fluid levels: verify all are at recommended full levels.</li> <li>• Cooling system protected at -20°F.</li> <li>• Interior and exterior will be clean (including glass).</li> <li>• All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery.</li> <li>• All components and accessories will be installed and operational at time of delivery.</li> </ul> | Check if as specified <input checked="" type="checkbox"/> |
| Warranty                    | A complete copy of all warranty agreements will be furnished at time of delivery.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Check if as specified <input checked="" type="checkbox"/> |



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2026-2027

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

## VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE D—84 PASSENGER—ELECTRIC

|                                                       |  |                                                                                                                                                                                                                                                                                     |                                  |
|-------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
| VENDOR'S COMPANY NAME<br>SCHETY NW SALES, INC.        |  | REPRESENTATIVE'S NAME<br>SCOTT MEYER                                                                                                                                                                                                                                                | TELEPHONE NUMBER<br>509-579-6267 |
| ADDRESS<br>8430 NE LOMBARD ST.<br>PORTLAND, OR. 97220 |  | Estimated delivery date to school district from time purchase order is received: <u>240-260</u><br>Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>SCHETKY</u><br>Firm where body can be serviced or repaired, and parts obtained: <u>SCHETKY</u> |                                  |

| BODY                     |              |                                                                                                            |                                                                                                                                                   |                                                                                                                                                       |
|--------------------------|--------------|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| MAKE<br>THOMAS BUILT BUS |              | Warranty: Years <u>3</u><br>Miles <u>50,000</u><br><br>Seat color: <u>GREY</u><br>Floor color: <u>GREY</u> | Inside measurement from rear of<br>stepwell to appropriate point at<br>rear of passenger seating area:<br>w/o lift <u>428.3</u> w/lift <u>N/A</u> | Equipped seating capacity:<br>w/o lift <u>84</u> w/lift <u>N/A</u><br><br>Overall vehicle length (inches):<br>w/o lift <u>479.9</u> w/lift <u>N/A</u> |
| MODEL<br>380DS           | YEAR<br>2027 |                                                                                                            |                                                                                                                                                   |                                                                                                                                                       |

| CHASSIS                                |              |                                                                              | MOTOR                    |                      |                                      |
|----------------------------------------|--------------|------------------------------------------------------------------------------|--------------------------|----------------------|--------------------------------------|
| MAKE<br>FREIGHTLINER                   |              | Warranty: Years <u>3</u><br>Miles <u>50,000</u><br><br>Wheelbase: <u>277</u> | MANUFACTURER<br>MERITOR  |                      | Torque: <u>910</u> @ <u>750V</u> RPM |
| MODEL<br>EHDx2                         | YEAR<br>2027 |                                                                              | MODEL<br>ACCELERA        | YEAR<br>2027         | H.P.: <u>241</u> @ <u>650V</u> RPM   |
| BATTERIES                              |              |                                                                              | Warranty: Years <u>5</u> |                      |                                      |
| 12 Volt                                |              | Propulsion                                                                   |                          | Miles <u>100,000</u> |                                      |
| Battery type/grp: <u>31</u> <u>N/A</u> |              | Number batteries: <u>2</u>                                                   |                          |                      |                                      |
| Number batteries: <u>2</u>             |              | Total kWh: <u>246</u>                                                        |                          |                      |                                      |
| Total CCA: <u>2775</u>                 |              |                                                                              |                          |                      |                                      |

| QUOTED PRICE                                                                                                 |                             |
|--------------------------------------------------------------------------------------------------------------|-----------------------------|
| Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax). |                             |
| Bid—w/o lift \$ <u>445,782.00</u>                                                                            | Bid—w/lift \$ <u>NO BID</u> |
| VENDOR REPRESENTATIVE'S SIGNATURE<br><u>Scott Meyer</u>                                                      | DATE<br><u>7/31/2026</u>    |

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

☐ C77 ☒ D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

PART II

Vendor: SCHETKY NW  
SALES  
THOMAS BUILT BUS

| ITEM                        | Vendor must meet or exceed these specifications.<br>Item bid shall be specified in column to right.                                                  | VENDOR SPECIFICALLY IDENTIFY ITEM BID<br>Price of items bid will establish the district cost. |                                                               |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| Activity Securement Seating | 2-passenger position seats with lap-shoulder belts in all passenger positions.                                                                       | Passenger Capacity <u>52</u><br>Cost \$ <u>650.00 PER SEAT, REPLACE STD. SEAT</u>             |                                                               |
| Air Conditioning            | To cool passenger compartment as required in the Washington State School Bus Specifications manual.                                                  | Mfr. <u>CARRIER AC-IW10/IW1 120K BTU</u><br>Cost \$ <u>22,160.00</u>                          |                                                               |
| Anti-spray Device           | Rubber fender extenders.                                                                                                                             | Type C: Cost \$ <u>195.00</u><br>Type D: Cost \$ <u>375.00</u>                                |                                                               |
| Back-up Alarm               | Must meet state specification.                                                                                                                       | Mfr. <u>ECCO 850N-TB2</u><br>Cost \$ <u>175.00</u>                                            |                                                               |
| Brakes                      | 4-wheel hydraulic disk brake.                                                                                                                        | Cost \$ <u>N/A</u>                                                                            | Deduct \$ <u>N/A</u>                                          |
| Brakes                      | Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.                                                                       | Disc Cost \$ <u>INCLUDED</u><br>Drum Cost \$ <u>N/A</u>                                       | Disc Deduct \$ <u>N/A</u><br>Drum Deduct \$ <u>N/A</u>        |
| Color                       | Exterior white roof.                                                                                                                                 | Cost \$ <u>790.00</u>                                                                         |                                                               |
| Door Locks                  | Vandal lock system on all exterior doors.                                                                                                            | Cost \$ <u>350.00</u>                                                                         |                                                               |
| Driver's Seat               | Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.                                                                       | <b>Non-Air</b><br>Mfr. <u>N/A</u><br>Cost \$ <u>N/A</u>                                       | <b>Air</b><br>Mfr. <u>NATIONAL</u><br>Cost \$ <u>INCLUDED</u> |
| Fire Suppression System     | Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation. | Mfr. <u>FOGMAKER</u><br>Cost \$ <u>15,639.00</u>                                              |                                                               |
| Floor Color                 | Nonstandard color.                                                                                                                                   | Cost \$ <u>950.00</u>                                                                         |                                                               |
| Headlights                  | Halogen.                                                                                                                                             | Cost \$ <u>N/A</u>                                                                            |                                                               |
| Headlights                  | L.E.D.                                                                                                                                               | Cost \$ <u>INCLUDED</u>                                                                       |                                                               |

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

☐ C77 ☒ D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

PART II (cont.)

Vendor: SCHETKY NW  
SALES  
THOMAS BUILT BUS

| ITEM                     | Vendor must meet or exceed these specifications.<br>Item bid shall be specified in column to right.        | VENDOR SPECIFICALLY IDENTIFY ITEM BID<br>Price of items bid will establish the district cost.                                                                                               |
|--------------------------|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Heater (Auxiliary water) | Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27. | Brand: <u>N/A</u> Model: <u>N/A</u><br>Cost \$ <u>N/A</u>                                                                                                                                   |
| Noise Reduction          | Exceeding minimum specifications.                                                                          | Driver compartment Cost \$ <u>250.00</u><br>Engine compartment Cost \$ <u>INCLUDED</u><br>Full acoustical headliner Cost \$ <u>INCLUDED</u>                                                 |
| Retarder                 | Manufacturer's standard.                                                                                   | Driveline <input type="checkbox"/> Cost \$ <u>N/A</u><br>Exhaust <input type="checkbox"/> Cost \$ <u>N/A</u><br>Transmission <input type="checkbox"/> Cost \$ <u>N/A</u>                    |
| Seat Belt Ready Seat     | 3-passenger position seat with securement belts.                                                           | Cost \$ <u>1,225.00</u>                                                                                                                                                                     |
| Seating System           | Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.                     | 2 by 2 Cost \$ <u>12,718.00</u><br>Capacity <u>44</u><br>3 by 2 Cost \$ <u>12,718.00</u><br>Capacity <u>44</u><br>3 by 3 Cost \$ <u>16,184.00</u><br>Capacity <u>84</u>                     |
| Storage Compartments     | Largest available for unit bid.                                                                            | Left-side <u>21.4</u> cubic feet.<br>Cost \$ <u>1,375.00</u><br>Right-side <u>21.4</u> cubic feet.<br>Cost \$ <u>1,375.00</u><br>Push-thru <u>65</u> cubic feet.<br>Cost \$ <u>3,295.00</u> |
| Strobe Light             | Exterior roof mounted white strobe light.                                                                  | Mfr. <u>ECCO</u><br>Model No. <u>7460CC</u><br>Cost \$ <u>295.00</u>                                                                                                                        |

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

☐ C77 ☒ D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

Vendor: SCHETKY NW  
SALES  
THOMAS BUILT BUS

| ITEM                                            | Vendor must meet or exceed these specifications.<br>Item bid shall be specified in column to right. | VENDOR SPECIFICALLY IDENTIFY ITEM BID<br>Price of items bid will establish the district cost.  |                                                                                              |
|-------------------------------------------------|-----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| Student Protection System—Installed             | Electronic system to insure driver post-trip inspection of passenger compartment.                   | Mfr. <u>THOMAS</u><br>Model No. <u>PASSENGER ADVISORY</u><br>Cost \$ <u>623.00</u>             |                                                                                              |
| Suspension                                      | Air ride (Air brake system only).                                                                   | <b>Front</b>                                                                                   | <b>Rear</b>                                                                                  |
|                                                 |                                                                                                     | Cost \$ <u>INCLUDED</u>                                                                        | Cost \$ <u>INCLUDED</u>                                                                      |
| Toolbox                                         | Interior, manufacturer standard.                                                                    | Cost \$ <u>85.00</u>                                                                           | Deduct \$ <u>N/A</u>                                                                         |
| Traction Device                                 | Automatic chains.                                                                                   | Mfr. <u>ON-SPOT</u><br>Cost \$ <u>6,192.00</u>                                                 |                                                                                              |
| Traction Device                                 | Sanders.                                                                                            | Capacity <u>158LBS</u><br>Cost \$ <u>6,661.00</u>                                              |                                                                                              |
| Vehicle Securement System                       | Must meet state specification.                                                                      | Mfr. <u>INTELLIPARK</u>                                                                        | Cost \$ <u>INCLUDED</u>                                                                      |
| Video Camera Systems—Installed                  | Digital audio/video system for monitoring the passenger compartment with more than two cameras.     | Mfr. <u>REI</u><br>Model No. <u>HD</u><br>Cost \$ <u>6,400.00</u> How many cameras <u>3</u>    |                                                                                              |
| Video Camera Systems—Stop Sign Camera—Installed | Must meet state specification.                                                                      | <b>Stand Alone System</b>                                                                      | <b>Added to Interior System</b>                                                              |
|                                                 |                                                                                                     | Mfr. <u>REI</u><br>Model No. <u>HD</u><br>Cost \$ <u>7,104.00</u><br>How many cameras <u>4</u> | Mfr. <u>REI</u><br>Model No. <u>HD</u><br>Cost \$ <u>633.00</u><br>How many cameras <u>1</u> |
| Warning Light Monitor                           | 16 light monitoring system.                                                                         | <b>Incandescent</b>                                                                            | <b>LED Lights</b>                                                                            |
|                                                 |                                                                                                     | Cost \$ <u>N/A</u>                                                                             | Cost \$ <u>780.00</u>                                                                        |

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

☐ C77   ☒ D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

PART II (cont.)

Vendor: SCHETKY NW  
SALES  
THOMAS BUILT BUS

| ITEM                                                     | Vendor must meet or exceed these specifications.<br>Item bid shall be specified in column to right. | <b>VENDOR SPECIFICALLY IDENTIFY ITEM BID</b><br>Price of items bid will establish the district cost.      |
|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Additional Wheelchair/Occupant Tie-down System—Installed | Must meet state specification.                                                                      | Mfr. <u>N/A</u><br>Model No. <u>N/A</u><br>Cost per station \$ <u>N/A</u>                                 |
| Windows                                                  | Laminated passenger-compartment side or rear glass.                                                 | Side Cost \$ <u>1,500.00</u><br>Rear Cost \$ <u>INCLUDED W/ SIDE COST</u><br>Both Cost \$ <u>1,500.00</u> |
| Windows                                                  | Tinted.                                                                                             | Cost \$ <u>750.00</u>                                                                                     |
| Windows                                                  | Thermal pane, left of driver and service door.                                                      | Cost \$ <u>895.00</u>                                                                                     |